

# ICIS NET

---

## Message Specifications for EXPORT

### Appendix Q2: Technical Message Structure

#### ICISNET-EXPORT-MSG-SPECS

---

**Issue Date:** 14/07/2020

**Owner:** INTRASOFT

**Authors:** INTRASOFT

**Version:** v1.00

Framework Contract No: null

Contract No: ICISNET

Restricted - In Confidence

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
1. Introduction	

## 1. Introduction

This appendix describes the detailed structure of each Functional Message Structure (FMS) identified in Message Specifications for EXPORT.

The introduction text for this appendix can be found in a separate file, referred to as Appendix Q - Part 1. Appendix Q - Part 1 provides the user an overview of amendments from SAM Mapping and FTSS-AES Addendum [A4].

Furthermore, it explains the usage of Technical Rules.

FMSs are organised into data groups that contain data items. A data group is not necessarily the equivalent of a database entity. The data items are grouped together in such a way that they build up coherent logical blocks within the scope of each FMS.

This appendix lists:

- the characteristics of the data groups belonging to the FMS: sequence, number of repetitions, a status value to indicate if the data group is mandatory (R: Required), optional (O: Optional) or conditional (D: Dependent)
- data group indentation indicates that the data group may contain not only data items but also other groups of data
- Rules and Conditions applying
- Applicable ECS\_P2 Codelists

## DDNA KEL Alignment

The specific Appendix is aligned to DDNA KEL VDraft Version

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
2. MESSAGES LIST	

## 2. MESSAGES LIST

Number	Title	Message Type
COM04	DSS REQUEST	COM04A
COM05	DSS REPLY	COM05A
COM06	Retrospective REQUEST	COM06A
COM07	Positive Acknowledgement	COM07A
DA104	Αποδοχή τροποποίησης Καταλόγου Εξόδου	DA104A
DA105	Απόρριψη Τροποποίησης Καταλόγου Εξόδου	DA105A
DA113	Υποβολή τροποποίησης Καταλόγου Εξόδου	DA113A
EA04	Αποδοχή Αιτήματος Διορθωσης ΕΔΕ Ανευ Στατιστικής Εξαγωγής	EA04A
EA05	Απόρριψη Αιτήματος Διόρθωσης ΕΔΕ Ανευ Στατιστικής	EA05A
EA09	Απόφαση Ακύρωσης ΕΔΕ Ανευ Στατιστικής Εξαγωγής	EA09A
EA13	Αίτημα Διορθωσης ΕΔΕ Ανευ Στατιστικής Εξαγωγής	EA13A
EA14	Αίτημα Ακύρωσης ΕΔΕ Ανευ Στατιστικής Εξαγωγής	EA14A
EA15	Υποβολή ΕΔΕ Ανευ Στατιστικής Εξαγωγής	EA15A
EA16	Απόρριψη ΕΔΕ Ανευ Στατιστικής Εξαγωγής	EA16A
EA28	A/A ΕΔΕ Ανευ Στατιστικής Εξαγωγής	EA28A
EA29	Release For Export	EA29A
EA51	Export Not Release	EA51A
EA60	Export No Stat Control Decision Notification	EA60A
EA80	Πληροφορία κατάστασης	EA80A
EA99	Export Notification	EA99A
ED15	Συμπληρωματικό Μήνυμα Διασάφησης Τυπου D	ED15A
ED80	Πληροφορία κατάστασης	ED80A
IE030	NOTIFICATION OF CUSTOMS OFFICES MODIFICATION TO COMMON DOMAIN	CD030B
IE031	NOTIFICATION OF CUSTOMS OFFICES MODIFICATION TO NATIONAL DOMAIN	CD031B
IE032	NOTIFICATION OF COMMON REFERENCE DATA MODIFICATION TO ND	CD032B
IE070	NOTIFICATION OF SYSTEM UNAVAILABILITY TO CD	CD070A
IE071	NOTIFICATION OF SYSTEM UNAVAILABILITY TO ND	CD071A
IE411	SENDING OF STATISTICS DATA	CD411B
IE412	STATISTICS GENERATED SENT TO NATIONAL DOMAIN	CD412B
IE501	AER	CD501B
IE502	DECLARATION REQUEST EXPORT	CD502A
IE503	AER RESPONSE	CD503B
IE504	EXPORT DECLARATION AMENDMENT ACCEPTANCE	CC504A
IE505	EXPORT DECLARATION AMENDMENT REJECTION	CC505A
IE507	ARRIVAL AT EXIT	CC507A
IE508	ARRIVAL AT EXIT REJECTION	CC508A
IE509	EXPORT CANCELLATION DECISION	CC509A
IE510	EXPORT CANCELLATION NOTIFICATION	CD510A
IE513	EXPORT DECLARATION AMENDMENT	CC513A
IE514	EXPORT CANCELLATION REQUEST	CC514A
IE515	EXPORT DECLARATION	CC515A
IE516	EXPORT DECLARATION REJECTED	CC516A
IE518	EXIT RESULTS	CD518B
IE519	EXPORT CONTROL RESULTS REJECTED	CC519A
IE521	DIVERSION REJECTION NOTIFICATION	CC521A
IE522	EXIT RELEASE REJECTION	CC522A
IE524	FORWARDED ARRIVAL ADVICE	CD524B
IE525	EXIT RELEASE NOTIFICATION	CC525A
IE527	EXPORT QUERY	CD527A
IE528	EXPORT MRN ALLOCATED	CC528A
IE529	RELEASE FOR EXPORT	CC529A
IE538	RESPONSE TO EXPORT QUERY	CD538A
IE547	MANIFEST PRESENTATION	CC547A
IE548	MANIFEST VALIDATION	CC548A

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
2. MESSAGES LIST	

Number	Title	Message Type
IE551	EXPORT NO RELEASE	CC551A
IE554	EXPORT RELEASE REQUEST	CC554A
IE560	EXPORT CONTROL DECISION	CC560A
IE561	EXIT CONTROL DECISION NOTIFICATION	CC561A
IE562	EXPORT RELEASE REQUEST REJECTION	CC562A
IE582	REQUEST ON NON-EXITED EXPORT	CC582A
IE583	INFORMATION ABOUT NON-EXITED EXPORT	CC583A
IE584	EXPORT FOLLOW UP REQUEST	CD584A
IE586	FOLLOW-UP NEGATIVE RESPONSE	CD586A
IE590	EXIT NOTIFICATION	CC590A
IE599	EXPORT NOTIFICATION	CC599A
IE601	EXS	CD601A
IE603	EXIT SUMMARY DECLARATION RESPONSE	CD603A
IE604	EXIT SUMMARY DECLARATION AMENDMENT ACCEPTANCE	CC604A
IE605	EXIT SUMMARY DECLARATION AMENDMENT REJECTION	CC605A
IE613	EXIT SUMMARY DECLARATION AMENDMENT	CC613A
IE615	EXIT SUMMARY DECLARATION	CC615A
IE616	EXIT SUMMARY DECLARATION REJECTED	CC616A
IE628	EXIT SUMMARY DECLARATION ACKNOWLEDGEMENT	CC628A
IE901	CANCELLATION ACKNOWLEDGEMENT	CD901B
IE904	STATUS REQUEST	CD904A
IE905	STATUS RESPONSE	CD905A
IE906	FUNCTIONAL NACK	CD906A
IE907	EDIFACT NACK	CD907A
IE912	AVAILABILITY MATRIX	CD912A
IE913	UPLOAD PARSING RESPONSE	CD913A
IE914	COL REQUEST	CD914A
IE916	COMMON RD REQUEST	CD916A
IE931	COL DATA	CD931B
IE932	COMMON RD DATA	CD932B
IE971	FULL UNAVAILABILITY SCHEDULE	CD971A
XP09	Απόφαση Ακύρωσης Εγγράφου Προ Ενημέρωσης	XP09A
XP14	Αιτημα Ακύρωσης Εγγράφου Προ Ενημέρωσης	XP14A
XP15	Εγγραφο Προ Ενημέρωσης	XP15A
XP16	Απόρριψη Εγγράφου Προ Ενημέρωσης	XP16A
XP28	Α/Α Εγγράφου Προ Ενημέρωσης	XP28A

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
3. FORMAT DIFFERENCES	

### 3. FORMAT DIFFERENCES

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
4. NAMING DIFFERENCES	

## 4. NAMING DIFFERENCES

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: COM04	

5. Message Structure for: COM04

COM04	(COM04A)	DSS REQUEST	(COM04)
-------	----------	-------------	---------

MESSAGE	1x	R
---RISK INFORMATION	1x	R

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: COM04	

MESSAGE

Message sender	R	an..35	
Message recipient	R	an..35	
Date of preparation (DSS)	R	n6	
Time of preparation (DSS)	R	n4	
Message identification	R	an..14	
Message type	R	an..6	60

---RISK INFORMATION

Message type	R	an..6	
MRN	R	an..21	
Message Data	R	Base64	
Control Type	R	n1	
Risk Type	R	n1	
Expected Time for Response	R	n14	
MRN Version	R	n5	
Message Type Version	R	n8	
Customs Office	R	an8	



Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: COM05	

## 5. Message Structure for: COM05

COM05	(COM05A)	DSS REPLY	(COM05)
-------	----------	-----------	---------

MESSAGE	1x	R
---RISK INFORMATION	1x	R
---NATIONAL GOODS ITEM RISK	999x	D
---EU GOODS ITEM RISK	999x	D

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: COM05	

## MESSAGE

Message sender	R	an..35	
Message recipient	R	an..35	
Date of preparation (DSS)	R	n6	
Time of preparation (DSS)	R	n4	
Message identification	R	an..14	
Message type	R	an..6	60
Correlation identification	R	an..14	

## ---RISK INFORMATION

Control Type	R	n1	
National Risk number	D	n..3	
National Risk result	D	n1	
EU Risk Result Code	D	an..5	

## ---NATIONAL GOODS ITEM RISK

Item Number involved	R	n..3	
National Risk number	R	n..3	
National Risk result	R	n1	

## ---EU GOODS ITEM RISK

Item Number involved	R	n..3	
EU Risk Result Code	R	an..5	
EU Risk analysis text	O	an..350	
EU Risk analysis text LNG	O	a2	

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: COM06	

## 5. Message Structure for: COM06

COM06	(COM06A)	Retrospective REQUEST	(COM06)
-------	----------	-----------------------	---------

MESSAGE	1x	R
---RISK INFORMATION	1x	R

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: COM06	

MESSAGE

Message sender	R	an..35
Message recipient	R	an..35
Date of preparation (DSS)	R	n6
Time of preparation (DSS)	R	n4
Message identification	R	an..14

---RISK INFORMATION

MRN	R	an..21
Control Type	R	n1
Risk Type	R	n1
Office Role	R	n1

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: COM07	

## 5. Message Structure for: COM07

COM07	(COM07A)	Positive Acknowledgement	(COM07)
-------	----------	--------------------------	---------

MESSAGE	1x	R
---HEADER	1x	R

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: COM07	

MESSAGE

Message sender	R	an..35
Message recipient	R	an..35
Date of preparation (DSS)	R	n6
Time of preparation (DSS)	R	n4
Message identification	R	an..14
Correlation identification	R	an..14

---HEADER

MRN	R	an..21
Acknowledgement	R	n1

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DA104	

## 5. Message Structure for: DA104

DA104	(DA104A)	Αποδοχή τροποποίησης Καταλόγου Εξόδου	(E_MAN_AMD_ACC)
-------	----------	---------------------------------------	-----------------

MESSAGE	1x	R
---HEADER	1x	R

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DA104	

## MESSAGE

Syntax identifier	R	a4	21
Syntax version number	R	n1	22
Message sender	R	an..35	
Sender identification code qualifier	O	an..4	
Message recipient	R	an..35	
Recipient identification code qualifier	O	an..4	
Date of preparation	R	n6	
Time of preparation	R	n4	
Interchange control reference	R	an..14	
Recipient's reference/password	O	an..14	
Recipient's reference/password qualifier	O	an2	
Application reference	O	an..14	
Priority	O	a1	
Acknowledgement request	O	n1	27
Communications agreement id	O	an..35	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Common access reference	O	an..35	

## ---HEADER

Manifest Number	R	an..22
Manifest amendment accepting date	R	n8
Manifest amendment accepting time	R	n4



Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DA105	

### 5. Message Structure for: DA105

DA105	(DA105A)	Απόρριψη Τροποποίησης Καταλόγου Εξόδου	(E_MAN_AMD_REJ)
-------	----------	--	-----------------

MESSAGE	1x	R
---HEADER	1x	R
---FUNCTIONAL ERROR	999x	R

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DA105	

MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	27	
Message identification	R	an..14		
Message type	R	an..6	60	

---HEADER

Manifest Number	R	an..22		
Amendment rejection date	R	n8		
Amendment rejection motivation code	O	n1	45	
Amendment rejection motivation text	O	an..350		
Amendment rejection motivation text LNG	O	a2	12	TR0099
Amendment rejection time	R	n4		

---FUNCTIONAL ERROR

Error type	R	n2	49	
Error pointer	R	an..210		
Error reason	O	an..6		
Original attribute value	O	an..140		
Error description	O	an..350		

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DA113	

## 5. Message Structure for: DA113

DA113	(DA113A)	Υποβολή τροποποίησης Καταλόγου Εξόδου	(E_MAN_AMD)
-------	----------	---------------------------------------	-------------

MESSAGE	1x	R
---HEADER	1x	R
---(ACTUAL EXIT) CUSTOMS OFFICE	1x	R
---(EXIT CARRIER) TRADER	1x	R
---MANIFEST ITEM	99999x	R
-----TRANSPORT DOCUMENT DATA	1x	R
-----CUSTOMS DATA	99999x	R

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DA113	

## MESSAGE

Syntax identifier	R	a4	21
Syntax version number	R	n1	22
Message sender	R	an..35	
Sender identification code qualifier	O	an..4	
Message recipient	R	an..35	
Recipient identification code qualifier	O	an..4	
Date of preparation	R	n6	
Time of preparation	R	n4	
Interchange control reference	R	an..14	
Recipient's reference/password	O	an..14	
Recipient's reference/password qualifier	O	an2	
Application reference	O	an..14	
Priority	O	a1	
Acknowledgement request	O	n1	27
Communications agreement id	O	an..35	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Common access reference	O	an..35	

## ---HEADER

Total number of packages	R	n..7	
Total gross mass	R	n..11,3	
Date of presentation	R	n8	
Manifest Number	R	an..22	
Total number of manifest items	R	n..5	

## ---(ACTUAL EXIT) CUSTOMS OFFICE

Reference number	R	an8	
------------------	---	-----	--

## ---(EXIT CARRIER) TRADER

Name	O	an..35	
Street and number	O	an..35	
Postal code	O	an..9	
City	O	an..35	
Country code	O	a2	8
NAD LNG	O	a2	12
TIN	R	an..17	

## ---MANIFEST ITEM

Manifest item number	R	n..5	
----------------------	---	------	--

## -----TRANSPORT DOCUMENT DATA

Transport document reference	R	an..35	
Marks & numbers of packages	D	an..42	
Marks & numbers of packages LNG	O	a2	12
Kind of packages	R	an..3	17
Number of packages	D	n..5	
Number of pieces	D	n..5	
Gross mass	R	n..11,3	
Commodity code (taric code)	O	an..6	
Goods description text	O	an..35	
Goods description LNG	O	a2	12

## -----CUSTOMS DATA

Document/reference number	R	an..21	
Final or Partial shipment flag	R	n1	27
Number of packages	D	n..5	
Number of pieces	D	n..5	
Gross mass	D	n..11,3	

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DA113	

Item number

D n..5

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: EA04	

## 5. Message Structure for: EA04

EA04	(EA04A)	Αποδοχή Αιτηματος Διορθωσης ΕΔΕ Ανευ Στατιστικής Εξαγωγής	(E_AAE_EDE_WSTE)
------	---------	---	------------------

MESSAGE	1x	R
---HEADER	1x	R
---(EXPORTER) TRADER	1x	O
---(EXPORT) CUSTOMS OFFICE	1x	R
---INFORMATION MESSAGE	20x	O

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: EA04	

## MESSAGE

Syntax identifier	R	a4	21
Syntax version number	R	n1	22
Message sender	R	an..35	
Sender identification code qualifier	O	an..4	
Message recipient	R	an..35	
Recipient identification code qualifier	O	an..4	
Date of preparation	R	n6	
Time of preparation	R	n4	
Interchange control reference	R	an..14	
Recipient's reference/password	O	an..14	
Recipient's reference/password qualifier	O	an2	
Application reference	O	an..14	
Priority	O	a1	
Acknowledgement request	O	n1	27
Communications agreement id	O	an..35	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Common access reference	O	an..35	

## ---HEADER

Document/reference number	R	an..21
Date of amendment	R	n8
Amendment acceptance date	R	n8

## ---(EXPORTER) TRADER

Name	O	an..35
Street and number	O	an..35
Postal code	O	an..9
City	O	an..35
Country code	O	a2 8
NAD LNG	O	a2 12
Identity Type	R	n2
Identity Number	R	an..21

## ---(EXPORT) CUSTOMS OFFICE

Reference number	R	an8
------------------	---	-----

## ---INFORMATION MESSAGE

Information Description	R	an..350
-------------------------	---	---------

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: EA05	

## 5. Message Structure for: EA05

EA05	(EA05A)	Απόρριψη Αιτήματος Διόρθωσης ΕΔΕ Άνευ Στατιστικής	(REJ_AME_EDE_IMP)
------	---------	---	-------------------

MESSAGE	1x	R
---HEADER	1x	R
---(EXPORTER) TRADER	1x	D
---(EXPORT) CUSTOMS OFFICE	1x	D
---FUNCTIONAL ERROR	1x	D
---(REPRESENTATIVE) TRADER	1x	D



Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: EA05	

## MESSAGE

Syntax identifier	R	a4	21
Syntax version number	R	n1	22
Message sender	R	an..35	
Sender identification code qualifier	O	an..4	
Message recipient	R	an..35	
Recipient identification code qualifier	O	an..4	
Date of preparation	R	n6	
Time of preparation	R	n4	
Interchange control reference	R	an..14	
Recipient's reference/password	O	an..14	
Recipient's reference/password qualifier	O	an2	
Application reference	O	an..14	
Priority	O	a1	
Acknowledgement request	O	n1	27
Communications agreement id	O	an..35	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Common access reference	O	an..35	

## ---HEADER

Document/reference number	D	an..21	
Date of amendment	D	n8	
Amendment rejection date	R	n8	
Amendment rejection motivation code	D	n1	45
Amendment rejection motivation text	D	an..350	
Amendment rejection motivation text LNG	O	a2	12

## ---(EXPORTER) TRADER

Name	O	an..35	
Street and number	O	an..35	
Postal code	O	an..9	
City	O	an..35	
Country code	O	a2	8
NAD LNG	O	a2	12
Identity Type	R	n2	
Identity Number	R	an..21	

## ---(EXPORT) CUSTOMS OFFICE

Reference number	R	an8	
------------------	---	-----	--

## ---FUNCTIONAL ERROR

Error type	R	n2	49
Error pointer	R	an..210	
Error reason	O	an..6	
Original attribute value	O	an..140	
Error description	O	an..350	

## ---(REPRESENTATIVE) TRADER

Name	O	an..35	
Street and number	O	an..35	
Postal code	O	an..9	
City	O	an..35	
Country code	O	a2	8
NAD LNG	O	a2	12
TIN	D	an..17	
Special Mention	D	an5	

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: EA05	

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: EA09	

## 5. Message Structure for: EA09

EA09	(EA09A)	Απόφαση Ακύρωσης ΕΔΕ Ανευ Στατιστικής Εξαγωγής	(E_DR_EDE_WSTE)
------	---------	--	-----------------

MESSAGE	1x	R
---HEADER	1x	R
---(EXPORTER) TRADER	1x	O
---(EXPORT) CUSTOMS OFFICE	1x	R

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: EA09	

## MESSAGE

Syntax identifier	R	a4	21
Syntax version number	R	n1	22
Message sender	R	an..35	
Sender identification code qualifier	O	an..4	
Message recipient	R	an..35	
Recipient identification code qualifier	O	an..4	
Date of preparation	R	n6	
Time of preparation	R	n4	
Interchange control reference	R	an..14	
Recipient's reference/password	O	an..14	
Recipient's reference/password qualifier	O	an2	
Application reference	O	an..14	
Priority	O	a1	
Acknowledgement request	O	n1	27
Communications agreement id	O	an..35	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Common access reference	O	an..35	

## ---HEADER

Document/reference number	R	an..21	
Cancellation decision	D	n1	27
Date of cancellation request	D	n8	
Cancellation initiated by customs	R	n1	27
Date of cancellation decision	R	n8	
Cancellation justification	D	an..350	
Cancellation justification LNG	O	a2	12

## ---(EXPORTER) TRADER

Name	R	an..35	
Street and number	R	an..35	
Postal code	R	an..9	
City	R	an..35	
Country code	R	a2	8
NAD LNG	O	a2	12
Identity Type	R	n2	
Identity Number	R	an..21	

## ---(EXPORT) CUSTOMS OFFICE

Reference number	R	an8	
------------------	---	-----	--

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: EA13	

## 5. Message Structure for: EA13

EA13	(EA13A)	Αίτημα Διορθωσης ΕΔΕ Ανευ Στατιστικής Εξαγωγής	(E_RE_EDE_WSTE)
------	---------	--	-----------------

MESSAGE	1x	R
---HEADER	1x	R
---(EXPORTER) TRADER	1x	D
---(CONSIGNEE) TRADER	1x	O
---(EXPORT) CUSTOMS OFFICE	1x	R
---(EXIT) CUSTOMS OFFICE	1x	O
---CONTROL RESULT	1x	O
---GOODS ITEM	999x	R
-----PREVIOUS ADMINISTRATIVE REFERENCES	9x	O
-----PRODUCED DOCUMENTS/CERTIFICATES	99x	D
----- (CODE) COMMODITY	1x	O
----- (TAXES) CALCULATION	99x	O
-----PACKAGES	99x	O
-----GRN	99x	O
---(DECLARANT) TRADER	1x	O
---(PAYMENT) DEFERRED OR POSTPONED	9x	D
---(WAREHOUSE) IDENTIFICATION	1x	D
---(STATUS) REPRESENTATIVE	1x	O

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: EA13	

## MESSAGE

Syntax identifier	R	a4	21
Syntax version number	R	n1	22
Message sender	R	an..35	
Sender identification code qualifier	O	an..4	
Message recipient	R	an..35	
Recipient identification code qualifier	O	an..4	
Date of preparation	R	n6	
Time of preparation	R	n4	
Interchange control reference	R	an..14	
Recipient's reference/password	O	an..14	
Recipient's reference/password qualifier	O	an2	
Application reference	O	an..14	
Priority	O	a1	
Acknowledgement request	O	n1	27
Communications agreement id	O	an..35	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Common access reference	O	an..35	

## ---HEADER

Reference number	R	an..22	
Type of declaration	R	an..9	31
Country of destination code	O	a2	8
Agreed location of goods, code	D	an..17	IE GR CL10029
Agreed location of goods	D	an..35	
Agreed location of goods LNG	O	a2	12
Country of dispatch/export code	O	a2	8
Transport mode at border	O	n..2	18
Identity of means of transport crossing border	O	an..27	
Nationality of means of transport crossing border	D	a2	8
Total number of items	R	n..5	
Total number of packages	O	n..7	
Total gross mass	O	n..11,3	
Amendment place	O	an..35	
Amendment place LNG	O	a2	12
Date of amendment	R	n8	
Grand total taxes amount	D	n..15,2	
Type of declaration (Box 1.2)	R	a1	87
Manual Entry Number	O	an..6	
Manual Entry Year	O	an4	

## ---(EXPORTER) TRADER

Name	O	an..35	
Street and number	O	an..35	
Postal code	O	an..9	
City	O	an..35	
Country code	O	a2	8
NAD LNG	O	a2	12
Identity Type	R	n2	
Identity Number	R	an..21	

## ---(CONSIGNEE) TRADER

Name	O	an..35	
Street and number	O	an..35	
Postal code	O	an..9	
City	O	an..35	

<b>Message Specifications for EXPORT</b>	<b>ALIGNED TO DDNA KEL Draft Version</b>
<b>REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2</b>	
<b>Appendix Q2: Technical Message Structure</b>	
<b>5. Message Structure for: EA13</b>	

Country code	O	a2	8	
NAD LNG	O	a2	12	
Identity Type	D	n2		
Identity Number	D	an..21		
<b>---(EXPORT) CUSTOMS OFFICE</b>				
Reference number	R	an8		
<b>---(EXIT) CUSTOMS OFFICE</b>				
Reference number	R	an8		
<b>---CONTROL RESULT</b>				
Control result code	R	an2	47	
Date limit	R	n8		
<b>---GOODS ITEM</b>				
Item number	R	n..5		
Goods description	O	an..280		
Goods description LNG	O	a2	12	
Gross mass	O	n..11,3		
Net mass	O	n..11,3		
Procedure requested	R	an2	92	
Previous Procedure	O	an2	93	
Community / National Procedure	O	an3	102	
Country of Origin	O	a2	8	
Dispatch / Production Region	O	an..2		
Supplementary units	O	n..11,3		
Total item taxes amount	D	n..15,2		
Statistical value amount	O	n..11,2		
Non Coded Produced Documents	O	an..280		
<b>-----PREVIOUS ADMINISTRATIVE REFERENCES</b>				
Previous document type	R	an..6	14	R079 R893 TR0100
Previous document reference	D	an..35		R893
Previous document reference LNG	O	a2	12	TR0099
Previous Document Category	R	a1	103	
Previous document MRN	O	an..18		
Previous document item number	O	n..5		
Previous document Quantity	O	n..11,3		
Previous document Supplementary units	O	n..11		
Previous document Summary Declaration Packages	O	an..10		
Previous document Bill of Lading Type	O	an..2		
Previous document Bill of Lading Number	O	an..70		
<b>-----PRODUCED DOCUMENTS/CERTIFICATES</b>				
Document type	R	an..4	13	
Document reference	R	an..35		
Document reference LNG	O	a2	12	
Document Information	O	an..35		
Document Information LNG	O	a2	12	
<b>----- (CODE) COMMODITY</b>				
Combined Nomenclature	O	an..8		
TARIC code	O	an2		
TARIC first additional code	O	an4		
TARIC second additional code	O	an4		
National additional code	O	an4		
<b>----- (TAXES) CALCULATION</b>				
Type of tax	R	an3	98	
Tax base	R	n..15,2		

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: EA13	

Rate of tax	R	an..15	
Amount of tax	R	n..15,2	
Method of payment	R	a1	104

#### -----PACKAGES

Marks & numbers of packages	D	an..42	
Marks & numbers of packages LNG	O	a2	12
Kind of packages	R	an..3	17
Number of packages	D	n..5	
Number of pieces	D	n..5	

#### -----GRN

GRN Number	O	an..24	
GRN Amount	O	n..11,2	

#### ---(DECLARANT) TRADER

Name	O	an..35	
Street and number	O	an..35	
Postal code	O	an..9	
City	O	an..35	
Country code	O	a2	8
NAD LNG	O	a2	12
TIN	D	an..17	
Special Mention	D	an5	

#### ---(PAYMENT) DEFERRED OR POSTPONED

Authorisation Reference	R	an..35	
-------------------------	---	--------	--

#### ---(WAREHOUSE) IDENTIFICATION

Warehouse type	O	a1	99
Authorizing country	O	a2	8
Warehouse identification	R	an..19	

#### ---(STATUS) REPRESENTATIVE

Representative status code	R	n1	94
----------------------------	---	----	----



Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: EA14	

## 5. Message Structure for: EA14

EA14	(EA14A)	Αίτημα Ακυρώσης ΕΔΕ Ανευ Στατιστικής Εξαγωγής	(E_RR_EDE_WSTE)
------	---------	---	-----------------

MESSAGE	1x	R
---HEADER	1x	R
---(EXPORTER) TRADER	1x	O
---(EXPORT) CUSTOMS OFFICE	1x	R
---(DECLARANT) TRADER	1x	O

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: EA14	

## MESSAGE

Syntax identifier	R	a4	21
Syntax version number	R	n1	22
Message sender	R	an..35	
Sender identification code qualifier	O	an..4	
Message recipient	R	an..35	
Recipient identification code qualifier	O	an..4	
Date of preparation	R	n6	
Time of preparation	R	n4	
Interchange control reference	R	an..14	
Recipient's reference/password	O	an..14	
Recipient's reference/password qualifier	O	an2	
Application reference	O	an..14	
Priority	O	a1	
Acknowledgement request	O	n1	27
Communications agreement id	O	an..35	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Common access reference	O	an..35	

## ---HEADER

Document/reference number	R	an..21	
Date of cancellation request	R	n8	
Cancellation reason	R	an..350	
Cancellation reason LNG	O	a2	12

## ---(EXPORTER) TRADER

Name	O	an..35	
Street and number	O	an..35	
Postal code	O	an..9	
City	O	an..35	
Country code	O	a2	8
NAD LNG	O	a2	12
Identity Type	R	n2	
Identity Number	R	an..21	

## ---(EXPORT) CUSTOMS OFFICE

Reference number	R	an8	
------------------	---	-----	--

## ---(DECLARANT) TRADER

Name	O	an..35	
Street and number	O	an..35	
Postal code	O	an..9	
City	O	an..35	
Country code	O	a2	8
NAD LNG	O	a2	12
TIN	R	an..17	

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: EA15	

## 5. Message Structure for: EA15

EA15	(EA15A)	Υποβολή ΕΔΕ Ανευ Στατιστικής Εξαγωγής	(E_A_EDE_WSTE)
------	---------	---------------------------------------	----------------

MESSAGE	1x	R
---HEADER	1x	R
---(EXPORTER) TRADER	1x	D
---(CONSIGNEE) TRADER	1x	O
---(EXPORT) CUSTOMS OFFICE	1x	R
---(EXIT) CUSTOMS OFFICE	1x	O
---CONTROL RESULT	1x	O
---GOODS ITEM	999x	R
-----PREVIOUS ADMINISTRATIVE REFERENCES	9x	O
-----PRODUCED DOCUMENTS/CERTIFICATES	99x	D
----- (CODE) COMMODITY	1x	O
----- (TAXES) CALCULATION	99x	O
-----PACKAGES	99x	O
-----GRN	99x	O
---(DECLARANT) TRADER	1x	O
---(PAYMENT) DEFERRED OR POSTPONED	9x	D
---(WAREHOUSE) IDENTIFICATION	1x	D
---(STATUS) REPRESENTATIVE	1x	O

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: EA15	

## MESSAGE

Syntax identifier	R	a4	21
Syntax version number	R	n1	22
Message sender	R	an..35	
Sender identification code qualifier	O	an..4	
Message recipient	R	an..35	
Recipient identification code qualifier	O	an..4	
Date of preparation	R	n6	
Time of preparation	R	n4	
Interchange control reference	R	an..14	
Recipient's reference/password	O	an..14	
Recipient's reference/password qualifier	O	an2	
Application reference	O	an..14	
Priority	O	a1	
Acknowledgement request	O	n1	27
Communications agreement id	O	an..35	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Common access reference	O	an..35	

## ---HEADER

Reference number	R	an..22	
Type of declaration	R	an..9	31
Country of destination code	O	a2	8
Agreed location of goods, code	D	an..17	IE GR CL10029
Agreed location of goods	D	an..35	
Agreed location of goods LNG	O	a2	12
Country of dispatch/export code	O	a2	8
Transport mode at border	O	n..2	18
Identity of means of transport crossing border	O	an..27	
Nationality of means of transport crossing border	D	a2	8
Acceptance date	D	n8	
Total number of items	R	n..5	
Total number of packages	O	n..7	
Total gross mass	O	n..11,3	
Declaration date	R	n8	
Declaration place	O	an..35	
Declaration place LNG	O	a2	12
Grand total taxes amount	D	n..15,2	
Type of declaration (Box 1.2)	R	a1	87
Manual Entry Number	O	an..6	
Manual Entry Year	O	an4	

## ---(EXPORTER) TRADER

Name	O	an..35	
Street and number	O	an..35	
Postal code	O	an..9	
City	O	an..35	
Country code	O	a2	8
NAD LNG	O	a2	12
Identity Type	R	n2	
Identity Number	R	an..21	

## ---(CONSIGNEE) TRADER

Name	O	an..35	
Street and number	O	an..35	
Postal code	O	an..9	

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: EA15	

City	O	an..35		
Country code	O	a2	8	
NAD LNG	O	a2	12	
Identity Type	D	n2		
Identity Number	D	an..21		
<b>---(EXPORT) CUSTOMS OFFICE</b>				
Reference number	R	an8		
<b>---(EXIT) CUSTOMS OFFICE</b>				
Reference number	R	an8		
<b>---CONTROL RESULT</b>				
Control result code	R	an2	47	
Date limit	R	n8		
<b>---GOODS ITEM</b>				
Item number	R	n..5		
Goods description	O	an..280		
Goods description LNG	O	a2	12	
Gross mass	O	n..11,3		
Net mass	O	n..11,3		
Procedure requested	R	an2	92	
Previous Procedure	O	an2	93	
Community / National Procedure	O	an3	102	
Country of Origin	O	a2	8	
Dispatch / Production Region	O	an..2		
Supplementary units	O	n..11,3		
Total item taxes amount	D	n..15,2		
Statistical value amount	O	n..11,2		
Non Coded Produced Documents	O	an..280		
<b>-----PREVIOUS ADMINISTRATIVE REFERENCES</b>				
Previous document type	R	an..6	14	R079 R893 TR0100
Previous document reference	D	an..35		R893
Previous document reference LNG	O	a2	12	TR0099
Previous Document Category	R	a1	103	
Previous document MRN	O	an..18		
Previous document item number	O	n..5		
Previous document Quantity	O	n..11,3		
Previous document Supplementary units	O	n..11		
Previous document Summary Declaration Packages	O	an..10		
Previous document Bill of Lading Type	O	an..2		
Previous document Bill of Lading Number	O	an..70		
<b>-----PRODUCED DOCUMENTS/CERTIFICATES</b>				
Document type	R	an..4	13	
Document reference	R	an..35		
Document reference LNG	O	a2	12	
Document Information	O	an..35		
Document Information LNG	O	a2	12	
<b>----- (CODE) COMMODITY</b>				
Combined Nomenclature	O	an..8		
TARIC code	O	an2		
TARIC first additional code	O	an4		
TARIC second additional code	O	an4		
National additional code	O	an4		
<b>----- (TAXES) CALCULATION</b>				
Type of tax	R	an3	98	

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: EA15	

Tax base	R	n..15,2	
Rate of tax	R	an..15	
Amount of tax	R	n..15,2	
Method of payment	R	a1	104
<b>-----PACKAGES</b>			
Marks & numbers of packages	D	an..42	
Marks & numbers of packages LNG	O	a2	12
Kind of packages	R	an..3	17
Number of packages	D	n..5	
Number of pieces	D	n..5	
<b>-----GRN</b>			
GRN Number	O	an..24	
GRN Amount	O	n..11,2	
<b>---(DECLARANT) TRADER</b>			
Name	O	an..35	
Street and number	O	an..35	
Postal code	O	an..9	
City	O	an..35	
Country code	O	a2	8
NAD LNG	O	a2	12
TIN	D	an..17	
Special Mention	D	an5	
<b>---(PAYMENT) DEFERRED OR POSTPONED</b>			
Authorisation Reference	R	an..35	
<b>---(WAREHOUSE) IDENTIFICATION</b>			
Warehouse type	O	a1	99
Authorizing country	O	a2	8
Warehouse identification	R	an..19	
<b>---(STATUS) REPRESENTATIVE</b>			
Representative status code	R	n1	94

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: EA16	

5. Message Structure for: EA16

EA16	(EA16A)	Απόρριψη ΕΔΕ Ανευ Στατιστικής Εξαγωγής	(E_R_EDE_WSTE)
------	---------	--	----------------

MESSAGE	1x	R
---HEADER	1x	R
---FUNCTIONAL ERROR	999x	D

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: EA16	

## MESSAGE

Syntax identifier	R	a4	21
Syntax version number	R	n1	22
Message sender	R	an..35	
Sender identification code qualifier	O	an..4	
Message recipient	R	an..35	
Recipient identification code qualifier	O	an..4	
Date of preparation	R	n6	
Time of preparation	R	n4	
Interchange control reference	R	an..14	
Recipient's reference/password	O	an..14	
Recipient's reference/password qualifier	O	an2	
Application reference	O	an..14	
Priority	O	a1	
Acknowledgement request	O	n1	27
Communications agreement id	O	an..35	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Common access reference	O	an..35	

## ---HEADER

Reference number	R	an..22	
Rejection Reason	O	an..350	
Rejection Reason LNG	O	a2	12
Rejection date	R	n8	

## ---FUNCTIONAL ERROR

Error type	R	n2	49
Error pointer	R	an..210	
Error reason	O	an..6	
Original attribute value	O	an..140	
Error description	O	an..350	



Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: EA28	

## 5. Message Structure for: EA28

EA28	(EA28A)	A/A ΕΔΕ Ανευ Στατιστικής Εξαγωγής	(E_AA_EDE_WSTE)
------	---------	-----------------------------------	-----------------

MESSAGE	1x	R
---HEADER	1x	R
---(EXPORTER) TRADER	1x	O
---(EXPORT) CUSTOMS OFFICE	1x	R
---INFORMATION MESSAGE	20x	O

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: EA28	

## MESSAGE

Syntax identifier	R	a4	21
Syntax version number	R	n1	22
Message sender	R	an..35	
Sender identification code qualifier	O	an..4	
Message recipient	R	an..35	
Recipient identification code qualifier	O	an..4	
Date of preparation	R	n6	
Time of preparation	R	n4	
Interchange control reference	R	an..14	
Recipient's reference/password	O	an..14	
Recipient's reference/password qualifier	O	an2	
Application reference	O	an..14	
Priority	O	a1	
Acknowledgement request	O	n1	27
Communications agreement id	O	an..35	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Common access reference	O	an..35	

## ---HEADER

Reference number	R	an..22	
Document/reference number	R	an..21	
Acceptance date	R	n8	

## ---(EXPORTER) TRADER

Name	O	an..35	
Street and number	O	an..35	
Postal code	O	an..9	
City	O	an..35	
Country code	O	a2	8
NAD LNG	O	a2	12
Identity Type	R	n2	
Identity Number	R	an..21	

## ---(EXPORT) CUSTOMS OFFICE

Reference number	R	an8	
------------------	---	-----	--

## ---INFORMATION MESSAGE

Information Description	R	an..350	
-------------------------	---	---------	--

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: EA29	

## 5. Message Structure for: EA29

EA29	(EA29A)	Release For Export	(E_IMP_RF_EXPORT)
------	---------	--------------------	-------------------

MESSAGE	1x	R
---HEADER	1x	R
---(EXPORT) CUSTOMS OFFICE	1x	R
---CONTROL RESULT	1x	O

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: EA29	

## MESSAGE

Syntax identifier	R	a4	21
Syntax version number	R	n1	22
Message sender	R	an..35	
Sender identification code qualifier	O	an..4	
Message recipient	R	an..35	
Recipient identification code qualifier	O	an..4	
Date of preparation	R	n6	
Time of preparation	R	n4	
Interchange control reference	R	an..14	
Recipient's reference/password	O	an..14	
Recipient's reference/password qualifier	O	an2	
Application reference	O	an..14	
Priority	O	a1	
Acknowledgement request	O	n1	27
Communications agreement id	O	an..35	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Common access reference	O	an..35	

## ---HEADER

Date	R	n8	
Document Reference Number	R	an..21	

## ---(EXPORT) CUSTOMS OFFICE

Reference number	R	an8	
------------------	---	-----	--

## ---CONTROL RESULT

Control result code	R	an2	47
Date limit	R	n8	

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: EA51	

## 5. Message Structure for: EA51

EA51	(EA51A)	Export Not Release	(E_IMP_NO_REL)
------	---------	--------------------	----------------

MESSAGE	1x	R
---HEADER	1x	R
---(EXPORTER) TRADER	1x	D
---(CONSIGNEE) TRADER	1x	O
---(EXPORT) CUSTOMS OFFICE	1x	R
---(EXIT) CUSTOMS OFFICE	1x	O
---CONTROL RESULT	1x	O
---RESULTS OF CONTROL	1x	R
---GOODS ITEM	999x	R
-----PREVIOUS ADMINISTRATIVE REFERENCES	9x	O
-----PRODUCED DOCUMENTS/CERTIFICATES	99x	O
----- (CODE) COMMODITY	1x	O
----- (TAXES) CALCULATION	99x	O
-----PACKAGES	99x	O
-----GRN	99x	O
---(DECLARANT) TRADER	1x	O
---(PAYMENT) DEFERRED OR POSTPONED	9x	D
---(WAREHOUSE) IDENTIFICATION	1x	D
---(STATUS) REPRESENTATIVE	1x	O

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: EA51	

## MESSAGE

Syntax identifier	R	a4	21
Syntax version number	R	n1	22
Message sender	R	an..35	
Sender identification code qualifier	O	an..4	
Message recipient	R	an..35	
Recipient identification code qualifier	O	an..4	
Date of preparation	R	n6	
Time of preparation	R	n4	
Interchange control reference	R	an..14	
Recipient's reference/password	O	an..14	
Recipient's reference/password qualifier	O	an2	
Application reference	O	an..14	
Priority	O	a1	
Acknowledgement request	O	n1	27
Communications agreement id	O	an..35	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Common access reference	O	an..35	

## ---HEADER

Reference number	R	an..22	
Type of declaration	R	an..9	31
Country of destination code	O	a2	8
Agreed location of goods, code	D	an..17	IE GR CL10029
Agreed location of goods	D	an..35	
Agreed location of goods LNG	O	a2	12
Country of dispatch/export code	O	a2	8
Transport mode at border	O	n..2	18
Identity of means of transport crossing border	O	an..27	
Nationality of means of transport crossing border	D	a2	8
Acceptance date	O	n8	
Total number of items	R	n..5	
Total number of packages	O	n..7	
Total gross mass	O	n..11,3	
Declaration date	R	n8	
Declaration place	O	an..35	
Declaration place LNG	O	a2	12
Grand total taxes amount	D	n..15,2	
Type of declaration (Box 1.2)	R	a1	87
Manual Entry Number	O	an..6	
Manual Entry Year	O	an4	
Document Reference Number	R	an..21	

## ---(EXPORTER) TRADER

Name	O	an..35	
Street and number	O	an..35	
Postal code	O	an..9	
City	O	an..35	
Country code	O	a2	8
NAD LNG	O	a2	12
Identity Type	R	n2	
Identity Number	R	an..21	

## ---(CONSIGNEE) TRADER

Name	O	an..35	
Street and number	O	an..35	

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: EA51	

Postal code	O	an..9	
City	O	an..35	
Country code	O	a2	8
NAD LNG	O	a2	12
Identity Type	D	n2	
Identity Number	D	an..21	
<b>---(EXPORT) CUSTOMS OFFICE</b>			
Reference number	R	an8	
<b>---(EXIT) CUSTOMS OFFICE</b>			
Reference number	R	an8	
<b>---CONTROL RESULT</b>			
Control date	R	n8	
Control result code	R	an2	47
<b>---RESULTS OF CONTROL</b>			
Description	O	an..140	
Description LNG	O	a2	12
Control indicator	R	an2	41
<b>---GOODS ITEM</b>			
Item number	R	n..5	
Goods description	O	an..280	
Goods description LNG	O	a2	12
Gross mass	O	n..11,3	
Net mass	O	n..11,3	
Procedure requested	R	an2	92
Previous Procedure	O	an2	93
Community / National Procedure	O	an3	102
Country of Origin	O	a2	8
Dispatch / Production Region	O	an..2	
Supplementary units	O	n..11,3	
Total item taxes amount	D	n..15,2	
Statistical value amount	O	n..11,2	
Non Coded Produced Documents	O	an..280	
<b>-----PREVIOUS ADMINISTRATIVE REFERENCES</b>			
Previous document type	R	an..6	14
Previous document reference	D	an..35	
Previous document reference LNG	O	a2	12
Previous Document Category	R	a1	103
Previous document MRN	O	an..18	
Previous document item number	O	n..5	
Previous document Quantity	O	n..11,3	
Previous document Supplementary units	O	n..11	
Previous document Summary Declaration Packages	O	an..10	
Previous document Bill of Lading Type	O	an..2	
Previous document Bill of Lading Number	O	an..70	
<b>-----PRODUCED DOCUMENTS/CERTIFICATES</b>			
Document type	R	an..4	13
Document reference	R	an..35	
Document reference LNG	O	a2	12
Document Information	O	an..35	
Document Information LNG	O	a2	12
<b>----- (CODE) COMMODITY</b>			
Combined Nomenclature	O	an..8	
TARIC code	O	an2	
TARIC first additional code	O	an4	
TARIC second additional code	O	an4	

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: EA51	

National additional code	O	an4	
<b>----- (TAXES) CALCULATION</b>			
Type of tax	R	an3	98
Tax base	R	n..15,2	
Rate of tax	R	an..15	
Amount of tax	R	n..15,2	
Method of payment	R	a1	104
<b>----- PACKAGES</b>			
Marks & numbers of packages	D	an..42	
Marks & numbers of packages LNG	O	a2	12
Kind of packages	R	an..3	17
Number of packages	D	n..5	
Number of pieces	D	n..5	
<b>----- GRN</b>			
GRN Number	O	an..24	
GRN Amount	O	n..11,2	
<b>--- (DECLARANT) TRADER</b>			
Name	O	an..35	
Street and number	O	an..35	
Postal code	O	an..9	
City	O	an..35	
Country code	O	a2	8
NAD LNG	O	a2	12
TIN	D	an..17	
Special Mention	D	an5	
<b>--- (PAYMENT) DEFERRED OR POSTPONED</b>			
Authorisation Reference	R	an..35	
<b>--- (WAREHOUSE) IDENTIFICATION</b>			
Warehouse type	O	a1	99
Authorizing country	O	a2	8
Warehouse identification	R	an..19	
<b>--- (STATUS) REPRESENTATIVE</b>			
Representative status code	R	n1	94



Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: EA60	

## 5. Message Structure for: EA60

EA60	(EA60A)	Export No Stat Control Decision Notification	(EA60)
MESSAGE		1x	R
---HEADER		1x	R
---(EXPORT) CUSTOMS OFFICE		1x	R
---(DECLARANT) TRADER		1x	O

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: EA60	

## MESSAGE

Syntax identifier	R	a4	21
Syntax version number	R	n1	22
Message sender	R	an..35	
Sender identification code qualifier	O	an..4	
Message recipient	R	an..35	
Recipient identification code qualifier	O	an..4	
Date of preparation	R	n6	
Time of preparation	R	n4	
Interchange control reference	R	an..14	
Recipient's reference/password	O	an..14	
Recipient's reference/password qualifier	O	an2	
Application reference	O	an..14	
Priority	O	a1	
Acknowledgement request	O	n1	27
Communications agreement id	O	an..35	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Common access reference	O	an..35	

## ---HEADER

Date of control notification	R	n8	
Document Reference Number	R	an..21	
Type of Control	R	n1	27
Trader Control Info	O	an..350	
Description	O	an..350	

## ---(EXPORT) CUSTOMS OFFICE

Reference number	R	an8	
------------------	---	-----	--

## ---(DECLARANT) TRADER

Name	O	an..35	
Street and number	O	an..35	
Postal code	O	an..9	
City	O	an..35	
Country code	O	a2	8
NAD LNG	O	a2	12
TIN	D	an..17	
Special Mention	D	an5	

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: EA80	

## 5. Message Structure for: EA80

EA80	(EA80A)	Πληροφορία κατάστασης	(E_IMP_STA_INF)
------	---------	-----------------------	-----------------

MESSAGE	1x	R
---HEADER	1x	R

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: EA80	

## MESSAGE

Syntax identifier	R	a4	21
Syntax version number	R	n1	22
Message sender	R	an..35	
Sender identification code qualifier	O	an..4	
Message recipient	R	an..35	
Recipient identification code qualifier	O	an..4	
Date of preparation	R	n6	
Time of preparation	R	n4	
Interchange control reference	R	an..14	
Recipient's reference/password	O	an..14	
Recipient's reference/password qualifier	O	an2	
Application reference	O	an..14	
Priority	O	a1	
Acknowledgement request	O	n1	27
Communications agreement id	O	an..35	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Common access reference	O	an..35	
<b>---HEADER</b>			
Reference number	R	an..22	
Status	R	an3	58

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: EA99	

## 5. Message Structure for: EA99

EA99	(EA99A)	Export Notification	(EA99)
MESSAGE			1x R
---HEADER			1x R
---(EXPORTER) TRADER			1x D
---(CONSIGNEE) TRADER			1x O
---(EXPORT) CUSTOMS OFFICE			1x R
---(EXIT) CUSTOMS OFFICE			1x O
---CONTROL RESULT			1x O
---GOODS ITEM			999x R
-----PREVIOUS ADMINISTRATIVE REFERENCES			9x O
-----PRODUCED DOCUMENTS/CERTIFICATES			99x D
----- (CODE) COMMODITY			1x O
----- (TAXES) CALCULATION			99x O
-----PACKAGES			99x O
-----GRN			99x O
---(DECLARANT) TRADER			1x O
---(PAYMENT) DEFERRED OR POSTPONED			9x D
---(WAREHOUSE) IDENTIFICATION			1x D
---(STATUS) REPRESENTATIVE			1x O

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: EA99	

## MESSAGE

Syntax identifier	R	a4	21
Syntax version number	R	n1	22
Message sender	R	an..35	
Sender identification code qualifier	O	an..4	
Message recipient	R	an..35	
Recipient identification code qualifier	O	an..4	
Date of preparation	R	n6	
Time of preparation	R	n4	
Interchange control reference	R	an..14	
Recipient's reference/password	O	an..14	
Recipient's reference/password qualifier	O	an2	
Application reference	O	an..14	
Priority	O	a1	
Acknowledgement request	O	n1	27
Communications agreement id	O	an..35	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Common access reference	O	an..35	

## ---HEADER

Reference number	O	an..22	
Type of declaration	R	an..9	31
Country of destination code	O	a2	8
Agreed location of goods, code	D	an..17	IE GR CL10029
Agreed location of goods	D	an..35	
Agreed location of goods LNG	O	a2	12
Country of dispatch/export code	O	a2	8
Transport mode at border	O	n..2	18
Identity of means of transport crossing border	O	an..27	
Nationality of means of transport crossing border	D	a2	8
Acceptance date	R	n8	
Issuing date	R	n8	
Total number of items	R	n..5	
Total number of packages	O	n..7	
Total gross mass	O	n..11,3	
Declaration date	R	n8	
Declaration place	O	an..35	
Declaration place LNG	O	a2	12
Exit date	R	n8	
Grand total taxes amount	D	n..15,2	
Type of declaration (Box 1.2)	R	a1	87
Manual Entry Number	O	an..6	
Manual Entry Year	O	an4	
Document Reference Number	R	an..21	

## ---(EXPORTER) TRADER

Name	O	an..35	
Street and number	O	an..35	
Postal code	O	an..9	
City	O	an..35	
Country code	O	a2	8
NAD LNG	O	a2	12
Identity Type	R	n2	
Identity Number	R	an..21	

## ---(CONSIGNEE) TRADER

<b>Message Specifications for EXPORT</b>	<b>ALIGNED TO DDNA KEL Draft Version</b>
<b>REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2</b>	
<b>Appendix Q2: Technical Message Structure</b>	
<b>5. Message Structure for: EA99</b>	

Name	O	an..35	
Street and number	O	an..35	
Postal code	O	an..9	
City	O	an..35	
Country code	O	a2	8
NAD LNG	O	a2	12
Identity Type	D	n2	
Identity Number	D	an..21	
<b>---(EXPORT) CUSTOMS OFFICE</b>			
Reference number	R	an8	
<b>---(EXIT) CUSTOMS OFFICE</b>			
Reference number	R	an8	
<b>---CONTROL RESULT</b>			
Control result code	R	an2	47
Date limit	R	n8	
<b>---GOODS ITEM</b>			
Item number	R	n..5	
Goods description	O	an..280	
Goods description LNG	O	a2	12
Gross mass	O	n..11,3	
Net mass	O	n..11,3	
Procedure requested	R	an2	92
Previous Procedure	O	an2	93
Community / National Procedure	O	an3	102
Country of Origin	O	a2	8
Dispatch / Production Region	O	an..2	
Supplementary units	O	n..11,3	
Total item taxes amount	D	n..15,2	
Statistical value amount	O	n..11,2	
Non Coded Produced Documents	O	an..280	
<b>-----PREVIOUS ADMINISTRATIVE REFERENCES</b>			
Previous document type	R	an..6	14
Previous document reference	D	an..35	
Previous document reference LNG	O	a2	12
Previous Document Category	R	a1	103
Previous document MRN	O	an..18	
Previous document item number	O	n..5	
Previous document Quantity	O	n..11,3	
Previous document Supplementary units	O	n..11	
Previous document Summary Declaration Packages	O	an..10	
Previous document Bill of Lading Type	O	an..2	
Previous document Bill of Lading Number	O	an..70	
<b>-----PRODUCED DOCUMENTS/CERTIFICATES</b>			
Document type	R	an..4	13
Document reference	R	an..35	
Document reference LNG	O	a2	12
Document Information	O	an..35	
Document Information LNG	O	a2	12
<b>----- (CODE) COMMODITY</b>			
Combined Nomenclature	O	an..8	
TARIC code	O	an2	
TARIC first additional code	O	an4	
TARIC second additional code	O	an4	
National additional code	O	an4	
<b>----- (TAXES) CALCULATION</b>			

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: EA99	

Type of tax	R	an3	98
Tax base	R	n..15,2	
Rate of tax	R	an..15	
Amount of tax	R	n..15,2	
Method of payment	R	a1	104
<b>-----PACKAGES</b>			
Marks & numbers of packages	D	an..42	
Marks & numbers of packages LNG	O	a2	12
Kind of packages	R	an..3	17
Number of packages	D	n..5	
Number of pieces	D	n..5	
<b>-----GRN</b>			
GRN Number	O	an..24	
GRN Amount	O	n..11,2	
<b>---(DECLARANT) TRADER</b>			
Name	O	an..35	
Street and number	O	an..35	
Postal code	O	an..9	
City	O	an..35	
Country code	O	a2	8
NAD LNG	O	a2	12
TIN	D	an..17	
Special Mention	D	an5	
<b>---(PAYMENT) DEFERRED OR POSTPONED</b>			
Authorisation Reference	R	an..35	
<b>---(WAREHOUSE) IDENTIFICATION</b>			
Warehouse type	O	a1	99
Authorizing country	O	a2	8
Warehouse identification	R	an..19	
<b>---(STATUS) REPRESENTATIVE</b>			
Representative status code	R	n1	94



Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: ED15	

## 5. Message Structure for: ED15

ED15	(ED15A)	Συμπληρωματικό Μήνυμα Διασάφησης Τυπου D	(ED_SM_DT_D)
------	---------	--	--------------

MESSAGE		1x	R
---HEADER		1x	R
---(EXPORTER) TRADER		1x	D
---GOODS ITEM		999x	R
-----PREVIOUS ADMINISTRATIVE REFERENCES		9x	R
----- (EXPORTER) TRADER		1x	D
---(DECLARANT) TRADER		1x	R
---(STATUS) REPRESENTATIVE		1x	R

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: ED15	

## MESSAGE

Syntax identifier	R	a4	21
Syntax version number	R	n1	22
Message sender	R	an..35	
Sender identification code qualifier	O	an..4	
Message recipient	R	an..35	
Recipient identification code qualifier	O	an..4	
Date of preparation	R	n6	
Time of preparation	R	n4	
Interchange control reference	R	an..14	
Recipient's reference/password	O	an..14	
Recipient's reference/password qualifier	O	an2	
Application reference	O	an..14	
Priority	O	a1	
Acknowledgement request	O	n1	27
Communications agreement id	O	an..35	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Common access reference	O	an..35	

## ---HEADER

Reference number	R	an..22	
Acceptance date	R	n8	

## ---(EXPORTER) TRADER

Name	O	an..35	
Street and number	O	an..35	
Postal code	O	an..9	
City	O	an..35	
Country code	O	a2	8
NAD LNG	O	a2	12
TIN	D	an..17	
Special Mention	D	an5	

## ---GOODS ITEM

Item number	R	n..5	
-------------	---	------	--

## -----PREVIOUS ADMINISTRATIVE REFERENCES

Previous document type	R	an..6	14
Previous document reference	D	an..35	
Previous document reference LNG	O	a2	12
Previous Document Category	R	a1	103
Previous document MRN	O	an..18	
Previous document item number	O	n..5	
Previous document Quantity	O	n..11,3	
Previous document Supplementary units	O	n..11	
Previous document Summary Declaration Packages	O	an..10	
Previous document Bill of Lading Type	O	an..2	
Previous document Bill of Lading Number	O	an..70	

## ----- (EXPORTER) TRADER

Name	O	an..35	
Street and number	O	an..35	
Postal code	O	an..9	
City	O	an..35	
Country code	O	a2	8
NAD LNG	O	a2	12
TIN	R	an..17	
Special Mention	O	an5	

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: ED15	

**---(DECLARANT) TRADER**

Name	O	an..35	
Street and number	O	an..35	
Postal code	O	an..9	
City	O	an..35	
Country code	O	a2	8
NAD LNG	O	a2	12
TIN	D	an..17	
Special Mention	D	an5	

**---(STATUS) REPRESENTATIVE**

Representative status code	R	n1	94
----------------------------	---	----	----

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: ED80	

## 5. Message Structure for: ED80

ED80	(ED80A)	Πληροφορία κατάστασης	(E_IMP_STA)
------	---------	-----------------------	-------------

MESSAGE	1x	R
---HEADER	1x	R

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: ED80	

## MESSAGE

Syntax identifier	R	a4	21
Syntax version number	R	n1	22
Message sender	R	an..35	
Sender identification code qualifier	O	an..4	
Message recipient	R	an..35	
Recipient identification code qualifier	O	an..4	
Date of preparation	R	n6	
Time of preparation	R	n4	
Interchange control reference	R	an..14	
Recipient's reference/password	O	an..14	
Recipient's reference/password qualifier	O	an2	
Application reference	O	an..14	
Priority	O	a1	
Acknowledgement request	O	n1	27
Communications agreement id	O	an..35	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Common access reference	O	an..35	

## ---HEADER

Reference number	R	an..22
Status	R	an..35

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE030	

## 5. Message Structure for: IE030

IE030	(CD030B)	NOTIFICATION OF CUSTOMS OFFICES MODIFICATION TO COMMON DOMAIN	(C_COL_COM)
-------	----------	--	-------------

MESSAGE	1x	R
--CUSTOMS OFFICE INFORMATION	9999x	O
-----ACTION	1x	R
------(DEDICATED) TRADER	99x	O
-----CUSTOMS OFFICE SPECIFIC NOTES	99x	O
-----CUSTOMS OFFICE LSD	9x	R
-----CUSTOMS OFFICE TIMETABLE	9x	O
-----CUSTOMS OFFICE TIMETABLE LINE	9x	R
-----CUSTOMS OFFICE ROLE / TRAFFIC COMPETENCE	99x	R
--COUNTRY/REGION	99x	O
-----ACTION	1x	R
-----COUNTRY/REGION LSD	9x	R
-----COUNTRY/REGION HOLIDAYS	99x	O
-----COUNTRY/REGION HOLIDAYS LSD	9x	R
--COUNTRY HOLIDAYS	99x	O
-----ACTION	1x	R
-----COUNTRY HOLIDAYS DATA	99x	R
-----COUNTRY HOLIDAYS DATA LSD	9x	R

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE030	

## MESSAGE

Syntax identifier	R	a4	21	
Syntax version number	R	n1	22	
Message sender	R	an..35		
Sender identification code qualifier	O	an..4		
Message recipient	R	an..35		
Recipient identification code qualifier	O	an..4		
Date of preparation	R	n6		
Time of preparation	R	n4		
Interchange control reference	R	an..14		
Recipient's reference/password	O	an..14		
Recipient's reference/password qualifier	O	an2		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	

## ---CUSTOMS OFFICE INFORMATION

Reference number	R	an8		
Reference number main office	O	an8		R489
Reference number higher authority	O	an8		R490
Reference number take-over	D	an8		R495 TR9201
Reference number Competent Authority of Enquiry	O	an8		TR9160
Reference number Competent Authority of Recovery	O	an8		TR9170
Country code	R	a2		
UN/LOCODE id	O	a3		R460
Region code	O	an..3		
NCTS entry date	O	n8		
Nearest office	D	an..175		C410
Nearest office LNG	O	a2	12	TR0099
Postal code	R	an..9		
Phone number	O	an..35		R500
Fax Number	O	an..35		R500
Telex number	O	an..35		R500
E-mail address	O	an..70		R500
Geo info code	O	an..6	15	
Trader dedicated	R	n1	27	

## -----ACTION

Operation	R	a1	24	R410
Validity date	D	n8		C300 R410 TR9200
Modification subtype	D	n1		C300 R410
Action identification	R	an..20		TR9001

## ----- (DEDICATED) TRADER

Name	R	an..35		
Language code	R	a2	12	
TIN	O	an..17		

## -----CUSTOMS OFFICE SPECIFIC NOTES

Specific notes code	R	an..6	67	R486
---------------------	---	-------	----	------

## -----CUSTOMS OFFICE LSD

Language code	R	a2	12	
Customs office usual name	R	an..35		
Customs office usual name LNG	O	a2	12	TR0099
Street and number	R	an..35		
Street and number LNG	O	a2	12	TR0099
City	R	an..35		R422

<b>Message Specifications for EXPORT</b>	<b>ALIGNED TO DDNA KEL Draft Version</b>
<b>REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2</b>	
<b>Appendix Q2: Technical Message Structure</b>	
<b>5. Message Structure for: IE030</b>	

City LNG	O	a2	12	TR0099
Prefix-suffix level	O	an1	53	
Prefix-suffix flag	R	n1	27	
Prefix-suffix name	O	an..35		
Prefix-suffix name LNG	O	a2	12	TR0099
Space to add	R	n1	27	

#### -----CUSTOMS OFFICE TIMETABLE

Season code	R	n1		R425
Season name	O	an..35		
Season name LNG	O	a2	12	TR0099
Season start date	R	n8		TR0403
Season end date	R	n8		TR0403

#### -----CUSTOMS OFFICE TIMETABLE LINE

Day in the week (begin day)	R	n1	105	R430
Opening hours time first period from	R	n4		
Opening hours time first period to	R	n4		
Day in the week (end day)	R	n1	105	
Opening hours time second period from	O	n4		
Opening hours time second period to	O	n4		

#### -----CUSTOMS OFFICE ROLE / TRAFFIC COMPETENCE

Role	R	an..3	56	
Traffic type	R	an..3	20	

#### ---COUNTRY/REGION

Country code	R	a2		
Country/region code	R	an..3		

#### -----ACTION

Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Action identification	R	an..20		TR9001

#### -----COUNTRY/REGION LSD

Language code	R	a2	12	
Country/region name	R	an..35		
Country/region name LNG	O	a2	12	TR0099

#### -----COUNTRY/REGION HOLIDAYS

Variable holiday date	R	n1	27	R232
Day	R	an2		
Month	R	an2	26	
Year	D	n4		C295

#### -----COUNTRY/REGION HOLIDAYS LSD

Language code	R	a2	12	
Public holiday name	R	an..35		
Public holiday name LNG	O	a2	12	TR0099

#### ---COUNTRY HOLIDAYS

Country code	R	a2		
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Action identification	R	an..20		TR9001

#### -----COUNTRY HOLIDAYS DATA



Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE030	

Variable holiday date	R	n1	27	R232
Day	R	an2		
Month	R	an2	26	
Year	D	n4		C295
-----COUNTRY HOLIDAYS DATA LSD				
Language code	R	a2	12	
Public holiday name	R	an..35		
Public holiday name LNG	O	a2	12	TR0099

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE031	

## 5. Message Structure for: IE031

IE031	(CD031B)	NOTIFICATION OF CUSTOMS OFFICES MODIFICATION TO NATIONAL DOMAIN	(C_COL_NAT)
-------	----------	--	-------------

MESSAGE	1x	R
--CUSTOMS OFFICE INFORMATION	9999x	O
-----ACTION	1x	R
------(DEDICATED) TRADER	99x	O
-----CUSTOMS OFFICE SPECIFIC NOTES	99x	O
-----CUSTOMS OFFICE LSD	9x	R
-----CUSTOMS OFFICE TIMETABLE	9x	O
-----CUSTOMS OFFICE TIMETABLE LINE	9x	R
-----CUSTOMS OFFICE ROLE / TRAFFIC COMPETENCE	99x	R
--COUNTRY/REGION	99x	O
-----ACTION	1x	R
-----COUNTRY/REGION LSD	9x	R
-----COUNTRY/REGION HOLIDAYS	99x	O
-----COUNTRY/REGION HOLIDAYS LSD	9x	R
--COUNTRY HOLIDAYS	99x	O
-----ACTION	1x	R
-----COUNTRY HOLIDAYS DATA	99x	R
-----COUNTRY HOLIDAYS DATA LSD	9x	R

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE031	

## MESSAGE

Syntax identifier	R	a4	21	
Syntax version number	R	n1	22	
Message sender	R	an..35		
Sender identification code qualifier	O	an..4		
Message recipient	R	an..35		
Recipient identification code qualifier	O	an..4		
Date of preparation	R	n6		
Time of preparation	R	n4		
Interchange control reference	R	an..14		
Recipient's reference/password	O	an..14		
Recipient's reference/password qualifier	O	an2		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	

## ---CUSTOMS OFFICE INFORMATION

Reference number	R	an8		
Reference number main office	O	an8		R489
Reference number higher authority	O	an8		R490
Reference number take-over	D	an8		R495 TR9201
Reference number Competent Authority of Enquiry	O	an8		TR9160
Reference number Competent Authority of Recovery	O	an8		TR9170
Country code	R	a2		
UN/LOCODE id	O	a3		R460
Region code	O	an..3		
NCTS entry date	O	n8		
Nearest office	D	an..175		C410
Nearest office LNG	O	a2	12	TR0099
Postal code	R	an..9		
Phone number	O	an..35		R500
Fax Number	O	an..35		R500
Telex number	O	an..35		R500
E-mail address	O	an..70		R500
Geo info code	O	an..6	15	
Trader dedicated	R	n1	27	

## -----ACTION

Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Action identification	R	an..20		TR9001

## ----- (DEDICATED) TRADER

Name	R	an..35		
Language code	R	a2	12	
TIN	O	an..17		

## -----CUSTOMS OFFICE SPECIFIC NOTES

Specific notes code	R	an..6	67	R486
---------------------	---	-------	----	------

## -----CUSTOMS OFFICE LSD

Language code	R	a2	12	
Customs office usual name	R	an..35		
Customs office usual name LNG	O	a2	12	TR0099
Street and number	R	an..35		
Street and number LNG	O	a2	12	TR0099
City	R	an..35		R422

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE031	

City LNG	O	a2	12	TR0099
Prefix-suffix level	O	an1	53	
Prefix-suffix flag	R	n1	27	
Prefix-suffix name	O	an..35		
Prefix-suffix name LNG	O	a2	12	TR0099
Space to add	R	n1	27	

#### -----CUSTOMS OFFICE TIMETABLE

Season code	R	n1		R425
Season name	O	an..35		
Season name LNG	O	a2	12	TR0099
Season start date	R	n8		TR0403
Season end date	R	n8		TR0403

#### -----CUSTOMS OFFICE TIMETABLE LINE

Day in the week (begin day)	R	n1	105	R430
Opening hours time first period from	R	n4		
Opening hours time first period to	R	n4		
Day in the week (end day)	R	n1	105	
Opening hours time second period from	O	n4		
Opening hours time second period to	O	n4		

#### -----CUSTOMS OFFICE ROLE / TRAFFIC COMPETENCE

Role	R	an..3	56	
Traffic type	R	an..3	20	

#### ---COUNTRY/REGION

Country code	R	a2		
Country/region code	R	an..3		

#### -----ACTION

Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Action identification	R	an..20		TR9001

#### -----COUNTRY/REGION LSD

Language code	R	a2	12	
Country/region name	R	an..35		
Country/region name LNG	O	a2	12	TR0099

#### -----COUNTRY/REGION HOLIDAYS

Variable holiday date	R	n1	27	R232
Day	R	an2		
Month	R	an2	26	
Year	D	n4		C295

#### -----COUNTRY/REGION HOLIDAYS LSD

Language code	R	a2	12	
Public holiday name	R	an..35		
Public holiday name LNG	O	a2	12	TR0099

#### ---COUNTRY HOLIDAYS

Country code	R	a2		
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Action identification	R	an..20		TR9001

#### -----COUNTRY HOLIDAYS DATA

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE031	

Variable holiday date	R	n1	27	R232
Day	R	an2		
Month	R	an2	26	
Year	D	n4		C295
-----COUNTRY HOLIDAYS DATA LSD				
Language code	R	a2	12	
Public holiday name	R	an..35		
Public holiday name LNG	O	a2	12	TR0099

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE032	

## 5. Message Structure for: IE032

IE032	(CD032B)	NOTIFICATION OF COMMON REFERENCE DATA MODIFICATION TO ND	(C_REF_MOD)
MESSAGE		1x	R
--RESULTS OF CONTROL		99x	O TR1012
----LANGUAGE SPECIFIC DATA		99x	R
----ACTION		1x	R
--AMENDMENT REJECTION MOTIVATION		9x	O
----LANGUAGE SPECIFIC DATA		99x	R
----ACTION		1x	R
--AAR/AER REJECTION REASON		99x	O TR1012
----LANGUAGE SPECIFIC DATA		99x	R
----ACTION		1x	R
--ATR REJECTION REASON		99x	O TR1002
----LANGUAGE SPECIFIC DATA		99x	R
----ACTION		1x	R
--CONTROL RESULT CODE		99x	O TR1012
----ACTION		1x	R
----LANGUAGE SPECIFIC DATA		99x	R
--COUNTRY		999x	O
----ACTION		1x	R
----LANGUAGE SPECIFIC DATA		99x	R
--COUNTRY REGIME		9x	O
----ACTION		1x	R
----LANGUAGE SPECIFIC DATA		99x	R
--CUSTOMS OFFICE GEO INFO		99x	O
----ACTION		1x	R
----LANGUAGE SPECIFIC DATA		99x	R
--CURRENCY CODE		99x	O TR1012
----ACTION		1x	R
----LANGUAGE SPECIFIC DATA		99x	R
--DISCREPANCIES SOLVED NOTIFICATION		99x	O TR1002
----LANGUAGE SPECIFIC DATA		99x	R
----ACTION		1x	R
--DIVERSION REJECTION REASON		99x	O TR1012
----LANGUAGE SPECIFIC DATA		99x	R
----ACTION		1x	R
--DOCUMENT TYPE		999x	O
----ACTION		1x	R
----LANGUAGE SPECIFIC DATA		99x	R
--GUARANTEE TYPE		99x	O TR1002
----ACTION		1x	R
----LANGUAGE SPECIFIC DATA		99x	R
--GUARANTEE MONITORING		99x	O TR1002
----ACTION		1x	R
----LANGUAGE SPECIFIC DATA		99x	R
--INVALID GUARANTEE REASON		99x	O TR1002
----ACTION		1x	R
----LANGUAGE SPECIFIC DATA		99x	R
--LANGUAGE CODE		999x	O
----ACTION		1x	R
----LANGUAGE SPECIFIC DATA		99x	R
--PACKAGING CODE		999x	O
----ACTION		1x	R
----LANGUAGE SPECIFIC DATA		99x	R

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE032	

--ROLE	99x	O	
----ACTION	1x	R	
----LANGUAGE SPECIFIC DATA	99x	R	
--SENSITIVE GOODS CODE	99x	O	TR1002
----ACTION	1x	R	
----LANGUAGE SPECIFIC DATA	99x	R	
--SPECIAL MENTION CODE	99x	O	
----ACTION	1x	R	
----LANGUAGE SPECIFIC DATA	99x	R	
--STATISTICS TYPE	99x	O	
----ACTION	1x	R	
----LANGUAGE SPECIFIC DATA	99x	R	
--TRAFFIC TYPE	99x	O	
----ACTION	1x	R	
----LANGUAGE SPECIFIC DATA	99x	R	
--CUSTOMS OPERATION STATE TYPE	99x	O	
----ACTION	1x	R	
----LANGUAGE SPECIFIC DATA	99x	R	
--UNIT OF MEASURE	99x	O	TR1012
----ACTION	1x	R	
----LANGUAGE SPECIFIC DATA	99x	R	
--UN/LOCODE	9999x	O	
----ACTION	1x	R	
--TRANSPORT MODE	99x	O	
----ACTION	1x	R	
----LANGUAGE SPECIFIC DATA	99x	R	
--QUERY ON GUARANTEE TYPE	99x	O	TR1002
----ACTION	1x	R	
----LANGUAGE SPECIFIC DATA	99x	R	
--SPECIFIC NOTES CODE	99x	O	
----ACTION	1x	R	
----LANGUAGE SPECIFIC DATA	99x	R	
--COMPLEMENTARY CODE	99x	O	TR1003
----LANGUAGE SPECIFIC DATA	99x	R	
----ACTION	1x	R	
--EXPORT QUERY REASON CODE	99x	O	TR1003
----LANGUAGE SPECIFIC DATA	99x	R	
----ACTION	1x	R	
--INCOTERM CODE	99x	O	TR1003
----LANGUAGE SPECIFIC DATA	99x	R	
----ACTION	1x	R	
--NATURE OF TRANSACTION CODE	99x	O	TR1003
----LANGUAGE SPECIFIC DATA	99x	R	
----ACTION	1x	R	
--PROCEDURE REQUESTED	99x	O	TR1003
----LANGUAGE SPECIFIC DATA	99x	R	
----ACTION	1x	R	
--PREVIOUS PROCEDURE	99x	O	TR1003
----LANGUAGE SPECIFIC DATA	99x	R	
----ACTION	1x	R	
--REPRESENTATIVE STATUS CODE	99x	O	TR1003
----LANGUAGE SPECIFIC DATA	99x	R	
----ACTION	1x	R	
--RISK ANALYSIS RESULT CODE	99x	O	
----ACTION	1x	R	
----LANGUAGE SPECIFIC DATA	99x	R	
--SPECIFIC CIRCUMSTANCE INDICATOR	99x	O	

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE032	

-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
--SUMMARY DECLARATION REJECTION REASON CODE	99x	O	TR1013
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
--TYPE OF TAX	99x	O	TR1003
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
--WAREHOUSE TYPE	99x	O	TR1003
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
--UN DANGEROUS GOODS CODE	999x	O	
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
--COMMUNITY NATIONAL PROCEDURE	99x	O	TR1003
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
--PREVIOUS DOCUMENT CATEGORY	99x	O	TR1003
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
--METHOD OF PAYMENT	99x	O	TR1003
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
--TRANSPORT CHARGES METHOD OF PAYMENT	99x	O	
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
--DECLARATION TYPE	99x	O	TR1012
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
--DECLARATION TYPE (BOX 1.2)	99x	O	TR1003
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
--INFORMATION	99x	O	TR1002
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
--PREVIOUS DOCUMENT TYPE	99x	O	TR1012
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
--REQUESTED INFORMATION	99x	O	TR1002
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
--ITEM NUMBER REJECTION REASON CODE	99x	O	TR1006
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
--CUSTOMS INTERVENTION	99x	O	TR1006
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
--INFORMATION TYPE	99x	O	TR1006
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
--RESPONSE CODE	99x	O	TR1002
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	



Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE032	

## MESSAGE

Syntax identifier	R	a4	21	
Syntax version number	R	n1	22	
Message sender	R	an..35		
Sender identification code qualifier	O	an..4		
Message recipient	R	an..35		
Recipient identification code qualifier	O	an..4		
Date of preparation	R	n6		
Time of preparation	R	n4		
Interchange control reference	R	an..14		
Recipient's reference/password	O	an..14		
Recipient's reference/password qualifier	O	an2		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	

## ---RESULTS OF CONTROL

Control indicator	R	an2	41	
-------------------	---	-----	----	--

## -----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

## -----ACTION

Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

## ---AMENDMENT REJECTION MOTIVATION

Amendment rejection motivation code	R	n1	45	
-------------------------------------	---	----	----	--

## -----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

## -----ACTION

Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

## ---AAR/AER REJECTION REASON

AAR/AER rejection reason code	R	n..2	43	
-------------------------------	---	------	----	--

## -----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

## -----ACTION

Operation	R	a1	24	R410
Validity date	D	n8		C300 R410

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE032	

Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>---ATR REJECTION REASON</b>				
ATR rejection reason code	R	n..2	44	
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>-----ACTION</b>				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>---CONTROL RESULT CODE</b>				
Control result code	R	an2	47	
<b>-----ACTION</b>				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>---COUNTRY</b>				
Country code	R	a2	8	
TCC entry date	R	n8		
NCTS entry date	R	n8		
Geo-nomenclature code	O	n3	16	
Country regime code	R	an3	11	
<b>-----ACTION</b>				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>---COUNTRY REGIME</b>				
Country regime code	R	an3	11	

<b>Message Specifications for EXPORT</b>	<b>ALIGNED TO DDNA KEL Draft Version</b>
<b>REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2</b>	
<b>Appendix Q2: Technical Message Structure</b>	
<b>5. Message Structure for: IE032</b>	

#### -----ACTION

Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

#### -----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

#### ---CUSTOMS OFFICE GEO INFO

Geo info code	R	an..6	15	
---------------	---	-------	----	--

#### -----ACTION

Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

#### -----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

#### ---CURRENCY CODE

Currency	R	an3	48	
Rate value	R	n..8,6		

#### -----ACTION

Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

#### -----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

#### ---DISCREPANCIES SOLVED NOTIFICATION

Discrepancies solved notification code	R	an..2	69	
--	---	-------	----	--

#### -----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

#### -----ACTION

Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE032	

Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>---DIVERSION REJECTION REASON</b>				
Diversion rejection reason code	R	n..2	46	
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>-----ACTION</b>				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>---DOCUMENT TYPE</b>				
Document type	R	an..4	13	
Transport document	R	n1	27	R230
<b>-----ACTION</b>				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..350		
Language specific data LNG	O	a2	12	TR0099
<b>---GUARANTEE TYPE</b>				
Guarantee type	R	an1	51	
<b>-----ACTION</b>				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>---GUARANTEE MONITORING</b>				
Guarantee monitoring code	R	n1	50	
<b>-----ACTION</b>				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE032	

Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>---INVALID GUARANTEE REASON</b>				
Invalid guarantee reason code	R	an..3	52	
<b>-----ACTION</b>				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>---LANGUAGE CODE</b>				
Language code	R	a2	12	
<b>-----ACTION</b>				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>---PACKAGING CODE</b>				
Kind of packages	R	an..3	17	R456
<b>-----ACTION</b>				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>---ROLE</b>				
Role	R	an..3	56	

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE032	

#### -----ACTION

Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

#### -----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

#### ---SENSITIVE GOODS CODE

Commodity code (taric code)	R	an..6	62	R445
Sensitive goods code	O	n..2	64	R445
Reference quantity	O	n..6		
Unit of measure code	O	an..3	59	
EEC territory limitation	R	n1	27	R230

#### -----ACTION

Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

#### -----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

#### ---SPECIAL MENTION CODE

Additional information coded	R	an..5	39	
------------------------------	---	-------	----	--

#### -----ACTION

Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

#### -----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

#### ---STATISTICS TYPE

Statistics type	R	an..4		
-----------------	---	-------	--	--

#### -----ACTION

Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE032	

Action identification	R	an..20		TR9001
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>---TRAFFIC TYPE</b>				
Traffic type	R	an..3	20	
<b>-----ACTION</b>				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>---CUSTOMS OPERATION STATE TYPE</b>				
Customs Operation State Types	R	an..3	58	
<b>-----ACTION</b>				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>---UNIT OF MEASURE</b>				
Unit of measure code	R	an..3	59	
<b>-----ACTION</b>				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>---UN/LOCODE</b>				
Country code	R	a2	8	
UN/LOCODE id	R	a3		R460
UN/LOCODE name	R	an..29		R422
<b>-----ACTION</b>				

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE032	

Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>---TRANSPORT MODE</b>				
Transport mode	R	n..2	18	
<b>-----ACTION</b>				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>---QUERY ON GUARANTEE TYPE</b>				
Query identifier	R	n1	54	
<b>-----ACTION</b>				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>---SPECIFIC NOTES CODE</b>				
Specific notes code	R	an..6	67	
<b>-----ACTION</b>				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..350		
Language specific data LNG	O	a2	12	TR0099
<b>---COMPLEMENTARY CODE</b>				
Complementary code	R	n1	86	
<b>-----LANGUAGE SPECIFIC DATA</b>				



Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE032	

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>-----ACTION</b>				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>---EXPORT QUERY REASON CODE</b>				
Export_Query Reason Code	R	an..3	89	
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>-----ACTION</b>				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>---INCOTERM CODE</b>				
Incoterm Code	R	a3	90	
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>-----ACTION</b>				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>---NATURE OF TRANSACTION CODE</b>				
Nature of transaction code	R	n..2	91	
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..350		
Language specific data LNG	O	a2	12	TR0099
<b>-----ACTION</b>				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

<b>Message Specifications for EXPORT</b>	<b>ALIGNED TO DDNA KEL Draft Version</b>
<b>REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2</b>	
<b>Appendix Q2: Technical Message Structure</b>	
<b>5. Message Structure for: IE032</b>	

## ---PROCEDURE REQUESTED

Procedure requested	R	an2	92	
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..350		
Language specific data LNG	O	a2	12	TR0099
<b>-----ACTION</b>				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

## ---PREVIOUS PROCEDURE

Previous Procedure	R	an2	93	
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..350		
Language specific data LNG	O	a2	12	TR0099
<b>-----ACTION</b>				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

## ---REPRESENTATIVE STATUS CODE

Representative status code	R	n1	94	
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>-----ACTION</b>				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

## ---RISK ANALYSIS RESULT CODE

Risk Analysis result code	R	an1	95	
<b>-----ACTION</b>				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

<b>Message Specifications for EXPORT</b>	<b>ALIGNED TO DDNA KEL Draft Version</b>
<b>REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2</b>	
<b>Appendix Q2: Technical Message Structure</b>	
<b>5. Message Structure for: IE032</b>	

#### -----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

#### ---SPECIFIC CIRCUMSTANCE INDICATOR

Specific Circumstance Indicator	R	a1	96	
---------------------------------	---	----	----	--

#### -----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

#### -----ACTION

Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

#### ---SUMMARY DECLARATION REJECTION REASON CODE

Summary Declaration rejection reason code	R	n..2	97	
---	---	------	----	--

#### -----ACTION

Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

#### -----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

#### ---TYPE OF TAX

Type of tax	R	an3	98	
-------------	---	-----	----	--

#### -----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

#### -----ACTION

Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

#### ---WAREHOUSE TYPE

Warehouse type	R	a1	99	
----------------	---	----	----	--

#### -----ACTION

Operation	R	a1	24	R410
Validity date	D	n8		C300 R410

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE032	

Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>---UN DANGEROUS GOODS CODE</b>				
UN dangerous goods code	R	an4	101	
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..350		
Language specific data LNG	O	a2	12	TR0099
<b>-----ACTION</b>				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>---COMMUNITY NATIONAL PROCEDURE</b>				
Community / National Procedure	R	an3	102	
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..350		
Language specific data LNG	O	a2	12	TR0099
<b>-----ACTION</b>				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>---PREVIOUS DOCUMENT CATEGORY</b>				
Previous Document Category	R	a1	103	
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>-----ACTION</b>				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>---METHOD OF PAYMENT</b>				
Method of payment	R	a1	104	

<b>Message Specifications for EXPORT</b>	<b>ALIGNED TO DDNA KEL Draft Version</b>
<b>REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2</b>	
<b>Appendix Q2: Technical Message Structure</b>	
<b>5. Message Structure for: IE032</b>	

#### -----ACTION

Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

#### -----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

#### ---TRANSPORT CHARGES METHOD OF PAYMENT

Transport charges/ Method of Payment	R	a1	116	
--------------------------------------	---	----	-----	--

#### -----ACTION

Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

#### -----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

#### ---DECLARATION TYPE

Type of declaration	R	an..9	31	
---------------------	---	-------	----	--

#### -----ACTION

Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

#### -----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

#### ---DECLARATION TYPE (BOX 1.2)

Type of declaration (Box 1.2)	R	a1	87	
-------------------------------	---	----	----	--

#### -----ACTION

Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

#### -----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
---------------	---	----	----	--

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE032	

Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>---INFORMATION</b>				
Information Code	R	n2	119	
<b>-----ACTION</b>				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>---PREVIOUS DOCUMENT TYPE</b>				
Previous document type	R	an..6	14	
<b>-----ACTION</b>				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>---REQUESTED INFORMATION</b>				
Requested Information Code	R	n1	118	
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>-----ACTION</b>				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>---ITEM NUMBER REJECTION REASON CODE</b>				
Item number rejection reason code	R	n..2	106	
<b>-----ACTION</b>				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE032	

Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>---CUSTOMS INTERVENTION</b>				
Customs Intervention code	R	an..4	108	
<b>-----ACTION</b>				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>---INFORMATION TYPE</b>				
Information type	R	n..2	109	
<b>-----ACTION</b>				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>---RESPONSE CODE</b>				
Response Code	R	n..2	29	
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>-----ACTION</b>				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE070	

### 5. Message Structure for: IE070

IE070	(CD070A)	NOTIFICATION OF SYSTEM UNAVAILABILITY TO CD	(C_UNA_COM)	
MESSAGE			1x	R
---COUNTRY			1x	R
-----ACTION			9x	R
-----SYSTEM UNAVAILABILITY			99x	R
				TR0704



Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE070	

## MESSAGE

Syntax identifier	R	a4	21	
Syntax version number	R	n1	22	
Message sender	R	an..35		
Sender identification code qualifier	O	an..4		
Message recipient	R	an..35		
Recipient identification code qualifier	O	an..4		
Date of preparation	R	n6		
Time of preparation	R	n4		
Interchange control reference	R	an..14		
Recipient's reference/password	O	an..14		
Recipient's reference/password qualifier	O	an2		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
<b>---COUNTRY</b>				
Country code	R	a2	8	
<b>-----ACTION</b>				
Operation	R	a1	24	R411
<b>-----SYSTEM UNAVAILABILITY</b>				
Business functionality	R	a1	68	
Downtime from	R	n12		R660 TR0703 TR9020
System unavailability type	R	a1	79	TR0700 TR0702
Downtime to	D	n12		C400 R660 TR0703 TR9020
Explanation	O	an..350		
Explanation LNG	O	a2	12	TR0099

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE071	

### 5. Message Structure for: IE071

IE071	(CD071A)	NOTIFICATION OF SYSTEM UNAVAILABILITY TO ND	(C_UNA_NAT)
MESSAGE		1x	R
---COUNTRY		99x	R
-----ACTION		9x	R
-----SYSTEM UNAVAILABILITY		99x	R
			TR0704

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE071	

## MESSAGE

Syntax identifier	R	a4	21	
Syntax version number	R	n1	22	
Message sender	R	an..35		
Sender identification code qualifier	O	an..4		
Message recipient	R	an..35		
Recipient identification code qualifier	O	an..4		
Date of preparation	R	n6		
Time of preparation	R	n4		
Interchange control reference	R	an..14		
Recipient's reference/password	O	an..14		
Recipient's reference/password qualifier	O	an2		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
<b>---COUNTRY</b>				
Country code	R	a2	8	
<b>-----ACTION</b>				
Operation	R	a1	24	R411
<b>-----SYSTEM UNAVAILABILITY</b>				
Business functionality	R	a1	68	
Downtime from	R	n12		R660 TR0703 TR9020
System unavailability type	R	a1	79	TR0702
Downtime to	D	n12		C400 R660 TR0703 TR9020
Explanation	O	an..350		
Explanation LNG	O	a2	12	TR0099

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE411	

## 5. Message Structure for: IE411

IE411	(CD411B)	SENDING OF STATISTICS DATA	(C_STA_SND)
MESSAGE		1x	R
---SENDING COUNTRY		1x	R
-----SYSTEM APPLICABILITY		99x	R
-----STATISTICAL CHARACTERISTICS		999x	R
-----SERIES ELEMENTS		999x	R

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE411	

## MESSAGE

Syntax identifier	R	a4	21	
Syntax version number	R	n1	22	
Message sender	R	an..35		
Sender identification code qualifier	O	an..4		
Message recipient	R	an..35		
Recipient identification code qualifier	O	an..4		
Date of preparation	R	n6		
Time of preparation	R	n4		
Interchange control reference	R	an..14		
Recipient's reference/password	O	an..14		
Recipient's reference/password qualifier	O	an2		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	

## ---SENDING COUNTRY

Country code	R	a2	8	
Year	R	n4		
Month	R	an2	26	

## -----SYSTEM APPLICABILITY

System code	R	n..2	136	TR9190
-------------	---	------	-----	--------

## -----STATISTICAL CHARACTERISTICS

Statistics type	R	an4	57	
-----------------	---	-----	----	--

## -----SERIES ELEMENTS

Other country	O	a2	8	
Counter	R	n..9		R021

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE412	

## 5. Message Structure for: IE412

IE412	(CD412B)	STATISTICS GENERATED SENT TO NATIONAL DOMAIN	(C_STA_GEN)
MESSAGE		1x	R
---STATISTICAL CONSOLIDATION		1x	R
-----STATISTICAL CHARACTERISTICS		999x	R
-----SERIES ELEMENTS		999x	R

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE412	

## MESSAGE

Syntax identifier	R	a4	21	
Syntax version number	R	n1	22	
Message sender	R	an..35		
Sender identification code qualifier	O	an..4		
Message recipient	R	an..35		
Recipient identification code qualifier	O	an..4		
Date of preparation	R	n6		
Time of preparation	R	n4		
Interchange control reference	R	an..14		
Recipient's reference/password	O	an..14		
Recipient's reference/password qualifier	O	an2		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	

## ---STATISTICAL CONSOLIDATION

Year	R	n4		
Month	R	an2	26	
System code	R	n..2	136	TR9190

## -----STATISTICAL CHARACTERISTICS

Statistics type	R	an4	57	
-----------------	---	-----	----	--

## -----SERIES ELEMENTS

Counter	R	n..9		R021
Sending country code	O	a2	8	
Other country code	O	a2	8	

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE501	

## 5. Message Structure for: IE501

IE501	(CD501B)	AER	(C_AER_SND)
MESSAGE		1x	R
---HEADER		1x	R R143
---(EXPORTER) TRADER		1x	D C510
---(CONSIGNEE) TRADER		1x	O R011
---(EXPORT) CUSTOMS OFFICE		1x	R
---(EXIT) CUSTOMS OFFICE		1x	R
---CONTROL RESULT		1x	R
---SEALS INFO		1x	O
-----SEALS ID		9999x	D C569
---GOODS ITEM		999x	R
-----PREVIOUS ADMINISTRATIVE REFERENCES		9x	O
-----PRODUCED DOCUMENTS/CERTIFICATES		99x	D
-----SPECIAL MENTIONS		99x	O R080
----- (EXPORTER) TRADER		1x	D C510
----- (CODE) COMMODITY		1x	R
----- (CONSIGNEE) TRADER		1x	O R011
-----CONTAINERS		99x	D C055
-----PACKAGES		99x	R
---ITINERARY		99x	O R877
---RISK ANALYSIS		999x	O R819



Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE501	

## MESSAGE

Syntax identifier	R	a4	21	
Syntax version number	R	n1	22	
Message sender	R	an..35		
Sender identification code qualifier	O	an..4		
Message recipient	R	an..35		
Recipient identification code qualifier	O	an..4		
Date of preparation	R	n6		
Time of preparation	R	n4		
Interchange control reference	R	an..14		
Recipient's reference/password	O	an..14		
Recipient's reference/password qualifier	O	an2		
Application reference	O	an..14		
Priority	O	a1		
Acknowledgement request	O	n1	27	
Communications agreement id	O	an..35		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Common access reference	O	an..35		

## ---HEADER

Reference number	O	an..22		
Document/reference number	R	an..21		
Type of declaration	R	an..9	31	
Country of destination code	O	a2	8	TR9121
Country of dispatch/export code	O	a2	8	
Identity of means of transport at departure (exp/trans)	O	an..27		
Identity of means of transport at departure LNG	O	a2	12	TR0099
Containerised indicator	R	n1	27	R230
Acceptance date	R	n8		
Issuing date	R	n8		
ECS accompanying document language code	R	a2	12	
Total number of items	R	n..5		
Total number of packages	O	n..7		R105 R830
Total gross mass	D	n..11,3		R832
Declaration submitted time	R	n12		R660
Specific Circumstance Indicator	O	a1	96	R839
Transport charges/ Method of Payment	O	a1	116	
Commercial Reference Number	D	an..70		R876

## ---(EXPORTER) TRADER

Name	R	an..35		
Street and number	R	an..35		
Postal code	R	an..9		
City	R	an..35		
Country code	R	a2	8	
NAD LNG	O	a2	12	TR0099
TIN	R	an..17		

## ---(CONSIGNEE) TRADER

Name	R	an..35		
Street and number	R	an..35		
Postal code	R	an..9		
City	R	an..35		
Country code	R	a2	8	
NAD LNG	O	a2	12	TR0099
TIN	O	an..17		

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE501	

## ---(EXPORT) CUSTOMS OFFICE

Reference number R an8

## ---(EXIT) CUSTOMS OFFICE

Reference number R an8

## ---CONTROL RESULT

Control result code R an2 47

Date limit R n8

## ---SEALS INFO

Seals number R n..4

## -----SEALS ID

Seals identity R an..20

Seals identity LNG O a2 12 TR0099

## ---GOODS ITEM

Item number R n..5 R005  
R007

Goods description R an..280

Goods description LNG O a2 12 TR0099

Gross mass O n..11,3 R832

Net mass R n..11,3

Country of dispatch/export code D a2 8 C578  
TR9120

Country of destination code D a2 8 C568  
TR9120  
TR9121

Transport charges/ Method of Payment D a1 116 C576  
TR9120

Procedure requested R an2 92

Previous Procedure R an2 93

Community / National Procedure O an3 102 R858

Statistical value currency O a3 IE\_GR  
CL10504

Statistical value amount D n..15,2 C028  
R021

Commercial Reference Number D an..70 R876

UN dangerous goods code O an4 101

## -----PREVIOUS ADMINISTRATIVE REFERENCES

Previous document type R an..6 14 R079  
R893  
TR0100

Previous document reference R an..35 R893

Previous document reference LNG O a2 12 TR0099

## -----PRODUCED DOCUMENTS/CERTIFICATES

Document type R an..4 13 R079  
TR0103

Document reference R an..35

Document reference LNG O a2 12 TR0099

## -----SPECIAL MENTIONS

Additional information coded R an..5 39 TR0101

Text O an..70

Text LNG O a2 12 TR0099

## ----- (EXPORTER) TRADER

Name R an..35

Street and number R an..35

Postal code R an..9

City R an..35

Country code R a2 8

NAD LNG O a2 12 TR0099

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE501	

TIN	R	an..17	
<b>----- (CODE) COMMODITY</b>			
Combined Nomenclature	R	an..8	TR1008
TARIC code	R	an2	R868
TARIC first additional code	R	an4	R869
TARIC second additional code	R	an4	R869
National additional code	O	an4	
<b>----- (CONSIGNEE) TRADER</b>			
Name	R	an..35	
Street and number	R	an..35	
Postal code	R	an..9	
City	R	an..35	
Country code	R	a2	8
NAD LNG	O	a2	12 TR0099
TIN	O	an..17	
<b>----- CONTAINERS</b>			
Container number	R	an..17	
<b>----- PACKAGES</b>			
Marks & numbers of packages	D	an..42	C060
Marks & numbers of packages LNG	O	a2	12 TR0099
Kind of packages	R	an..3	17
Number of packages	D	n..5	C060 R021 TR0022
Number of pieces	D	n..5	C060
<b>--- ITINERARY</b>			
Country of routing code	R	a2	8
<b>--- RISK ANALYSIS</b>			
Item Number involved	O	n..5	R824 R875
Risk Analysis result code	R	an..5	
Risk Analysis text	O	an..350	
Risk Analysis LNG	O	a2	12 TR0099

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE502	

### 5. Message Structure for: IE502

IE502	(CD502A)	DECLARATION REQUEST EXPORT	(C_EXP_REQ)
-------	----------	----------------------------	-------------

MESSAGE	1x	R
---HEADER	1x	R
---(ACTUAL EXIT) CUSTOMS OFFICE	1x	R

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE502	

## MESSAGE

Syntax identifier	R	a4	21	
Syntax version number	R	n1	22	
Message sender	R	an..35		
Sender identification code qualifier	O	an..4		
Message recipient	R	an..35		
Recipient identification code qualifier	O	an..4		
Date of preparation	R	n6		
Time of preparation	R	n4		
Interchange control reference	R	an..14		
Recipient's reference/password	O	an..14		
Recipient's reference/password qualifier	O	an2		
Application reference	O	an..14		
Priority	O	a1		
Acknowledgement request	O	n1	27	
Communications agreement id	O	an..35		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Common access reference	O	an..35		

## ---HEADER

Document/reference number	R	an..21		
Country of export code	R	a2	10	

## ---(ACTUAL EXIT) CUSTOMS OFFICE

Reference number	R	an8		
------------------	---	-----	--	--

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE503	

## 5. Message Structure for: IE503

IE503	(CD503B)	AER RESPONSE	(C_AER_RSP)
-------	----------	--------------	-------------

MESSAGE	1x	R	
---HEADER	1x	R	R143
---(EXPORTER) TRADER	1x	D	C510 TR0201
---(CONSIGNEE) TRADER	1x	D	R011 TR0201
---(EXPORT) CUSTOMS OFFICE	1x	D	TR0217
---(ACTUAL EXIT) CUSTOMS OFFICE	1x	R	
---(EXIT) CUSTOMS OFFICE	1x	D	TR0200
---CONTROL RESULT	1x	D	TR0200
---SEALS INFO	1x	D	TR0201
-----SEALS ID	9999x	D	C569
---GOODS ITEM	999x	D	TR0200
-----PREVIOUS ADMINISTRATIVE REFERENCES	9x	O	
-----PRODUCED DOCUMENTS/CERTIFICATES	99x	D	
-----SPECIAL MENTIONS	99x	O	R080
----- (EXPORTER) TRADER	1x	D	C510
----- (CODE) COMMODITY	1x	R	
----- (CONSIGNEE) TRADER	1x	O	R011
-----CONTAINERS	99x	D	C055
-----PACKAGES	99x	R	
---ITINERARY	99x	O	R877 TR0201
---RISK ANALYSIS	999x	D	R819 TR0201

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE503	

## MESSAGE

Syntax identifier	R	a4	21	
Syntax version number	R	n1	22	
Message sender	R	an..35		
Sender identification code qualifier	O	an..4		
Message recipient	R	an..35		
Recipient identification code qualifier	O	an..4		
Date of preparation	R	n6		
Time of preparation	R	n4		
Interchange control reference	R	an..14		
Recipient's reference/password	O	an..14		
Recipient's reference/password qualifier	O	an2		
Application reference	O	an..14		
Priority	O	a1		
Acknowledgement request	O	n1	27	
Communications agreement id	O	an..35		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Common access reference	O	an..35		

## ---HEADER

Reference number	O	an..22		
Document/reference number	R	an..21		
Type of declaration	D	an..9	31	TR0200
Country of destination code	D	a2	8	TR0201 TR9121
Country of dispatch/export code	D	a2	8	TR0201
Identity of means of transport at departure (exp/trans)	D	an..27		TR0201
Identity of means of transport at departure LNG	O	a2	12	TR0099
Containerised indicator	D	n1	27	R230 TR0200
Acceptance date	D	n8		TR0200
Issuing date	D	n8		TR0200
ECS accompanying document language code	D	a2	12	TR0200
Total number of items	D	n..5		TR0200
Total number of packages	D	n..7		R105 R830 TR0201
Total gross mass	D	n..11,3		R832 TR0201
AER rejection reason code	D	n..2	43	TR0202 TR0217
AER rejection reason	D	an..350		C305 TR0203 TR0217
AER rejection reason LNG	O	a2	12	TR0099
Declaration submitted time	D	n12		R660 TR0200
Specific Circumstance Indicator	D	a1	96	R839 TR0201
Transport charges/ Method of Payment	D	a1	116	TR0201
Commercial Reference Number	D	an..70		R876 TR0201

## ---(EXPORTER) TRADER

Name	R	an..35		
Street and number	R	an..35		
Postal code	R	an..9		
City	R	an..35		
Country code	R	a2	8	
NAD LNG	O	a2	12	TR0099

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE503	

TIN	R	an..17		
<b>---(CONSIGNEE) TRADER</b>				
Name	R	an..35		
Street and number	R	an..35		
Postal code	R	an..9		
City	R	an..35		
Country code	R	a2	8	
NAD LNG	O	a2	12	TR0099
TIN	O	an..17		
<b>---(EXPORT) CUSTOMS OFFICE</b>				
Reference number	R	an8		
<b>---(ACTUAL EXIT) CUSTOMS OFFICE</b>				
Reference number	R	an8		
<b>---(EXIT) CUSTOMS OFFICE</b>				
Reference number	R	an8		
<b>---CONTROL RESULT</b>				
Control result code	R	an2	47	
Date limit	R	n8		
<b>---SEALS INFO</b>				
Seals number	R	n..4		
<b>-----SEALS ID</b>				
Seals identity	R	an..20		
Seals identity LNG	O	a2	12	TR0099
<b>---GOODS ITEM</b>				
Item number	R	n..5		R005 R007
Goods description	R	an..280		
Goods description LNG	O	a2	12	TR0099
Gross mass	O	n..11,3		R832
Net mass	R	n..11,3		
Country of dispatch/export code	D	a2	8	C578 TR9120
Country of destination code	D	a2	8	C568 TR9120 TR9121
Transport charges/ Method of Payment	D	a1	116	C576 TR9120
Procedure requested	R	an2	92	
Previous Procedure	R	an2	93	
Community / National Procedure	O	an3	102	R858
Statistical value currency	O	a3	IE_GR CL10504	
Statistical value amount	D	n..15,2		C028 R021
Commercial Reference Number	D	an..70		R876
UN dangerous goods code	O	an4	101	
<b>-----PREVIOUS ADMINISTRATIVE REFERENCES</b>				
Previous document type	R	an..6	14	R079 R893 TR0100
Previous document reference	R	an..35		R893
Previous document reference LNG	O	a2	12	TR0099
<b>-----PRODUCED DOCUMENTS/CERTIFICATES</b>				
Document type	R	an..4	13	R079 TR0103
Document reference	R	an..35		
Document reference LNG	O	a2	12	TR0099



Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE503	

## -----SPECIAL MENTIONS

Additional information coded	R	an..5	39	TR0101
Text	O	an..70		
Text LNG	O	a2	12	TR0099

## ----- (EXPORTER) TRADER

Name	R	an..35		
Street and number	R	an..35		
Postal code	R	an..9		
City	R	an..35		
Country code	R	a2	8	
NAD LNG	O	a2	12	TR0099
TIN	R	an..17		

## ----- (CODE) COMMODITY

Combined Nomenclature	R	an..8		TR1008
TARIC code	R	an2		R868
TARIC first additional code	R	an4		R869
TARIC second additional code	R	an4		R869
National additional code	O	an4		

## ----- (CONSIGNEE) TRADER

Name	R	an..35		
Street and number	R	an..35		
Postal code	R	an..9		
City	R	an..35		
Country code	R	a2	8	
NAD LNG	O	a2	12	TR0099
TIN	O	an..17		

## -----CONTAINERS

Container number	R	an..17		
------------------	---	--------	--	--

## -----PACKAGES

Marks & numbers of packages	D	an..42		C060
Marks & numbers of packages LNG	O	a2	12	TR0099
Kind of packages	R	an..3	17	
Number of packages	D	n..5		C060 R021 TR0022
Number of pieces	D	n..5		C060

## ---ITINERARY

Country of routing code	R	a2	8	
-------------------------	---	----	---	--

## ---RISK ANALYSIS

Item Number involved	O	n..5		R824 R875
Risk Analysis result code	R	an..5		
Risk Analysis text	O	an..350		
Risk Analysis LNG	O	a2	12	TR0099

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE504	

### 5. Message Structure for: IE504

IE504	(CC504A)	EXPORT DECLARATION AMENDMENT ACCEPTANCE	(E_EXP_AAC)
-------	----------	--	-------------

MESSAGE		1x	R
---HEADER		1x	R
---(EXPORT) CUSTOMS OFFICE		1x	R
---(DECLARANT) TRADER		1x	R
---INFORMATION MESSAGE		20x	O

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE504	

## MESSAGE

Syntax identifier	R	a4	21	
Syntax version number	R	n1	22	
Message sender	R	an..35		
Sender identification code qualifier	O	an..4		
Message recipient	R	an..35		
Recipient identification code qualifier	O	an..4		
Date of preparation	R	n6		
Time of preparation	R	n4		
Interchange control reference	R	an..14		
Recipient's reference/password	O	an..14		
Recipient's reference/password qualifier	O	an2		
Application reference	O	an..14		
Priority	O	a1		
Acknowledgement request	O	n1	27	
Communications agreement id	O	an..35		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Common access reference	O	an..35		

## ---HEADER

Document/reference number	R	an..21		
Date of amendment	R	n8		
Amendment acceptance date	R	n8		

## ---(EXPORT) CUSTOMS OFFICE

Reference number	R	an8		
------------------	---	-----	--	--

## ---(DECLARANT) TRADER

Name	O	an..35		
Street and number	O	an..35		
Postal code	O	an..9		
City	O	an..35		
Country code	O	a2	8	
NAD LNG	O	a2	12	TR0099
TIN	R	an..17		

## ---INFORMATION MESSAGE

Information Description	R	an..350		
-------------------------	---	---------	--	--

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE505	

### 5. Message Structure for: IE505

IE505	(CC505A)	EXPORT DECLARATION AMENDMENT REJECTION	(E_EXP_ARJ)
-------	----------	---	-------------

MESSAGE	1x	O	
---HEADER	1x	R	
---(EXPORT) CUSTOMS OFFICE	1x	D	C124
---FUNCTIONAL ERROR	999x	D	R123
---(DECLARANT) TRADER	1x	D	C124

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE505	

## MESSAGE

Syntax identifier	R	a4	21	
Syntax version number	R	n1	22	
Message sender	R	an..35		
Sender identification code qualifier	O	an..4		
Message recipient	R	an..35		
Recipient identification code qualifier	O	an..4		
Date of preparation	R	n6		
Time of preparation	R	n4		
Interchange control reference	R	an..14		
Recipient's reference/password	O	an..14		
Recipient's reference/password qualifier	O	an2		
Application reference	O	an..14		
Priority	O	a1		
Acknowledgement request	O	n1	27	
Communications agreement id	O	an..35		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Common access reference	O	an..35		

## ---HEADER

Document/reference number	D	an..21		C124
Date of amendment	D	n8		C124
Amendment rejection date	R	n8		
Amendment rejection motivation code	D	n1	45	C124
Amendment rejection motivation text	D	an..350		C310
Amendment rejection motivation text LNG	O	a2	12	TR0099

## ---(EXPORT) CUSTOMS OFFICE

Reference number	R	an8		
------------------	---	-----	--	--

## ---FUNCTIONAL ERROR

Error type	R	n2	49	
Error pointer	R	an..210		
Error reason	O	an..6		
Original attribute value	O	an..140		
Error description	O	an..350		

## ---(DECLARANT) TRADER

Name	O	an..35		
Street and number	O	an..35		
Postal code	O	an..9		
City	O	an..35		
Country code	O	a2	8	
NAD LNG	O	a2	12	TR0099
TIN	R	an..17		

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE507	

## 5. Message Structure for: IE507

IE507	(CC507A)	ARRIVAL AT EXIT	(E_ARR_EXT)
-------	----------	-----------------	-------------

MESSAGE	1x	R
---HEADER	1x	R
---(ACTUAL EXIT) CUSTOMS OFFICE	1x	R
---(EXIT CARRIER) TRADER	1x	R

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE507	

## MESSAGE

Syntax identifier	R	a4	21	
Syntax version number	R	n1	22	
Message sender	R	an..35		
Sender identification code qualifier	O	an..4		
Message recipient	R	an..35		
Recipient identification code qualifier	O	an..4		
Date of preparation	R	n6		
Time of preparation	R	n4		
Interchange control reference	R	an..14		
Recipient's reference/password	O	an..14		
Recipient's reference/password qualifier	O	an2		
Application reference	O	an..14		
Priority	O	a1		
Acknowledgement request	O	n1	27	
Communications agreement id	O	an..35		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Common access reference	O	an..35		

## ---HEADER

Document/reference number	R	an..21		
Customs sub place	O	an..17		R246
Arrival notification place	R	an..35		
Arrival notification place LNG	O	a2	12	TR0099
Arrival agreed Location code	O	an..17		R246
Arrival agreed Location of goods	O	an..35		R246
Arrival agreed Location of goods LNG	O	a2	12	TR0099
Arrival notification date	R	n8		
Dialog language indicator at destination	O	a2	12	R101
Storing flag	R	n1	27	R230
Authorised Storing Location of goods	D	an..17		C156

## ---(ACTUAL EXIT) CUSTOMS OFFICE

Reference number	R	an8		
------------------	---	-----	--	--

## ---(EXIT CARRIER) TRADER

Name	O	an..35		
Street and number	O	an..35		
Postal code	O	an..9		
City	O	an..35		
Country code	O	a2	8	
NAD LNG	O	a2	12	TR0099
TIN	R	an..17		

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE508	

## 5. Message Structure for: IE508

IE508	(CC508A)	ARRIVAL AT EXIT REJECTION	(E_ARR_REJ)	
MESSAGE		1x	R	
---HEADER		1x	R	
---FUNCTIONAL ERROR		999x	D	R123



Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE508	

## MESSAGE

Syntax identifier	R	a4	21	
Syntax version number	R	n1	22	
Message sender	R	an..35		
Sender identification code qualifier	O	an..4		
Message recipient	R	an..35		
Recipient identification code qualifier	O	an..4		
Date of preparation	R	n6		
Time of preparation	R	n4		
Interchange control reference	R	an..14		
Recipient's reference/password	O	an..14		
Recipient's reference/password qualifier	O	an2		
Application reference	O	an..14		
Priority	O	a1		
Acknowledgement request	O	n1	27	
Communications agreement id	O	an..35		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Common access reference	O	an..35		

## ---HEADER

Document/reference number	R	an..21		
Arrival rejection date	R	n8		
Action to be taken	O	an..350		
Action to be taken LNG	O	a2	12	TR0099
Arrival rejection reason	O	an..350		
Arrival rejection reason LNG	O	a2	12	TR0099

## ---FUNCTIONAL ERROR

Error type	R	n2	49	
Error pointer	R	an..210		
Error reason	O	an..6		
Original attribute value	O	an..140		
Error description	O	an..350		

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE509	

### 5. Message Structure for: IE509

IE509	(CC509A)	EXPORT CANCELLATION DECISION	(E_EXP_DEC)	
MESSAGE		1x	R	
---HEADER		1x	R	
---(EXPORTER) TRADER		1x	O	R861
---(EXPORT) CUSTOMS OFFICE		1x	R	
---(DECLARANT) TRADER		1x	O	R861

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE509	

## MESSAGE

Syntax identifier	R	a4	21	
Syntax version number	R	n1	22	
Message sender	R	an..35		
Sender identification code qualifier	O	an..4		
Message recipient	R	an..35		
Recipient identification code qualifier	O	an..4		
Date of preparation	R	n6		
Time of preparation	R	n4		
Interchange control reference	R	an..14		
Recipient's reference/password	O	an..14		
Recipient's reference/password qualifier	O	an2		
Application reference	O	an..14		
Priority	O	a1		
Acknowledgement request	O	n1	27	
Communications agreement id	O	an..35		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Common access reference	O	an..35		

## ---HEADER

Document/reference number	R	an..21		
Cancellation decision	D	n1	27	C170 R180 R230
Date of cancellation request	D	n8		C180
Cancellation initiated by customs	R	n1	27	R175 R230
Date of cancellation decision	R	n8		
Cancellation justification	D	an..350		C175
Cancellation justification LNG	O	a2	12	TR0099

## ---(EXPORTER) TRADER

Name	O	an..35		
Street and number	O	an..35		
Postal code	O	an..9		
City	O	an..35		
Country code	O	a2	8	
NAD LNG	O	a2	12	TR0099
TIN	R	an..17		

## ---(EXPORT) CUSTOMS OFFICE

Reference number	R	an8		
------------------	---	-----	--	--

## ---(DECLARANT) TRADER

Name	O	an..35		
Street and number	O	an..35		
Postal code	O	an..9		
City	O	an..35		
Country code	O	a2	8	
NAD LNG	O	a2	12	TR0099
TIN	R	an..17		

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE510	

## 5. Message Structure for: IE510

IE510	(CD510A)	EXPORT CANCELLATION NOTIFICATION	(C_CAN_EXP)
-------	----------	----------------------------------	-------------

MESSAGE	1x	R
---HEADER	1x	R
---(EXPORT) CUSTOMS OFFICE	1x	R
---(EXIT DECLARED) CUSTOMS OFFICE	1x	R

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE510	

## MESSAGE

Syntax identifier	R	a4	21	
Syntax version number	R	n1	22	
Message sender	R	an..35		
Sender identification code qualifier	O	an..4		
Message recipient	R	an..35		
Recipient identification code qualifier	O	an..4		
Date of preparation	R	n6		
Time of preparation	R	n4		
Interchange control reference	R	an..14		
Recipient's reference/password	O	an..14		
Recipient's reference/password qualifier	O	an2		
Application reference	O	an..14		
Priority	O	a1		
Acknowledgement request	O	n1	27	
Communications agreement id	O	an..35		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Common access reference	O	an..35		

## ---HEADER

Document/reference number	R	an..21
Date of cancellation	R	n8

## ---(EXPORT) CUSTOMS OFFICE

Reference number	R	an8
------------------	---	-----

## ---(EXIT DECLARED) CUSTOMS OFFICE

Reference number	R	an8
------------------	---	-----

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE513	

## 5. Message Structure for: IE513

IE513	(CC513A)	EXPORT DECLARATION AMENDMENT	(E_EXP_AMD)
MESSAGE		1x	R
---HEADER		1x	R
-----LOADING DETAILS		9x	O
---(EXPORTER) TRADER		1x	D C510
---(CONSIGNEE) TRADER		1x	O R011
---(EXPORT) CUSTOMS OFFICE		1x	R R854
---(EXIT) CUSTOMS OFFICE		1x	D
---CONTROL RESULT		1x	O R160
---SEALS INFO		1x	O R165
-----SEALS ID		9999x	D C569
---GOODS ITEM		999x	R
-----PREVIOUS ADMINISTRATIVE REFERENCES		50x	O
-----PRODUCED DOCUMENTS/CERTIFICATES		99x	D
-----SPECIAL MENTIONS		99x	O
----- (EXPORTER) TRADER		1x	D C510
----- (CODE) COMMODITY		1x	R
----- (TAXES) CALCULATION		99x	O
----- (CONSIGNEE) TRADER		1x	O R011
-----CONTAINERS		99x	D C055
-----PACKAGES		99x	R
-----GRN		99x	O
-----VEHICLE DETAILS		999x	O
-----NATIONAL PRODUCTS		999x	O
-----BASE PRODUCTS		999x	O
---ITINERARY		99x	O R877
---(DECLARANT) TRADER		1x	R R862
---(TERMS) DELIVERY		1x	O
---(DATA) TRANSACTION		1x	O
---(PAYMENT) DEFERRED OR POSTPONED		9x	D C558
---(WAREHOUSE) IDENTIFICATION		1x	D C561
---(STATUS) REPRESENTATIVE		1x	R

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE513	

## MESSAGE

Syntax identifier	R	a4	21	
Syntax version number	R	n1	22	
Message sender	R	an..35		
Sender identification code qualifier	O	an..4		
Message recipient	R	an..35		
Recipient identification code qualifier	O	an..4		
Date of preparation	R	n6		
Time of preparation	R	n4		
Interchange control reference	R	an..14		
Recipient's reference/password	O	an..14		
Recipient's reference/password qualifier	O	an2		
Application reference	O	an..14		
Priority	O	a1		
Acknowledgement request	O	n1	27	
Communications agreement id	O	an..35		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Common access reference	O	an..35		

## ---HEADER

Reference number	R	an..22		
Type of declaration	R	an..9	31	
Country of destination code	O	a2	8	TR9121
Agreed location of goods, code	D	an..17	IE GR CL10029	C100 CN0041 R041
Agreed location of goods	D	an..35		C100 R041
Agreed location of goods LNG	O	a2	12	TR0099
Authorised location of goods, code	D	an..17		C100 CN0030 CN0031 R041
Country of dispatch/export code (ECS)	O	a2	10	
Customs sub place	D	an..17		C100 R041
Inland transport mode	D	n..2	18	C557
Transport mode at border	D	n..2	18	
Identity of means of transport at departure (exp/trans)	D	an..27		C005 R838
Identity of means of transport at departure LNG	O	a2	12	TR0099
Identity of means of transport crossing border	O	an..27		R838
Identity of means of transport crossing border LNG	O	a2	12	TR0099
Nationality of means of transport crossing border	O	a2	8	C010
Type of means of transport crossing border	O	n..2	18	CN0032
Containerised indicator	R	n1	27	R230
Dialog language indicator at departure	O	a2	12	R100
ECS accompanying document language code	R	a2	12	
Total number of items	R	n..5		
Total number of packages	O	n..7		R105 R830
Total gross mass	D	n..11,3		R832
Amendment place	R	an..35		
Amendment place LNG	O	a2	12	TR0099
Date of amendment	R	n8		
Specific Circumstance Indicator	O	a1	96	R839
Transport charges/ Method of Payment	O	a1	116	
Commercial Reference Number	D	an..70		R876

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE513	

Grand total taxes amount	D	n..15,2		C560 R021
Type of declaration (Box 1.2)	R	a1	87	
Place of loading	O	an..35		
ECS accompanying document date	O	a8		
Additional Declaration Date	O	n8		
TIR Follows	O	a1	27	
Financial and Banking Information	O	an..35		
Manual Entry Number	O	an..6		
Manual Entry Year	O	an4		
<b>-----LOADING DETAILS</b>				
Loading Beginning Date and Time	O	n12		
Loading Ending Date and Time	O	n12		
<b>---(EXPORTER) TRADER</b>				
Name	O	an..35		
Street and number	O	an..35		
Postal code	O	an..9		
City	O	an..35		
Country code	O	a2	8	
NAD LNG	O	a2	12	TR0099
TIN	D	an..17		
Special Mention	D	an5		
<b>---(CONSIGNEE) TRADER</b>				
Name	D	an..35		
Street and number	D	an..35		
Postal code	D	an..9		
City	D	an..35		
Country code	D	a2	8	
NAD LNG	O	a2	12	TR0099
TIN	O	an..17		
Special Mention	D	an5		
<b>---(EXPORT) CUSTOMS OFFICE</b>				
Reference number	R	an8		
<b>---(EXIT) CUSTOMS OFFICE</b>				
Reference number	R	an8		
<b>---CONTROL RESULT</b>				
Control result code	R	an2	47	
Date limit	R	n8		
<b>---SEALS INFO</b>				
Seals number	R	n..4		
<b>-----SEALS ID</b>				
Seals identity	R	an..20		
Seals identity LNG	O	a2	12	TR0099
<b>---GOODS ITEM</b>				
Item number	R	n..5		R005 R007
Goods description	O	an..280		
Goods description LNG	O	a2	12	TR0099
Gross mass	O	n..11,3		R832
Net mass	R	n..11,3		
Country of dispatch/export code (ECS)	D	a2	10	C578 TR9120
Country of destination code	D	a2	8	C568 TR9120 TR9121



<b>Message Specifications for EXPORT</b>	<b>ALIGNED TO DDNA KEL Draft Version</b>
<b>REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2</b>	
<b>Appendix Q2: Technical Message Structure</b>	
<b>5. Message Structure for: IE513</b>	

Transport charges/ Method of Payment	D	a1	116	C576 TR9120
Procedure requested	R	an2	92	
Previous Procedure	R	an2	93	
Community / National Procedure	O	an3	102	
Statistical value currency	O	a3	IE_GR CL10504	R873
Statistical value amount	D	n..15,2		C028 R021
Country of Origin	O	a2	8	R871
Dispatch / Production Region	O	an..2		
Supplementary units	O	n..11,3		R872
Total item taxes amount	D	n..15,2		C559 R021
Commercial Reference Number	D	an..70		R876
UN dangerous goods code	O	an4	101	
Identity of means of transport at departure (exp/trans)	O	an..27		
Identity of means of transport at departure LNG	O	a2	12	
Identity of means of transport crossing border	O	an..27		
Identity of means of transport crossing border LNG	O	a2	12	
Nationality of means of transport crossing border	O	a2	8	
Type of means of transport crossing border	O	n..2		
Procedure requested End Date	O	n8		

#### -----PREVIOUS ADMINISTRATIVE REFERENCES

Previous document type	R	an..6	14	R079 R893 TR0100
Previous document reference	D	an..35		R893
Previous document reference LNG	O	a2	12	TR0099
Previous Document Category	R	a1	103	
Previous document MRN	O	an..18		
Previous document item number	O	n..5		
Previous document Quantity	O	n..11,3		
Previous document Supplementary units	O	n..11		
Previous document Summary Declaration Packages	O	an..10		
Previous document Bill of Lading Type	O	an..2		
Previous document Bill of Lading Number	O	an..70		

#### -----PRODUCED DOCUMENTS/CERTIFICATES

Document type	R	an..4	13	R079 TR0103
Document reference	R	an..35		
Document reference LNG	O	a2	12	TR0099
Document Information	O	an..35		
Document Information LNG	O	a2	12	TR0099

#### -----SPECIAL MENTIONS

Additional information coded	R	an..5	39	TR0101
Text	O	an..70		
Text LNG	O	a2	12	TR0099

#### ----- (EXPORTER) TRADER

Name	O	an..35		
Street and number	O	an..35		
Postal code	O	an..9		
City	O	an..35		
Country code	O	a2	8	
NAD LNG	O	a2	12	TR0099
TIN	R	an..17		

#### ----- (CODE) COMMODITY

Combined Nomenclature	R	an..8		TR1008
-----------------------	---	-------	--	--------

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE513	

TARIC code	R	an2		R868
TARIC first additional code	R	an4		R869
TARIC second additional code	R	an4		R869
National additional code	O	an4		
<b>----- (TAXES) CALCULATION</b>				
Type of tax	R	an3	98	
Tax base	R	n..15,2		R021
Rate of tax	R	an..15		
Amount of tax	R	n..15,2		R021
Method of payment	R	a1	104	
<b>----- (CONSIGNEE) TRADER</b>				
Name	R	an..35		
Street and number	R	an..35		
Postal code	R	an..9		
City	R	an..35		
Country code	R	a2	8	
NAD LNG	O	a2	12	TR0099
TIN	O	an..17		
<b>----- CONTAINERS</b>				
Container number	R	an..17		
<b>----- PACKAGES</b>				
Marks & numbers of packages	D	an..42		C060
Marks & numbers of packages LNG	O	a2	12	TR0099
Kind of packages	R	an..3	17	
Number of packages	D	n..5		C060 R021 TR0022
Number of pieces	D	n..5		C060
<b>----- GRN</b>				
GRN Number	O	an..24		
<b>----- VEHICLE DETAILS</b>				
Frame Number	O	an..17		
Car Warehouse Number	O	an..16		
<b>----- NATIONAL PRODUCTS</b>				
Warehouse Number	O	an..16		
Product ID	O	an10		
Product Quantity	O	n..11,3		
<b>----- BASE PRODUCTS</b>				
Base Product Commodity Code	O	an10		
Base Product Additional Code	O	an4		
Base Product Quantity	O	n..11,3		
<b>--- ITINERARY</b>				
Country of routing code	R	a2	8	
<b>--- (DECLARANT) TRADER</b>				
Name	O	an..35		
Street and number	O	an..35		
Postal code	O	an..9		
City	O	an..35		
Country code	O	a2	8	
NAD LNG	O	a2	12	TR0099
TIN	D	an..17		
Special Mention	D	an5		
<b>--- (TERMS) DELIVERY</b>				
Incoterm Code	R	a3	90	

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE513	

Complementary code	O	n1	86	
Complement of info	R	an..35		
Complement of info LNG	O	a2	12	TR0099
<b>---(DATA) TRANSACTION</b>				
Currency	O	an..3	48	R874
Total amount invoiced	O	n..15,2		R021 R867
Exchange rate	D	n..6,5		C556
Nature of transaction code	O	n..2	91	R867
Nature of second transaction code	O	n..2	91	R867
<b>---(PAYMENT) DEFERRED OR POSTPONED</b>				
Authorisation Reference	R	an..35		
<b>---(WAREHOUSE) IDENTIFICATION</b>				
Warehouse type	O	a1	99	
Authorizing country	O	a2	8	
Warehouse identification	R	an..19		
<b>---(STATUS) REPRESENTATIVE</b>				
Representative status code	R	n1	94	

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE514	

## 5. Message Structure for: IE514

IE514	(CC514A)	EXPORT CANCELLATION REQUEST	(E_EXP_CAN)	
MESSAGE			1x	R
---HEADER			1x	R
---(EXPORTER) TRADER			1x	O
---(EXPORT) CUSTOMS OFFICE			1x	R
---(DECLARANT) TRADER			1x	O

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE514	

## MESSAGE

Syntax identifier	R	a4	21	
Syntax version number	R	n1	22	
Message sender	R	an..35		
Sender identification code qualifier	O	an..4		
Message recipient	R	an..35		
Recipient identification code qualifier	O	an..4		
Date of preparation	R	n6		
Time of preparation	R	n4		
Interchange control reference	R	an..14		
Recipient's reference/password	O	an..14		
Recipient's reference/password qualifier	O	an2		
Application reference	O	an..14		
Priority	O	a1		
Acknowledgement request	O	n1	27	
Communications agreement id	O	an..35		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Common access reference	O	an..35		

## ---HEADER

Document/reference number	R	an..21		
Date of cancellation request	R	n8		
Cancellation reason	R	an..350		
Cancellation reason LNG	O	a2	12	TR0099

## ---(EXPORTER) TRADER

Name	O	an..35		
Street and number	O	an..35		
Postal code	O	an..9		
City	O	an..35		
Country code	O	a2	8	
NAD LNG	O	a2	12	TR0099
TIN	R	an..17		

## ---(EXPORT) CUSTOMS OFFICE

Reference number	R	an8		
------------------	---	-----	--	--

## ---(DECLARANT) TRADER

Name	O	an..35		
Street and number	O	an..35		
Postal code	O	an..9		
City	O	an..35		
Country code	O	a2	8	
NAD LNG	O	a2	12	TR0099
TIN	R	an..17		

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE515	

## 5. Message Structure for: IE515

IE515	(CC515A)	EXPORT DECLARATION	(E_EXP_DAT)
MESSAGE		1x	R
---HEADER		1x	R
-----LOADING DETAILS		9x	O
---(EXPORTER) TRADER		1x	D C510
---(CONSIGNEE) TRADER		1x	O R011
---(EXPORT) CUSTOMS OFFICE		1x	R
---(EXIT) CUSTOMS OFFICE		1x	D
---CONTROL RESULT		1x	O R160
---SEALS INFO		1x	O R165
-----SEALS ID		9999x	D C569
---GOODS ITEM		999x	R
-----PREVIOUS ADMINISTRATIVE REFERENCES		50x	O
-----PRODUCED DOCUMENTS/CERTIFICATES		99x	D
-----SPECIAL MENTIONS		99x	O
----- (EXPORTER) TRADER		1x	D C510
----- (CODE) COMMODITY		1x	R
----- (TAXES) CALCULATION		99x	O
----- (CONSIGNEE) TRADER		1x	O R011
-----CONTAINERS		99x	D C055
-----PACKAGES		99x	R
-----GRN		99x	O
-----VEHICLE DETAILS		999x	O
-----NATIONAL PRODUCTS		999x	O
-----BASE PRODUCTS		999x	O
---ITINERARY		99x	O R877
---(DECLARANT) TRADER		1x	R
---(TERMS) DELIVERY		1x	O
---(DATA) TRANSACTION		1x	O
---(PAYMENT) DEFERRED OR POSTPONED		9x	D C558
---(WAREHOUSE) IDENTIFICATION		1x	D C561
---(STATUS) REPRESENTATIVE		1x	R

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE515	

## MESSAGE

Syntax identifier	R	a4	21	
Syntax version number	R	n1	22	
Message sender	R	an..35		
Sender identification code qualifier	O	an..4		
Message recipient	R	an..35		
Recipient identification code qualifier	O	an..4		
Date of preparation	R	n6		
Time of preparation	R	n4		
Interchange control reference	R	an..14		
Recipient's reference/password	O	an..14		
Recipient's reference/password qualifier	O	an2		
Application reference	O	an..14		
Priority	O	a1		
Acknowledgement request	O	n1	27	
Communications agreement id	O	an..35		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Common access reference	O	an..35		

## ---HEADER

Reference number	R	an..22		
Type of declaration	R	an..9	31	
Country of destination code	O	a2	8	TR9121
Agreed location of goods, code	D	an..17	IE_GR CL10029	C100 CN0041 R041
Agreed location of goods	D	an..35		C100 R041
Agreed location of goods LNG	O	a2	12	TR0099
Authorised location of goods, code	D	an..17		C100 CN0030 CN0031 R041
Country of dispatch/export code (ECS)	O	a2	10	
Customs sub place	D	an..17		C100 R041
Inland transport mode	D	n..2	18	C557
Transport mode at border	D	n..2	18	
Identity of means of transport at departure (exp/trans)	D	an..27		C005 R838
Identity of means of transport at departure LNG	O	a2	12	TR0099
Identity of means of transport crossing border	O	an..27		R838
Identity of means of transport crossing border LNG	O	a2	12	TR0099
Nationality of means of transport crossing border	O	a2	8	C010
Type of means of transport crossing border	O	n..2	18	CN0032
Containerised indicator	R	n1	27	R230
Acceptance date	O	n8		
Dialog language indicator at departure	O	a2	12	R100
ECS accompanying document language code	R	a2	12	
Total number of items	R	n..5		
Total number of packages	O	n..7		R105 R830
Total gross mass	D	n..11,3		R832
Declaration date	R	n8		
Declaration place	R	an..35		
Declaration place LNG	O	a2	12	TR0099
Specific Circumstance Indicator	O	a1	96	R839
Transport charges/ Method of Payment	O	a1	116	
Commercial Reference Number	D	an..70		R876

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE515	

Grand total taxes amount	D	n..15,2		C560 R021
Type of declaration (Box 1.2)	R	a1	87	
Place of loading	O	an..35		
ECS accompanying document date	O	a8		
Additional Declaration Date	O	n8		
TIR Follows	O	a1	27	
Financial and Banking Information	O	an..35		
Manual Entry Number	O	an..6		
Manual Entry Year	O	an4		
<b>-----LOADING DETAILS</b>				
Loading Beginning Date and Time	O	n12		
Loading Ending Date and Time	O	n12		
<b>---(EXPORTER) TRADER</b>				
Name	O	an..35		
Street and number	O	an..35		
Postal code	O	an..9		
City	O	an..35		
Country code	O	a2	8	
NAD LNG	O	a2	12	TR0099
TIN	D	an..17		
Special Mention	D	an5		
<b>---(CONSIGNEE) TRADER</b>				
Name	D	an..35		
Street and number	D	an..35		
Postal code	D	an..9		
City	D	an..35		
Country code	D	a2	8	
NAD LNG	O	a2	12	TR0099
TIN	O	an..17		
Special Mention	D	an5		
<b>---(EXPORT) CUSTOMS OFFICE</b>				
Reference number	R	an8		
<b>---(EXIT) CUSTOMS OFFICE</b>				
Reference number	R	an8		
<b>---CONTROL RESULT</b>				
Control result code	R	an2	47	
Date limit	R	n8		
<b>---SEALS INFO</b>				
Seals number	R	n..4		
<b>-----SEALS ID</b>				
Seals identity	R	an..20		
Seals identity LNG	O	a2	12	TR0099
<b>---GOODS ITEM</b>				
Item number	R	n..5		R005 R007
Goods description	O	an..280		
Goods description LNG	O	a2	12	TR0099
Gross mass	O	n..11,3		R832
Net mass	R	n..11,3		
Country of dispatch/export code (ECS)	D	a2	10	C578 TR9120
Country of destination code	D	a2	8	C568 TR9120 TR9121



<b>Message Specifications for EXPORT</b>	<b>ALIGNED TO DDNA KEL Draft Version</b>
<b>REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2</b>	
<b>Appendix Q2: Technical Message Structure</b>	
<b>5. Message Structure for: IE515</b>	

Transport charges/ Method of Payment	D	a1	116	C576 TR9120
Procedure requested	R	an2	92	
Previous Procedure	R	an2	93	
Community / National Procedure	O	an3	102	
Statistical value currency	O	a3	IE_GR CL10504	R873
Statistical value amount	D	n..15,2		C028 R021
Country of Origin	O	a2	8	R871
Dispatch / Production Region	O	an..2		
Supplementary units	O	n..11,3		R872
Total item taxes amount	D	n..15,2		C559 R021
Commercial Reference Number	D	an..70		R876
UN dangerous goods code	O	an4	101	
Identity of means of transport at departure (exp/trans)	O	an..27		
Identity of means of transport at departure LNG	O	a2	12	
Identity of means of transport crossing border	O	an..27		
Identity of means of transport crossing border LNG	O	a2	12	
Nationality of means of transport crossing border	O	a2	8	
Type of means of transport crossing border	O	n..2		
Procedure requested End Date	O	n8		

#### -----PREVIOUS ADMINISTRATIVE REFERENCES

Previous document type	R	an..6	14	R079 R893 TR0100
Previous document reference	D	an..35		R893
Previous document reference LNG	O	a2	12	TR0099
Previous Document Category	R	a1	103	
Previous document MRN	O	an..18		
Previous document item number	O	n..5		
Previous document Quantity	O	n..11,3		
Previous document Supplementary units	O	n..11		
Previous document Summary Declaration Packages	O	an..10		
Previous document Bill of Lading Type	O	an..2		
Previous document Bill of Lading Number	O	an..70		

#### -----PRODUCED DOCUMENTS/CERTIFICATES

Document type	R	an..4	13	R079 TR0103
Document reference	R	an..35		
Document reference LNG	O	a2	12	TR0099
Document Information	O	an..35		
Document Information LNG	O	a2	12	TR0099

#### -----SPECIAL MENTIONS

Additional information coded	R	an..5	39	TR0101
Text	O	an..70		
Text LNG	O	a2	12	TR0099

#### ----- (EXPORTER) TRADER

Name	O	an..35		
Street and number	O	an..35		
Postal code	O	an..9		
City	O	an..35		
Country code	O	a2	8	
NAD LNG	O	a2	12	TR0099
TIN	D	an..17		

#### ----- (CODE) COMMODITY

Combined Nomenclature	R	an..8		TR1008
-----------------------	---	-------	--	--------

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE515	

TARIC code	R	an2		R868
TARIC first additional code	R	an4		R869
TARIC second additional code	R	an4		R869
National additional code	O	an4		
<b>----- (TAXES) CALCULATION</b>				
Type of tax	R	an3	98	
Tax base	R	n..15,2		R021
Rate of tax	R	an..15		
Amount of tax	R	n..15,2		R021
Method of payment	R	a1	104	
<b>----- (CONSIGNEE) TRADER</b>				
Name	D	an..35		
Street and number	D	an..35		
Postal code	D	an..9		
City	D	an..35		
Country code	D	a2	8	
NAD LNG	O	a2	12	TR0099
TIN	O	an..17		
<b>----- CONTAINERS</b>				
Container number	R	an..17		
<b>----- PACKAGES</b>				
Marks & numbers of packages	D	an..42		C060
Marks & numbers of packages LNG	O	a2	12	TR0099
Kind of packages	R	an..3	17	
Number of packages	D	n..5		C060 R021 TR0022
Number of pieces	D	n..5		C060
<b>----- GRN</b>				
GRN Number	O	an..24		
<b>----- VEHICLE DETAILS</b>				
Frame Number	O	an..17		
Car Warehouse Number	O	an..16		
<b>----- NATIONAL PRODUCTS</b>				
Warehouse Number	O	an..16		
Product ID	O	an10		
Product Quantity	O	n..11,3		
<b>----- BASE PRODUCTS</b>				
Base Product Commodity Code	O	an10		
Base Product Additional Code	O	an4		
Base Product Quantity	O	n..11,3		
<b>--- ITINERARY</b>				
Country of routing code	R	a2	8	
<b>--- (DECLARANT) TRADER</b>				
Name	O	an..35		
Street and number	O	an..35		
Postal code	O	an..9		
City	O	an..35		
Country code	O	a2	8	
NAD LNG	O	a2	12	TR0099
TIN	D	an..17		
Special Mention	D	an5		
<b>--- (TERMS) DELIVERY</b>				
Incoterm Code	R	a3	90	

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE515	

Complementary code	O	n1	86	
Complement of info	R	an..35		
Complement of info LNG	O	a2	12	TR0099
<b>---(DATA) TRANSACTION</b>				
Currency	O	an..3	48	R874
Total amount invoiced	O	n..15,2		R021 R867
Exchange rate	D	n..6,5		C556
Nature of transaction code	O	n..2	91	R867
Nature of second transaction code	O	n..2	91	
<b>---(PAYMENT) DEFERRED OR POSTPONED</b>				
Authorisation Reference	R	an..35		
<b>---(WAREHOUSE) IDENTIFICATION</b>				
Warehouse type	O	a1	99	
Authorizing country	O	a2	8	
Warehouse identification	R	an..19		
<b>---(STATUS) REPRESENTATIVE</b>				
Representative status code	R	n1	94	

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE516	

## 5. Message Structure for: IE516

IE516	(CC516A)	EXPORT DECLARATION REJECTED	(E_EXP_REJ)
-------	----------	-----------------------------	-------------

MESSAGE	1x	R	
---HEADER	1x	R	
---FUNCTIONAL ERROR	999x	D	R123

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE516	

## MESSAGE

Syntax identifier	R	a4	21	
Syntax version number	R	n1	22	
Message sender	R	an..35		
Sender identification code qualifier	O	an..4		
Message recipient	R	an..35		
Recipient identification code qualifier	O	an..4		
Date of preparation	R	n6		
Time of preparation	R	n4		
Interchange control reference	R	an..14		
Recipient's reference/password	O	an..14		
Recipient's reference/password qualifier	O	an2		
Application reference	O	an..14		
Priority	O	a1		
Acknowledgement request	O	n1	27	
Communications agreement id	O	an..35		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Common access reference	O	an..35		

## ---HEADER

Reference number	R	an..22		
Type of declaration	R	an..9	31	
Type of declaration (Box 1.2)	R	a1	87	
Declaration rejection date	R	n8		
Declaration rejection reason	O	an..350		
Declaration rejection reason LNG	O	a2	12	TR0099

## ---FUNCTIONAL ERROR

Error type	R	n2	49	
Error pointer	R	an..210		
Error reason	O	an..6		
Original attribute value	O	an..140		
Error description	O	an..350		

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE518	

## 5. Message Structure for: IE518

IE518	(CD518B)	EXIT RESULTS	(C_EXT_RES)
MESSAGE		1x	R
---HEADER		1x	R
---(EXPORT) CUSTOMS OFFICE		1x	R
---(ACTUAL EXIT) CUSTOMS OFFICE		1x	R
---EXIT CONTROL RESULT		1x	R
---RESULTS OF CONTROL		9x	D TR0004
---GOODS ITEM		9999x	D R355 TR0007 TR0011
-----PRODUCED DOCUMENTS/CERTIFICATES		999x	D C554 TR0008 TR0554
-----RESULTS OF CONTROL		199x	D TR0012 TR0014
----- (CODE) COMMODITY		1x	D TR0008
-----CONTAINERS		99x	D TR0008
-----PACKAGES		99x	D TR0008

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE518	

## MESSAGE

Syntax identifier	R	a4	21	
Syntax version number	R	n1	22	
Message sender	R	an..35		
Sender identification code qualifier	O	an..4		
Message recipient	R	an..35		
Recipient identification code qualifier	O	an..4		
Date of preparation	R	n6		
Time of preparation	R	n4		
Interchange control reference	R	an..14		
Recipient's reference/password	O	an..14		
Recipient's reference/password qualifier	O	an2		
Application reference	O	an..14		
Priority	O	a1		
Acknowledgement request	O	n1	27	
Communications agreement id	O	an..35		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Common access reference	O	an..35		

## ---HEADER

Document/reference number	R	an..21		
Identity of means of transport at departure (exp/trans)	D	an..27		TR0002
Identity of means of transport at departure LNG	O	a2	12	TR0099
Total number of items	R	n..5		
Total number of packages	D	n..7		TR0002
Total gross mass	D	n..11,3		TR0002
Specific Circumstance Indicator	D	a1	96	TR0002
Transport charges/ Method of Payment	D	a1	116	TR0002
Transit	R	n1	27	R230 R852
Commercial Reference Number	D	an..70		TR0002

## ---(EXPORT) CUSTOMS OFFICE

Reference number	R	an8		
------------------	---	-----	--	--

## ---(ACTUAL EXIT) CUSTOMS OFFICE

Reference number	R	an8		TR0063
------------------	---	-----	--	--------

## ---EXIT CONTROL RESULT

Exit date	D	n8		R865
Control result code	R	an2	47	C530 TR0051
Exit stopped date	D	n8		R865 TR0108
State of seals ok	O	n1	27	R325

## ---RESULTS OF CONTROL

Description	O	an..140		TR0006
Description LNG	O	a2	12	TR0099
Control indicator	R	an2	41	TR0003
Pointer to the attribute	D	an..35		TR0005 TR0911
Corrected value	O	an..27		R150 TR0005

## ---GOODS ITEM

Item number	R	n..5		TR0019
Goods description	O	an..280		
Goods description LNG	O	a2	12	TR0099
Gross mass	O	n..11,3		
Net mass	O	n..11,3		

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE518	

Transport charges/ Method of Payment	D	a1	116	C576
Statistical value currency	O	a3	IE_GR CL10504	
Statistical value amount	O	n..15,2		R021
Commercial Reference Number	D	an..70		
UN dangerous goods code	O	an4	101	
<b>-----PRODUCED DOCUMENTS/CERTIFICATES</b>				
Document type	R	an..4	13	R079 TR0103
Document reference	R	an..35		
Document reference LNG	O	a2	12	TR0099
<b>-----RESULTS OF CONTROL</b>				
Description	O	an..140		TR0009
Description LNG	O	a2	12	TR0099
Control indicator	R	an2	41	TR0003
Pointer to the attribute	O	an..35		TR0010 TR0014 TR0018
<b>----- (CODE) COMMODITY</b>				
Combined Nomenclature	R	an..8		TR1008
TARIC code	R	an2		R868
TARIC first additional code	R	an4		R869
TARIC second additional code	R	an4		R869
National additional code	O	an4		
<b>-----CONTAINERS</b>				
Container number	R	an..17		
<b>-----PACKAGES</b>				
Marks & numbers of packages	D	an..42		C060
Marks & numbers of packages LNG	O	a2	12	TR0099
Kind of packages	R	an..3	17	
Number of packages	D	n..5		C060 R021
Number of pieces	D	n..5		C060



Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE519	

## 5. Message Structure for: IE519

IE519	(CC519A)	EXPORT CONTROL RESULTS REJECTED	(E_ECR_REJ)
-------	----------	---------------------------------	-------------

MESSAGE		1x	R	
---HEADER		1x	R	
---FUNCTIONAL ERROR		999x	D	R123

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE519	

## MESSAGE

Syntax identifier	R	a4	21	
Syntax version number	R	n1	22	
Message sender	R	an..35		
Sender identification code qualifier	O	an..4		
Message recipient	R	an..35		
Recipient identification code qualifier	O	an..4		
Date of preparation	R	n6		
Time of preparation	R	n4		
Interchange control reference	R	an..14		
Recipient's reference/password	O	an..14		
Recipient's reference/password qualifier	O	an2		
Application reference	O	an..14		
Priority	O	a1		
Acknowledgement request	O	n1	27	
Communications agreement id	O	an..35		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Common access reference	O	an..35		

## ---HEADER

Document/reference number	R	an..21		
Declaration rejection date	R	n8		
Declaration rejection reason	O	an..350		
Declaration rejection reason LNG	O	a2	12	TR0099

## ---FUNCTIONAL ERROR

Error type	R	n2	49	
Error pointer	R	an..210		
Error reason	O	an..6		
Original attribute value	O	an..140		

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE521	

## 5. Message Structure for: IE521

IE521	(CC521A)	DIVERSION REJECTION NOTIFICATION	(E_DIV_REJ)
-------	----------	----------------------------------	-------------

MESSAGE	1x	R
---HEADER	1x	R
---(ACTUAL EXIT) CUSTOMS OFFICE	1x	R
---(EXIT CARRIER) TRADER	1x	R

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE521	

## MESSAGE

Syntax identifier	R	a4	21	
Syntax version number	R	n1	22	
Message sender	R	an..35		
Sender identification code qualifier	O	an..4		
Message recipient	R	an..35		
Recipient identification code qualifier	O	an..4		
Date of preparation	R	n6		
Time of preparation	R	n4		
Interchange control reference	R	an..14		
Recipient's reference/password	O	an..14		
Recipient's reference/password qualifier	O	an2		
Application reference	O	an..14		
Priority	O	a1		
Acknowledgement request	O	n1	27	
Communications agreement id	O	an..35		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Common access reference	O	an..35		

## ---HEADER

Document/reference number	R	an..21		
Diversion rejection code	R	n..2	46	
Diversion rejection text	D	an..350		C312
Diversion rejection text LNG	O	a2	12	TR0099

## ---(ACTUAL EXIT) CUSTOMS OFFICE

Reference number	R	an8		
------------------	---	-----	--	--

## ---(EXIT CARRIER) TRADER

Name	O	an..35		
Street and number	O	an..35		
Postal code	O	an..9		
City	O	an..35		
Country code	O	a2	8	
NAD LNG	O	a2	12	TR0099
TIN	R	an..17		

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE522	

## 5. Message Structure for: IE522

IE522	(CC522A)	EXIT RELEASE REJECTION	(E_EXT_REJ)
MESSAGE		1x	R
---HEADER		1x	R
---(ACTUAL EXIT) CUSTOMS OFFICE		1x	R
---CONTROL RESULT		1x	R
---(EXIT CARRIER) TRADER		1x	R

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE522	

## MESSAGE

Syntax identifier	R	a4	21	
Syntax version number	R	n1	22	
Message sender	R	an..35		
Sender identification code qualifier	O	an..4		
Message recipient	R	an..35		
Recipient identification code qualifier	O	an..4		
Date of preparation	R	n6		
Time of preparation	R	n4		
Interchange control reference	R	an..14		
Recipient's reference/password	O	an..14		
Recipient's reference/password qualifier	O	an2		
Application reference	O	an..14		
Priority	O	a1		
Acknowledgement request	O	n1	27	
Communications agreement id	O	an..35		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Common access reference	O	an..35		

## ---HEADER

Document/reference number	R	an..21		
Exit Rejection Motivation	O	an..350		
Exit Rejection Motivation LNG	O	a2	12	TR0099
Exit Rejection Motivation Code	R	an..2		

## ---(ACTUAL EXIT) CUSTOMS OFFICE

Reference number	R	an8		
------------------	---	-----	--	--

## ---CONTROL RESULT

Control date	R	n8		
--------------	---	----	--	--

## ---(EXIT CARRIER) TRADER

Name	O	an..35		
Street and number	O	an..35		
Postal code	O	an..9		
City	O	an..35		
Country code	O	a2	8	
NAD LNG	O	a2	12	TR0099
TIN	R	an..17		

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE524	

### 5. Message Structure for: IE524

IE524	(CD524B)	FORWARDED ARRIVAL ADVICE	(C_ARR_FWD)
MESSAGE		1x	R
---HEADER		1x	R
---(EXPORT) CUSTOMS OFFICE		1x	R
---(ACTUAL EXIT) CUSTOMS OFFICE		1x	R
---(EXIT DECLARED) CUSTOMS OFFICE		1x	R

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE524	

## MESSAGE

Syntax identifier	R	a4	21	
Syntax version number	R	n1	22	
Message sender	R	an..35		
Sender identification code qualifier	O	an..4		
Message recipient	R	an..35		
Recipient identification code qualifier	O	an..4		
Date of preparation	R	n6		
Time of preparation	R	n4		
Interchange control reference	R	an..14		
Recipient's reference/password	O	an..14		
Recipient's reference/password qualifier	O	an2		
Application reference	O	an..14		
Priority	O	a1		
Acknowledgement request	O	n1	27	
Communications agreement id	O	an..35		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Common access reference	O	an..35		

## ---HEADER

Document/reference number	R	an..21
Arrival date	O	n8

## ---(EXPORT) CUSTOMS OFFICE

Reference number	R	an8
------------------	---	-----

## ---(ACTUAL EXIT) CUSTOMS OFFICE

Reference number	R	an8
------------------	---	-----

## ---(EXIT DECLARED) CUSTOMS OFFICE

Reference number	R	an8
------------------	---	-----



Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE525	

### 5. Message Structure for: IE525

IE525	(CC525A)	EXIT RELEASE NOTIFICATION	(E_EXT_REL)
-------	----------	---------------------------	-------------

MESSAGE	1x	R
---HEADER	1x	R
---(ACTUAL EXIT) CUSTOMS OFFICE	1x	R
---(EXIT CARRIER) TRADER	1x	R

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE525	

## MESSAGE

Syntax identifier	R	a4	21	
Syntax version number	R	n1	22	
Message sender	R	an..35		
Sender identification code qualifier	O	an..4		
Message recipient	R	an..35		
Recipient identification code qualifier	O	an..4		
Date of preparation	R	n6		
Time of preparation	R	n4		
Interchange control reference	R	an..14		
Recipient's reference/password	O	an..14		
Recipient's reference/password qualifier	O	an2		
Application reference	O	an..14		
Priority	O	a1		
Acknowledgement request	O	n1	27	
Communications agreement id	O	an..35		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Common access reference	O	an..35		

## ---HEADER

Document/reference number	R	an..21		
Date of release	R	n8		
Storing flag	R	n1	27	R230
Authorised Storing Location of goods	D	an..17		C156

## ---(ACTUAL EXIT) CUSTOMS OFFICE

Reference number	R	an8		
------------------	---	-----	--	--

## ---(EXIT CARRIER) TRADER

Name	O	an..35		
Street and number	O	an..35		
Postal code	O	an..9		
City	O	an..35		
Country code	O	a2	8	
NAD LNG	O	a2	12	TR0099
TIN	R	an..17		

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE527	

## 5. Message Structure for: IE527

IE527	(CD527A)	EXPORT QUERY	(C_EXP_QUE)
-------	----------	--------------	-------------

MESSAGE	1x	R
---HEADER	1x	R
---(REQUESTER) CUSTOMS OFFICE	1x	R
---CTL_CONTROL	1x	O

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE527	

## MESSAGE

Syntax identifier	R	a4	21	
Syntax version number	R	n1	22	
Message sender	R	an..35		
Sender identification code qualifier	O	an..4		
Message recipient	R	an..35		
Recipient identification code qualifier	O	an..4		
Date of preparation	R	n6		
Time of preparation	R	n4		
Interchange control reference	R	an..14		
Recipient's reference/password	O	an..14		
Recipient's reference/password qualifier	O	an2		
Application reference	O	an..14		
Priority	O	a1		
Acknowledgement request	O	n1	27	
Communications agreement id	O	an..35		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Common access reference	O	an..35		

## ---HEADER

Document/reference number	R	an..21		
Country of export code	R	a2	10	
Export_Query Reason Code	R	an..3	89	

## ---(REQUESTER) CUSTOMS OFFICE

Reference number	R	an8		
------------------	---	-----	--	--

## ---CTL\_CONTROL

Other movement information request	R	an..350		
Other movement information request LNG	O	a2	12	TR0099

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE528	

## 5. Message Structure for: IE528

IE528	(CC528A)	EXPORT MRN ALLOCATED	(E_MRN_EXP)
MESSAGE		1x	R
---HEADER		1x	R
---(EXPORT) CUSTOMS OFFICE		1x	R
---(DECLARANT) TRADER		1x	R
---INFORMATION MESSAGE		20x	O

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE528	

## MESSAGE

Syntax identifier	R	a4	21	
Syntax version number	R	n1	22	
Message sender	R	an..35		
Sender identification code qualifier	O	an..4		
Message recipient	R	an..35		
Recipient identification code qualifier	O	an..4		
Date of preparation	R	n6		
Time of preparation	R	n4		
Interchange control reference	R	an..14		
Recipient's reference/password	O	an..14		
Recipient's reference/password qualifier	O	an2		
Application reference	O	an..14		
Priority	O	a1		
Acknowledgement request	O	n1	27	
Communications agreement id	O	an..35		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Common access reference	O	an..35		

## ---HEADER

Reference number	R	an..22		
Document/reference number	R	an..21		
Acceptance date	R	n8		

## ---(EXPORT) CUSTOMS OFFICE

Reference number	R	an8		
------------------	---	-----	--	--

## ---(DECLARANT) TRADER

Name	O	an..35		
Street and number	O	an..35		
Postal code	O	an..9		
City	O	an..35		
Country code	O	a2	8	
NAD LNG	O	a2	12	TR0099
TIN	R	an..17		

## ---INFORMATION MESSAGE

Information Description	R	an..350		
-------------------------	---	---------	--	--

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE529	

## 5. Message Structure for: IE529

IE529	(CC529A)	RELEASE FOR EXPORT	(E_REL_EXP)
MESSAGE		1x	R R143
---HEADER		1x	R
-----LOADING DETAILS		9x	O
---(EXPORTER) TRADER		1x	D C510
---(CONSIGNEE) TRADER		1x	O R011
---(EXPORT) CUSTOMS OFFICE		1x	R
---(EXIT) CUSTOMS OFFICE		1x	D
---CONTROL RESULT		1x	O R160 R335
---SEALS INFO		1x	O R165
-----SEALS ID		9999x	D C569
---GOODS ITEM		999x	R
-----PREVIOUS ADMINISTRATIVE REFERENCES		9x	O
-----PRODUCED DOCUMENTS/CERTIFICATES		99x	D
-----SPECIAL MENTIONS		99x	O
----- (EXPORTER) TRADER		1x	D C510
----- (CODE) COMMODITY		1x	R
----- (TAXES) CALCULATION		99x	O
----- (CONSIGNEE) TRADER		1x	O R011
-----CONTAINERS		99x	D C055
-----PACKAGES		99x	R
-----GRN		99x	O
-----VEHICLE DETAILS		999x	O
-----NATIONAL PRODUCTS		999x	O
-----BASE PRODUCTS		999x	O
---ITINERARY		99x	O R877
---(DECLARANT) TRADER		1x	R
---(TERMS) DELIVERY		1x	O
---(DATA) TRANSACTION		1x	O
---(PAYMENT) DEFERRED OR POSTPONED		9x	D C558
---(WAREHOUSE) IDENTIFICATION		1x	D C561
---(STATUS) REPRESENTATIVE		1x	R

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE529	

## MESSAGE

Syntax identifier	R	a4	21	
Syntax version number	R	n1	22	
Message sender	R	an..35		
Sender identification code qualifier	O	an..4		
Message recipient	R	an..35		
Recipient identification code qualifier	O	an..4		
Date of preparation	R	n6		
Time of preparation	R	n4		
Interchange control reference	R	an..14		
Recipient's reference/password	O	an..14		
Recipient's reference/password qualifier	O	an2		
Application reference	O	an..14		
Priority	O	a1		
Acknowledgement request	O	n1	27	
Communications agreement id	O	an..35		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Common access reference	O	an..35		

## ---HEADER

Reference number	R	an..22		
Document/reference number	R	an..21		
Type of declaration	R	an..9	31	
Country of destination code	O	a2	8	TR9121
Agreed location of goods, code	D	an..17	IE_GR CL10029	C100 R041
Agreed location of goods	D	an..35		C100 R041
Agreed location of goods LNG	O	a2	12	TR0099
Authorised location of goods, code	D	an..17		C100 R041
Country of dispatch/export code	O	a2	8	
Customs sub place	D	an..17		C100 R041
Inland transport mode	D	n..2	18	C557
Transport mode at border	R	n..2	18	
Identity of means of transport at departure (exp/trans)	D	an..27		C005 R838
Identity of means of transport at departure LNG	O	a2	12	TR0099
Identity of means of transport crossing border	O	an..27		R838
Identity of means of transport crossing border LNG	O	a2	12	TR0099
Nationality of means of transport crossing border	D	a2	8	C010
Type of means of transport crossing border	O	n..2	18	
Containerised indicator	R	n1	27	R230
Acceptance date	R	n8		
Issuing date	R	n8		
Dialog language indicator at departure	O	a2	12	R100
ECS accompanying document language code	R	a2	12	
Total number of items	R	n..5		
Total number of packages	O	n..7		R105 R830
Total gross mass	D	n..11,3		R832
Binding itinerary	R	n1	27	
Authorisation id	O	an..17		
Declaration date	R	n8		
Declaration place	R	an..35		
Declaration place LNG	O	a2	12	TR0099
Specific Circumstance Indicator	O	a1	96	R839



Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE529	

Transport charges/ Method of Payment	O	a1	116	
Commercial Reference Number	D	an..70		R876
Grand total taxes amount	O	n..15,2		C560 R021
Type of declaration (Box 1.2)	R	a1	87	
Additional Declaration Date	O	n8		
TIR Follows	O	a1	27	
Financial and Banking Information	O	an..35		
Manual Entry Number	O	an..6		
Manual Entry Year	O	an4		
Loading Place	O	an..80		
<b>-----LOADING DETAILS</b>				
Loading Beginning Date and Time	O	n12		
Loading Ending Date and Time	O	n12		
<b>---(EXPORTER) TRADER</b>				
Name	O	an..35		
Street and number	O	an..35		
Postal code	O	an..9		
City	O	an..35		
Country code	O	a2	8	
NAD LNG	O	a2	12	TR0099
TIN	R	an..17		
Special Mention	D	an5		
<b>---(CONSIGNEE) TRADER</b>				
Name	R	an..35		
Street and number	R	an..35		
Postal code	R	an..9		
City	R	an..35		
Country code	R	a2	8	
NAD LNG	O	a2	12	TR0099
TIN	O	an..17		
Special Mention	D	an5		
<b>---(EXPORT) CUSTOMS OFFICE</b>				
Reference number	R	an8		
<b>---(EXIT) CUSTOMS OFFICE</b>				
Reference number	R	an8		
<b>---CONTROL RESULT</b>				
Control date	R	n8		
Controlled by	R	an..35		
Controlled by LNG	O	a2	12	TR0099
<b>---SEALS INFO</b>				
Seals number	R	n..4		
<b>-----SEALS ID</b>				
Seals identity	R	an..20		
Seals identity LNG	O	a2	12	TR0099
<b>---GOODS ITEM</b>				
Item number	R	n..5		R005 R007
Goods description	R	an..280		
Goods description LNG	O	a2	12	TR0099
Gross mass	O	n..11,3		R832
Net mass	R	n..11,3		
Country of dispatch/export code	D	a2	8	C578 TR9120

<b>Message Specifications for EXPORT</b>	<b>ALIGNED TO DDNA KEL Draft Version</b>
<b>REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2</b>	
<b>Appendix Q2: Technical Message Structure</b>	
<b>5. Message Structure for: IE529</b>	

Country of destination code	D	a2	8	C568 TR9120 TR9121
Transport charges/ Method of Payment	D	a1	116	C576 TR9120
Procedure requested	R	an2	92	
Previous Procedure	R	an2	93	
Community / National Procedure	O	an3	102	
Statistical value currency	O	a3	IE_GR CL10504	R873
Statistical value amount	D	n..15,2		C028 R021
Country of Origin	O	a2	8	R871
Dispatch / Production Region	O	an..2		
Supplementary units	O	n..11,3		R872
Total item taxes amount	D	n..15,2		C559 R021
Commercial Reference Number	D	an..70		R876
UN dangerous goods code	D	an4	101	
Identity of means of transport at departure (exp/trans)	O	an..27		
Identity of means of transport at departure LNG	O	a2	12	
Identity of means of transport crossing border	O	an..27		
Identity of means of transport crossing border LNG	O	a2	12	
Nationality of means of transport crossing border	O	a2	8	
Type of means of transport crossing border	O	n..2		
Procedure requested End Date	O	n8		

#### -----PREVIOUS ADMINISTRATIVE REFERENCES

Previous document type	R	an..6	14	R079 R893 TR0100
Previous document reference	R	an..35		R893
Previous document reference LNG	O	a2	12	TR0099
Previous Document Category	R	a1	103	
Previous document MRN	O	an..18		
Previous document item number	O	n..5		
Previous document Quantity	O	n..11,3		
Previous document Supplementary units	O	n..11		
Previous document Summary Declaration Packages	O	an..10		
Previous document Bill of Lading Type	O	an..2		
Previous document Bill of Lading Number	O	an..70		

#### -----PRODUCED DOCUMENTS/CERTIFICATES

Document type	R	an..4	13	R079 TR0103
Document reference	R	an..35		
Document reference LNG	O	a2	12	TR0099
Document Information	O	an..35		
Document Information LNG	O	a2	12	

#### -----SPECIAL MENTIONS

Additional information coded	R	an..5	39	TR0101
Text	O	an..70		
Text LNG	O	a2	12	TR0099

#### ----- (EXPORTER) TRADER

Name	O	an..35		
Street and number	O	an..35		
Postal code	O	an..9		
City	O	an..35		
Country code	O	a2	8	
NAD LNG	O	a2	12	TR0099
TIN	R	an..17		

<b>Message Specifications for EXPORT</b>	<b>ALIGNED TO DDNA KEL Draft Version</b>
<b>REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2</b>	
<b>Appendix Q2: Technical Message Structure</b>	
<b>5. Message Structure for: IE529</b>	

## ----- (CODE) COMMODITY

Combined Nomenclature	R	an..8		TR1008
TARIC code	R	an2		R868
TARIC first additional code	R	an4		R869
TARIC second additional code	R	an4		R869
National additional code	O	an4		

## ----- (TAXES) CALCULATION

Type of tax	R	an3	98	
Tax base	R	n..15,2		R021
Rate of tax	R	an..15		
Amount of tax	R	n..15,2		R021
Method of payment	R	a1	104	

## ----- (CONSIGNEE) TRADER

Name	R	an..35		
Street and number	R	an..35		
Postal code	R	an..9		
City	R	an..35		
Country code	R	a2	8	
NAD LNG	O	a2	12	TR0099
TIN	O	an..17		

## ----- CONTAINERS

Container number	R	an..17		
------------------	---	--------	--	--

## ----- PACKAGES

Marks & numbers of packages	D	an..42		C060
Marks & numbers of packages LNG	O	a2	12	TR0099
Kind of packages	R	an..3	17	
Number of packages	D	n..5		C060 R021 TR0022
Number of pieces	D	n..5		C060

## ----- GRN

GRN Number	O	an..24		
------------	---	--------	--	--

## ----- VEHICLE DETAILS

Frame Number	O	an..17		
Car Warehouse Number	O	an..16		

## ----- NATIONAL PRODUCTS

Warehouse Number	O	an..16		
Product ID	O	an10		
Product Quantity	O	n..11,3		

## ----- BASE PRODUCTS

Base Product Commodity Code	O	an10		
Base Product Additional Code	O	an4		
Base Product Quantity	O	n..11,3		

## --- ITINERARY

Country of routing code	R	a2	8	
-------------------------	---	----	---	--

## --- (DECLARANT) TRADER

Name	O	an..35		
Street and number	O	an..35		
Postal code	O	an..9		
City	O	an..35		
Country code	O	a2	8	
NAD LNG	O	a2	12	TR0099
TIN	R	an..17		
Special Mention	D	an5		

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE529	

### ---(TERMS) DELIVERY

Incoterm Code	R	a3	90	
Complementary code	O	n1	86	
Complement of info	R	an..35		
Complement of info LNG	O	a2	12	TR0099

### ---(DATA) TRANSACTION

Currency	O	an..3	48	R874
Total amount invoiced	O	n..15,2		R021 R867
Exchange rate	D	n..6,5		C556
Nature of transaction code	O	n..2	91	R867
Nature of second transaction code	O	n..2	91	

### ---(PAYMENT) DEFERRED OR POSTPONED

Authorisation Reference	R	an..35		
-------------------------	---	--------	--	--

### ---(WAREHOUSE) IDENTIFICATION

Warehouse type	R	a1	99	
Authorizing country	R	a2	8	
Warehouse identification	R	an..14		

### ---(STATUS) REPRESENTATIVE

Representative status code	R	n1	94	
----------------------------	---	----	----	--

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE538	

## 5. Message Structure for: IE538

IE538	(CD538A)	RESPONSE TO EXPORT QUERY	(C_EXP_RSP)
-------	----------	--------------------------	-------------

MESSAGE	1x	R	
---HEADER	1x	R	R143
---(EXPORTER) TRADER	1x	D	C510
---(CONSIGNEE) TRADER	1x	O	R011
---(EXPORT) CUSTOMS OFFICE	1x	R	
---(EXIT) CUSTOMS OFFICE	1x	R	
---(REQUESTER) CUSTOMS OFFICE	1x	R	
---CTL_CONTROL	1x	R	
---CONTROL RESULT	1x	R	
---SEALS INFO	1x	O	
-----SEALS ID	9999x	D	C569
---GOODS ITEM	999x	R	
-----PREVIOUS ADMINISTRATIVE REFERENCES	9x	O	
-----PRODUCED DOCUMENTS/CERTIFICATES	99x	D	
-----SPECIAL MENTIONS	99x	O	R080
----- (EXPORTER) TRADER	1x	D	C510
----- (CODE) COMMODITY	1x	R	
----- (CONSIGNEE) TRADER	1x	O	R011
-----CONTAINERS	99x	D	C055
-----PACKAGES	99x	R	
---ITINERARY	99x	O	R877
---RISK ANALYSIS	999x	O	R819

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE538	

## MESSAGE

Syntax identifier	R	a4	21	
Syntax version number	R	n1	22	
Message sender	R	an..35		
Sender identification code qualifier	O	an..4		
Message recipient	R	an..35		
Recipient identification code qualifier	O	an..4		
Date of preparation	R	n6		
Time of preparation	R	n4		
Interchange control reference	R	an..14		
Recipient's reference/password	O	an..14		
Recipient's reference/password qualifier	O	an2		
Application reference	O	an..14		
Priority	O	a1		
Acknowledgement request	O	n1	27	
Communications agreement id	O	an..35		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Common access reference	O	an..35		

## ---HEADER

Document/reference number	R	an..21		
Type of declaration	R	an..9	31	
Country of destination code	O	a2	8	TR9121
Country of dispatch/export code	O	a2	8	
Identity of means of transport at departure (exp/trans)	O	an..27		
Identity of means of transport at departure LNG	O	a2	12	TR0099
Containerised indicator	R	n1	27	R230
Acceptance date	R	n8		
Issuing date	R	n8		
ECS accompanying document language code	R	a2	12	
Total number of items	R	n..5		
Total number of packages	O	n..7		R105 R830
Total gross mass	D	n..11,3		R832
Declaration submitted time	R	n12		R660
Specific Circumstance Indicator	O	a1	96	R839
Transport charges/ Method of Payment	O	a1	116	
Commercial Reference Number	D	an..70		R876

## ---(EXPORTER) TRADER

Name	R	an..35		
Street and number	R	an..35		
Postal code	R	an..9		
City	R	an..35		
Country code	R	a2	8	
NAD LNG	O	a2	12	TR0099
TIN	R	an..17		

## ---(CONSIGNEE) TRADER

Name	R	an..35		
Street and number	R	an..35		
Postal code	R	an..9		
City	R	an..35		
Country code	R	a2	8	
NAD LNG	O	a2	12	TR0099
TIN	O	an..17		

## ---(EXPORT) CUSTOMS OFFICE

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE538	

Reference number	R	an8		
<b>---(EXIT) CUSTOMS OFFICE</b>				
Reference number	R	an8		
<b>---(REQUESTER) CUSTOMS OFFICE</b>				
Reference number	R	an8		
<b>---CTL_CONTROL</b>				
Other movement information response	O	an..350		
Other movement information response LNG	O	a2	12	TR0099
Export Operation State Type	R	an..3	58	R605
<b>---CONTROL RESULT</b>				
Control result code	R	an2	47	
Date limit	R	n8		
<b>---SEALS INFO</b>				
Seals number	R	n..4		
<b>-----SEALS ID</b>				
Seals identity	R	an..20		
Seals identity LNG	O	a2	12	TR0099
<b>---GOODS ITEM</b>				
Item number	R	n..5		R005 R007
Goods description	R	an..280		
Goods description LNG	O	a2	12	TR0099
Gross mass	O	n..11,3		R832
Net mass	R	n..11,3		
Country of dispatch/export code	D	a2	8	C578 TR9120
Country of destination code	D	a2	8	C568 TR9120 TR9121
Transport charges/ Method of Payment	D	a1	116	C576 TR9120
Procedure requested	R	an2	92	
Previous Procedure	R	an2	93	
Community / National Procedure	O	an3	102	R858
Statistical value currency	O	a3	IE_GR CL10504	
Statistical value amount	D	n..15,2		C028 R021
Commercial Reference Number	D	an..70		R876
UN dangerous goods code	O	an4	101	
<b>-----PREVIOUS ADMINISTRATIVE REFERENCES</b>				
Previous document type	R	an..6	14	R079 R893 TR0100
Previous document reference	R	an..35		R893
Previous document reference LNG	O	a2	12	TR0099
<b>-----PRODUCED DOCUMENTS/CERTIFICATES</b>				
Document type	R	an..4	13	R079 TR0103
Document reference	R	an..35		
Document reference LNG	O	a2	12	TR0099
<b>-----SPECIAL MENTIONS</b>				
Additional information coded	R	an..5	39	TR0101
Text	O	an..70		
Text LNG	O	a2	12	TR0099
<b>----- (EXPORTER) TRADER</b>				
Name	R	an..35		

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE538	

Street and number	R	an..35		
Postal code	R	an..9		
City	R	an..35		
Country code	R	a2	8	
NAD LNG	O	a2	12	TR0099
TIN	R	an..17		
<b>----- (CODE) COMMODITY</b>				
Combined Nomenclature	R	an..8		TR1008
TARIC code	R	an2		R868
TARIC first additional code	R	an4		R869
TARIC second additional code	R	an4		R869
National additional code	O	an4		
<b>----- (CONSIGNEE) TRADER</b>				
Name	R	an..35		
Street and number	R	an..35		
Postal code	R	an..9		
City	R	an..35		
Country code	R	a2	8	
NAD LNG	O	a2	12	TR0099
TIN	O	an..17		
<b>----- CONTAINERS</b>				
Container number	R	an..17		
<b>----- PACKAGES</b>				
Marks & numbers of packages	D	an..42		C060
Marks & numbers of packages LNG	O	a2	12	TR0099
Kind of packages	R	an..3	17	
Number of packages	D	n..5		C060 R021 TR0022
Number of pieces	D	n..5		C060
<b>--- ITINERARY</b>				
Country of routing code	R	a2	8	
<b>--- RISK ANALYSIS</b>				
Item Number involved	O	n..5		R824 R875
Risk Analysis result code	R	an..5		
Risk Analysis text	O	an..350		
Risk Analysis LNG	O	a2	12	TR0099



Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE547	

### 5. Message Structure for: IE547

IE547	(CC547A)	MANIFEST PRESENTATION	(E_MAN_PRE)
MESSAGE		1x	R
---HEADER		1x	R
---(ACTUAL EXIT) CUSTOMS OFFICE		1x	R
---(EXIT CARRIER) TRADER		1x	R
---MANIFEST ITEM		99999x	R
-----TRANSPORT DOCUMENT DATA		1x	R
-----CUSTOMS DATA		99999x	R

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE547	

## MESSAGE

Syntax identifier	R	a4	21	
Syntax version number	R	n1	22	
Message sender	R	an..35		
Sender identification code qualifier	O	an..4		
Message recipient	R	an..35		
Recipient identification code qualifier	O	an..4		
Date of preparation	R	n6		
Time of preparation	R	n4		
Interchange control reference	R	an..14		
Recipient's reference/password	O	an..14		
Recipient's reference/password qualifier	O	an2		
Application reference	O	an..14		
Priority	O	a1		
Acknowledgement request	O	n1	27	
Communications agreement id	O	an..35		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Common access reference	O	an..35		

## ---HEADER

Total number of packages	R	n..7		
Total gross mass	R	n..11,3		
Manifest reference number	R	an..22		
Date of presentation	R	n8		
Total number of manifest items	R	n..5		

## ---(ACTUAL EXIT) CUSTOMS OFFICE

Reference number	R	an8		
------------------	---	-----	--	--

## ---(EXIT CARRIER) TRADER

Name	O	an..35		
Street and number	O	an..35		
Postal code	O	an..9		
City	O	an..35		
Country code	O	a2	8	
NAD LNG	O	a2	12	TR0099
TIN	R	an..17		

## ---MANIFEST ITEM

Manifest item number	R	n..5		R887
----------------------	---	------	--	------

## -----TRANSPORT DOCUMENT DATA

Transport document reference	R	an..35		
Marks & numbers of packages	D	an..42		C060
Marks & numbers of packages LNG	O	a2	12	TR0099
Kind of packages	R	an..3	17	
Number of packages	D	n..5		C060 R021
Number of pieces	D	n..5		C060
Gross mass	R	n..11,3		
Commodity code (taric code)	O	an..6		
Goods description text	O	an..35		
Goods description LNG	O	a2	12	TR0099

## -----CUSTOMS DATA

Document/reference number	R	an..21		
Final or Partial shipment flag	R	n1	27	R235
Number of packages	D	n..5		C555
Number of pieces	D	n..5		C555

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE547	

Gross mass	D	n..11,3	C555
Item number	D	n..5	C555

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE548	

## 5. Message Structure for: IE548

IE548	(CC548A)	MANIFEST VALIDATION	(E_MAN_VAL)	
MESSAGE			1x	O
---HEADER			1x	R
---(ACTUAL EXIT) CUSTOMS OFFICE			1x	D
---FUNCTIONAL ERROR			999x	D
---(EXIT CARRIER) TRADER			1x	D

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE548	

## MESSAGE

Syntax identifier	R	a4	21	
Syntax version number	R	n1	22	
Message sender	R	an..35		
Sender identification code qualifier	O	an..4		
Message recipient	R	an..35		
Recipient identification code qualifier	O	an..4		
Date of preparation	R	n6		
Time of preparation	R	n4		
Interchange control reference	R	an..14		
Recipient's reference/password	O	an..14		
Recipient's reference/password qualifier	O	an2		
Application reference	O	an..14		
Priority	O	a1		
Acknowledgement request	O	n1	27	
Communications agreement id	O	an..35		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Common access reference	O	an..35		

## ---HEADER

Manifest reference number	R	an..22		
Manifest Number	D	an..22		TR9202
Manifest registration date	D	n8		TR9202
Manifest rejection date	D	n8		TR9203
Manifest rejection reason	O	an..350		TR9203
Manifest rejection reason LNG	O	a2	12	TR0099

## ---(ACTUAL EXIT) CUSTOMS OFFICE

Reference number	R	an8		
------------------	---	-----	--	--

## ---FUNCTIONAL ERROR

Error type	R	n2	49	
Error pointer	R	an..210		
Error reason	O	an..6		
Original attribute value	O	an..140		
Error description	O	an..350		

## ---(EXIT CARRIER) TRADER

Name	O	an..35		
Street and number	O	an..35		
Postal code	O	an..9		
City	O	an..35		
Country code	O	a2	8	
NAD LNG	O	a2	12	TR0099
TIN	R	an..17		

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE551	

## 5. Message Structure for: IE551

IE551	(CC551A)	EXPORT NO RELEASE	(E_EXP_NRL)
MESSAGE		1x	R
---HEADER		1x	R R135 R143
-----LOADING DETAILS		9x	O
---(EXPORTER) TRADER		1x	D C510
---(CONSIGNEE) TRADER		1x	O R011
---(EXPORT) CUSTOMS OFFICE		1x	R
---(EXIT) CUSTOMS OFFICE		1x	R
---CONTROL RESULT		1x	R R160
---RESULTS OF CONTROL		1x	R R135 R145
---SEALS INFO		1x	O R165
-----SEALS ID		9999x	D C569
---GOODS ITEM		999x	R
-----PREVIOUS ADMINISTRATIVE REFERENCES		9x	O
-----PRODUCED DOCUMENTS/CERTIFICATES		99x	D
-----SPECIAL MENTIONS		99x	O
----- (EXPORTER) TRADER		1x	D C510
----- (CODE) COMMODITY		1x	R
----- (TAXES) CALCULATION		99x	O
----- (CONSIGNEE) TRADER		1x	O R011
-----CONTAINERS		99x	D C055
-----PACKAGES		99x	R
-----GRN		99x	O
-----VEHICLE DETAILS		999x	O
-----NATIONAL PRODUCTS		999x	O
-----BASE PRODUCTS		999x	O
---ITINERARY		99x	O R877
---(DECLARANT) TRADER		1x	R
---(TERMS) DELIVERY		1x	O
---(DATA) TRANSACTION		1x	O
---(PAYMENT) DEFERRED OR POSTPONED		9x	D C558
---(WAREHOUSE) IDENTIFICATION		1x	D C561
---(STATUS) REPRESENTATIVE		1x	R

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE551	

## MESSAGE

Syntax identifier	R	a4	21	
Syntax version number	R	n1	22	
Message sender	R	an..35		
Sender identification code qualifier	O	an..4		
Message recipient	R	an..35		
Recipient identification code qualifier	O	an..4		
Date of preparation	R	n6		
Time of preparation	R	n4		
Interchange control reference	R	an..14		
Recipient's reference/password	O	an..14		
Recipient's reference/password qualifier	O	an2		
Application reference	O	an..14		
Priority	O	a1		
Acknowledgement request	O	n1	27	
Communications agreement id	O	an..35		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Common access reference	O	an..35		

## ---HEADER

Reference number	R	an..22		
Document/reference number	R	an..21		
Type of declaration	R	an..9	31	
Country of destination code	O	a2	8	TR9121
Agreed location of goods, code	D	an..17	IE_GR CL10029	C100 R041
Agreed location of goods	D	an..35		C100 R041
Agreed location of goods LNG	O	a2	12	TR0099
Authorised location of goods, code	D	an..17		C100 R041
Country of dispatch/export code	O	a2	8	
Customs sub place	D	an..17		C100 R041
Inland transport mode	D	n..2	18	C557
Transport mode at border	R	n..2	18	
Identity of means of transport at departure (exp/trans)	D	an..27		C005 R838 TR0002
Identity of means of transport at departure LNG	O	a2	12	TR0099
Identity of means of transport crossing border	O	an..27		R838
Identity of means of transport crossing border LNG	O	a2	12	TR0099
Nationality of means of transport crossing border	D	a2	8	C010
Type of means of transport crossing border	O	n..2	18	
Containerised indicator	R	n1	27	R230
Dialog language indicator at departure	O	a2	12	R100
ECS accompanying document language code	R	a2	12	
Total number of items	R	n..5		
Total number of packages	O	n..7		R105 R830 TR0002
Total gross mass	D	n..11,3		R832
Declaration date	R	n8		
Declaration place	R	an..35		
Declaration place LNG	O	a2	12	TR0099
No release motivation	O	an..350		
No release motivation LNG	O	a2	12	TR0099
Specific Circumstance Indicator	O	a1	96	R839 TR0002

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE551	

Transport charges/ Method of Payment	O	a1	116	TR0002
Commercial Reference Number	D	an..70		R876 TR0002
Grand total taxes amount	O	n..15,2		C560 R021
Type of declaration (Box 1.2)	R	a1	87	
Additional Declaration Date	O	n8		
TIR Follows	O	a1	27	
Financial and Banking Information	O	an..35		
Manual Entry Number	O	an..6		
Manual Entry Year	O	an4		
Loading Place	O	an..80		
<b>-----LOADING DETAILS</b>				
Loading Beginning Date and Time	O	n12		
Loading Ending Date and Time	O	n12		
<b>---(EXPORTER) TRADER</b>				
Name	O	an..35		
Street and number	O	an..35		
Postal code	O	an..9		
City	O	an..35		
Country code	O	a2	8	
NAD LNG	O	a2	12	TR0099
TIN	R	an..17		
Special Mention	D	an5		
<b>---(CONSIGNEE) TRADER</b>				
Name	R	an..35		
Street and number	R	an..35		
Postal code	R	an..9		
City	R	an..35		
Country code	R	a2	8	
NAD LNG	O	a2	12	TR0099
TIN	O	an..17		
Special Mention	D	an5		
<b>---(EXPORT) CUSTOMS OFFICE</b>				
Reference number	R	an8		
<b>---(EXIT) CUSTOMS OFFICE</b>				
Reference number	R	an8		
<b>---CONTROL RESULT</b>				
Control date	R	n8		
<b>---RESULTS OF CONTROL</b>				
Description	O	an..140		
Description LNG	O	a2	12	TR0099
Control indicator	R	an2	41	
<b>---SEALS INFO</b>				
Seals number	R	n..4		
<b>-----SEALS ID</b>				
Seals identity	R	an..20		
Seals identity LNG	O	a2	12	TR0099
<b>---GOODS ITEM</b>				
Item number	R	n..5		R005 R007
Goods description	R	an..280		
Goods description LNG	O	a2	12	TR0099
Gross mass	O	n..11,3		R832
Net mass	R	n..11,3		



Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE551	

Country of dispatch/export code	D	a2	8	C578 TR9120
Country of destination code	D	a2	8	C568 TR9120 TR9121
Transport charges/ Method of Payment	D	a1	116	C576 TR9120
Procedure requested	R	an2	92	
Previous Procedure	R	an2	93	
Community / National Procedure	O	an3	102	
Statistical value currency	O	a3	IE_GR CL10504	R873
Statistical value amount	D	n..15,2		C028 R021
Country of Origin	O	a2	8	R871
Dispatch / Production Region	O	an..2		
Supplementary units	O	n..11,3		R872
Total item taxes amount	D	n..15,2		C559 R021
Commercial Reference Number	D	an..70		R876
UN dangerous goods code	D	an4	101	
Identity of means of transport at departure (exp/trans)	O	an..27		
Identity of means of transport at departure LNG	O	a2	12	
Identity of means of transport crossing border	O	an..27		
Identity of means of transport crossing border LNG	O	a2	12	
Nationality of means of transport crossing border	O	a2	8	
Type of means of transport crossing border	O	n..2		
Procedure requested End Date	O	n8		

#### -----PREVIOUS ADMINISTRATIVE REFERENCES

Previous document type	R	an..6	14	R079 R893 TR0100
Previous document reference	R	an..35		R893
Previous document reference LNG	O	a2	12	TR0099
Previous Document Category	R	a1	103	
Previous document MRN	O	an..18		
Previous document item number	O	n..5		
Previous document Quantity	O	n..11,3		
Previous document Supplementary units	O	n..11		
Previous document Summary Declaration Packages	O	an..10		
Previous document Bill of Lading Type	O	an..2		
Previous document Bill of Lading Number	O	an..70		

#### -----PRODUCED DOCUMENTS/CERTIFICATES

Document type	R	an..4	13	R079 TR0103
Document reference	R	an..35		
Document reference LNG	O	a2	12	TR0099
Document Information	O	an..35		
Document Information LNG	O	a2	12	

#### -----SPECIAL MENTIONS

Additional information coded	R	an..5	39	TR0101
Text	O	an..70		
Text LNG	O	a2	12	TR0099

#### ----- (EXPORTER) TRADER

Name	O	an..35		
Street and number	O	an..35		
Postal code	O	an..9		
City	O	an..35		
Country code	O	a2	8	

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE551	

NAD LNG	O	a2	12	TR0099
TIN	R	an..17		
<b>----- (CODE) COMMODITY</b>				
Combined Nomenclature	R	an..8		TR1008
TARIC code	R	an2		R868
TARIC first additional code	R	an4		R869
TARIC second additional code	R	an4		R869
National additional code	O	an4		
<b>----- (TAXES) CALCULATION</b>				
Type of tax	R	an3	98	
Tax base	R	n..15,2		R021
Rate of tax	R	an..15		
Amount of tax	R	n..15,2		R021
Method of payment	R	a1	104	
<b>----- (CONSIGNEE) TRADER</b>				
Name	R	an..35		
Street and number	R	an..35		
Postal code	R	an..9		
City	R	an..35		
Country code	R	a2	8	
NAD LNG	O	a2	12	TR0099
TIN	O	an..17		
<b>----- CONTAINERS</b>				
Container number	R	an..17		
<b>----- PACKAGES</b>				
Marks & numbers of packages	D	an..42		C060
Marks & numbers of packages LNG	O	a2	12	TR0099
Kind of packages	R	an..3	17	
Number of packages	D	n..5		C060 R021 TR0022
Number of pieces	D	n..5		C060
<b>----- GRN</b>				
GRN Number	O	an..24		
<b>----- VEHICLE DETAILS</b>				
Frame Number	O	an..17		
Car Warehouse Number	O	an..16		
<b>----- NATIONAL PRODUCTS</b>				
Warehouse Number	O	an..16		
Product ID	O	an10		
Product Quantity	O	n..11,3		
<b>----- BASE PRODUCTS</b>				
Base Product Commodity Code	O	an10		
Base Product Additional Code	O	an4		
Base Product Quantity	O	n..11,3		
<b>--- ITINERARY</b>				
Country of routing code	R	a2	8	
<b>--- (DECLARANT) TRADER</b>				
Name	O	an..35		
Street and number	O	an..35		
Postal code	O	an..9		
City	O	an..35		
Country code	O	a2	8	
NAD LNG	O	a2	12	TR0099

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE551	

TIN	R	an..17		
Special Mention	D	an5		
<b>---(TERMS) DELIVERY</b>				
Incoterm Code	R	a3	90	
Complementary code	O	n1	86	
Complement of info	R	an..35		
Complement of info LNG	O	a2	12	TR0099
<b>---(DATA) TRANSACTION</b>				
Currency	O	an..3	48	R874
Total amount invoiced	O	n..15,2		R021 R867
Exchange rate	D	n..6,5		C556
Nature of transaction code	O	n..2	91	R867
Nature of second transaction code	O	n..2	91	
<b>---(PAYMENT) DEFERRED OR POSTPONED</b>				
Authorisation Reference	R	an..35		
<b>---(WAREHOUSE) IDENTIFICATION</b>				
Warehouse type	R	a1	99	
Authorizing country	R	a2	8	
Warehouse identification	R	an..14		
<b>---(STATUS) REPRESENTATIVE</b>				
Representative status code	R	n1	94	

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE554	

## 5. Message Structure for: IE554

IE554	(CC554A)	EXPORT RELEASE REQUEST	(E_EXP_RRQ)
-------	----------	------------------------	-------------

MESSAGE	1x	R
---HEADER	1x	R
---(EXPORT) CUSTOMS OFFICE	1x	R
---(DECLARANT) TRADER	1x	R

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE554	

## MESSAGE

Syntax identifier	R	a4	21	
Syntax version number	R	n1	22	
Message sender	R	an..35		
Sender identification code qualifier	O	an..4		
Message recipient	R	an..35		
Recipient identification code qualifier	O	an..4		
Date of preparation	R	n6		
Time of preparation	R	n4		
Interchange control reference	R	an..14		
Recipient's reference/password	O	an..14		
Recipient's reference/password qualifier	O	an2		
Application reference	O	an..14		
Priority	O	a1		
Acknowledgement request	O	n1	27	
Communications agreement id	O	an..35		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Common access reference	O	an..35		

## ---HEADER

Document/reference number	R	an..21		
Release requested	R	n1	27	R230
Date of release request	R	n8		

## ---(EXPORT) CUSTOMS OFFICE

Reference number	R	an8		
------------------	---	-----	--	--

## ---(DECLARANT) TRADER

Name	O	an..35		
Street and number	O	an..35		
Postal code	O	an..9		
City	O	an..35		
Country code	O	a2	8	
NAD LNG	O	a2	12	TR0099
TIN	R	an..17		

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE560	

### 5. Message Structure for: IE560

IE560	(CC560A)	EXPORT CONTROL DECISION	(E_EXP_CTR)
-------	----------	-------------------------	-------------

MESSAGE	1x	R
---HEADER	1x	R
---(EXPORT) CUSTOMS OFFICE	1x	R
---(DECLARANT) TRADER	1x	R

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE560	

## MESSAGE

Syntax identifier	R	a4	21	
Syntax version number	R	n1	22	
Message sender	R	an..35		
Sender identification code qualifier	O	an..4		
Message recipient	R	an..35		
Recipient identification code qualifier	O	an..4		
Date of preparation	R	n6		
Time of preparation	R	n4		
Interchange control reference	R	an..14		
Recipient's reference/password	O	an..14		
Recipient's reference/password qualifier	O	an2		
Application reference	O	an..14		
Priority	O	a1		
Acknowledgement request	O	n1	27	
Communications agreement id	O	an..35		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Common access reference	O	an..35		

## ---HEADER

Document/reference number	R	an..21		
Date of control notification	R	n8		
Type of Control	R	n1	27	
Trader Control Info	O	an..350		
Description	O	an..350		

## ---(EXPORT) CUSTOMS OFFICE

Reference number	R	an8		
------------------	---	-----	--	--

## ---(DECLARANT) TRADER

Name	O	an..35		
Street and number	O	an..35		
Postal code	O	an..9		
City	O	an..35		
Country code	O	a2	8	
NAD LNG	O	a2	12	TR0099
TIN	R	an..17		

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE561	

## 5. Message Structure for: IE561

IE561	(CC561A)	EXIT CONTROL DECISION NOTIFICATION	(E_EXT_CTR)
-------	----------	------------------------------------	-------------

MESSAGE	1x	R
---HEADER	1x	R
---(EXIT) CUSTOMS OFFICE	1x	R
---(EXIT) TRADER	1x	R



Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE561	

## MESSAGE

Syntax identifier	R	a4	21	
Syntax version number	R	n1	22	
Message sender	R	an..35		
Sender identification code qualifier	O	an..4		
Message recipient	R	an..35		
Recipient identification code qualifier	O	an..4		
Date of preparation	R	n6		
Time of preparation	R	n4		
Interchange control reference	R	an..14		
Recipient's reference/password	O	an..14		
Recipient's reference/password qualifier	O	an2		
Application reference	O	an..14		
Priority	O	a1		
Acknowledgement request	O	n1	27	
Communications agreement id	O	an..35		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Common access reference	O	an..35		

## ---HEADER

Document/reference number	R	an..21		
Date of control notification	R	n8		

## ---(EXIT) CUSTOMS OFFICE

Reference number	R	an8		
------------------	---	-----	--	--

## ---(EXIT) TRADER

Name	O	an..35		
Street and number	O	an..35		
Postal code	O	an..9		
City	O	an..35		
Country code	O	a2	8	
NAD LNG	O	a2	12	TR0099
TIN	R	an..17		

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE562	

## 5. Message Structure for: IE562

IE562	(CC562A)	EXPORT RELEASE REQUEST REJECTION	(E_EXP_RRR)
-------	----------	----------------------------------	-------------

MESSAGE	1x	R	
---HEADER	1x	R	
---FUNCTIONAL ERROR	999x	D	R123

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE562	

## MESSAGE

Syntax identifier	R	a4	21	
Syntax version number	R	n1	22	
Message sender	R	an..35		
Sender identification code qualifier	O	an..4		
Message recipient	R	an..35		
Recipient identification code qualifier	O	an..4		
Date of preparation	R	n6		
Time of preparation	R	n4		
Interchange control reference	R	an..14		
Recipient's reference/password	O	an..14		
Recipient's reference/password qualifier	O	an2		
Application reference	O	an..14		
Priority	O	a1		
Acknowledgement request	O	n1	27	
Communications agreement id	O	an..35		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Common access reference	O	an..35		

## ---HEADER

Document/reference number	R	an..21		
Date of release request rejection	R	n8		
Release request rejection reason	O	an..350		
Release request rejection reason LNG	O	a2	12	TR0099

## ---FUNCTIONAL ERROR

Error type	R	n2	49	
Error pointer	R	an..210		
Error reason	O	an..6		
Original attribute value	O	an..140		

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE582	

## 5. Message Structure for: IE582

IE582	(CC582A)	REQUEST ON NON-EXITED EXPORT	(E_EXT_REQ)	
MESSAGE		1x	R	
---HEADER		1x	R	
---(EXPORTER) TRADER		1x	O	R861
---(EXPORT) CUSTOMS OFFICE		1x	R	
---(DECLARANT) TRADER		1x	O	R861
---(COMPETENT AUTHORITY OF EXPORT) CUSTOMS OFFICE		1x	R	

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE582	

## MESSAGE

Syntax identifier	R	a4	21	
Syntax version number	R	n1	22	
Message sender	R	an..35		
Sender identification code qualifier	O	an..4		
Message recipient	R	an..35		
Recipient identification code qualifier	O	an..4		
Date of preparation	R	n6		
Time of preparation	R	n4		
Interchange control reference	R	an..14		
Recipient's reference/password	O	an..14		
Recipient's reference/password qualifier	O	an2		
Application reference	O	an..14		
Priority	O	a1		
Acknowledgement request	O	n1	27	
Communications agreement id	O	an..35		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Common access reference	O	an..35		

## ---HEADER

Document/reference number	R	an..21		
Date limit for response	R	n8		
Date of request on non-exited export	R	n8		

## ---(EXPORTER) TRADER

Name	O	an..35		
Street and number	O	an..35		
Postal code	O	an..9		
City	O	an..35		
Country code	R	a2	8	
NAD LNG	O	a2	12	TR0099
TIN	R	an..17		

## ---(EXPORT) CUSTOMS OFFICE

Reference number	R	an8		
------------------	---	-----	--	--

## ---(DECLARANT) TRADER

Name	O	an..35		
Street and number	O	an..35		
Postal code	O	an..9		
City	O	an..35		
Country code	O	a2	8	
NAD LNG	O	a2	12	TR0099
TIN	R	an..17		

## ---(COMPETENT AUTHORITY OF EXPORT) CUSTOMS OFFICE

Reference number	R	an8		
------------------	---	-----	--	--

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE583	

## 5. Message Structure for: IE583

IE583	(CC583A)	INFORMATION ABOUT NON-EXITED EXPORT	(E_EXT_RSP)
MESSAGE		1x	R
---HEADER		1x	R
---(EXPORTER) TRADER		1x	O R861
---(ACTUAL EXIT) CUSTOMS OFFICE		1x	D C221
---(DECLARANT) TRADER		1x	O R861
---(COMPETENT AUTHORITY OF EXPORT) CUSTOMS OFFICE		1x	R
---FOLLOW-UP		1x	R

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE583	

## MESSAGE

Syntax identifier	R	a4	21	
Syntax version number	R	n1	22	
Message sender	R	an..35		
Sender identification code qualifier	O	an..4		
Message recipient	R	an..35		
Recipient identification code qualifier	O	an..4		
Date of preparation	R	n6		
Time of preparation	R	n4		
Interchange control reference	R	an..14		
Recipient's reference/password	O	an..14		
Recipient's reference/password qualifier	O	an2		
Application reference	O	an..14		
Priority	O	a1		
Acknowledgement request	O	n1	27	
Communications agreement id	O	an..35		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Common access reference	O	an..35		

## ---HEADER

Document/reference number	R	an..21		
---------------------------	---	--------	--	--

## ---(EXPORTER) TRADER

Name	O	an..35		
Street and number	O	an..35		
Postal code	O	an..9		
City	O	an..35		
Country code	O	a2	8	
NAD LNG	O	a2	12	TR0099
TIN	R	an..17		

## ---(ACTUAL EXIT) CUSTOMS OFFICE

Reference number	R	an8		
------------------	---	-----	--	--

## ---(DECLARANT) TRADER

Name	O	an..35		
Street and number	O	an..35		
Postal code	O	an..9		
City	O	an..35		
Country code	O	a2	8	
NAD LNG	O	a2	12	TR0099
TIN	R	an..17		

## ---(COMPETENT AUTHORITY OF EXPORT) CUSTOMS OFFICE

Reference number	R	an8		
------------------	---	-----	--	--

## ---FOLLOW-UP

Information available	R	n1	27	R230
Exit date	D	n8		C221
Date of information received on non-exited export	R	n8		

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE584	

## 5. Message Structure for: IE584

IE584	(CD584A)	EXPORT FOLLOW UP REQUEST	(C_EXP_FUR)
MESSAGE		1x	R
---HEADER		1x	R
---(EXPORT) CUSTOMS OFFICE		1x	R
---(COMPETENT AUTHORITY OF EXPORT) CUSTOMS OFFICE		1x	R
---FOLLOW-UP		1x	R
---(EXIT REQUESTED) CUSTOMS OFFICE		1x	R



Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE584	

## MESSAGE

Syntax identifier	R	a4	21	
Syntax version number	R	n1	22	
Message sender	R	an..35		
Sender identification code qualifier	O	an..4		
Message recipient	R	an..35		
Recipient identification code qualifier	O	an..4		
Date of preparation	R	n6		
Time of preparation	R	n4		
Interchange control reference	R	an..14		
Recipient's reference/password	O	an..14		
Recipient's reference/password qualifier	O	an2		
Application reference	O	an..14		
Priority	O	a1		
Acknowledgement request	O	n1	27	
Communications agreement id	O	an..35		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Common access reference	O	an..35		

## ---HEADER

Document/reference number	R	an..21
---------------------------	---	--------

## ---(EXPORT) CUSTOMS OFFICE

Reference number	R	an8
------------------	---	-----

## ---(COMPETENT AUTHORITY OF EXPORT) CUSTOMS OFFICE

Reference number	R	an8
------------------	---	-----

## ---FOLLOW-UP

Exit date	R	n8
-----------	---	----

Follow-up date	R	n8
----------------	---	----

## ---(EXIT REQUESTED) CUSTOMS OFFICE

Reference number	R	an8
------------------	---	-----

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE586	

## 5. Message Structure for: IE586

IE586	(CD586A)	FOLLOW-UP NEGATIVE RESPONSE	(C_EXP_FUN)
-------	----------	-----------------------------	-------------

MESSAGE	1x	R
---HEADER	1x	R
---(COMPETENT AUTHORITY OF EXPORT) CUSTOMS OFFICE	1x	R
---(EXIT REQUESTED) CUSTOMS OFFICE	1x	R

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE586	

## MESSAGE

Syntax identifier	R	a4	21	
Syntax version number	R	n1	22	
Message sender	R	an..35		
Sender identification code qualifier	O	an..4		
Message recipient	R	an..35		
Recipient identification code qualifier	O	an..4		
Date of preparation	R	n6		
Time of preparation	R	n4		
Interchange control reference	R	an..14		
Recipient's reference/password	O	an..14		
Recipient's reference/password qualifier	O	an2		
Application reference	O	an..14		
Priority	O	a1		
Acknowledgement request	O	n1	27	
Communications agreement id	O	an..35		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Common access reference	O	an..35		

## ---HEADER

Document/reference number	R	an..21
Date of enquiry response	R	n8

## ---(COMPETENT AUTHORITY OF EXPORT) CUSTOMS OFFICE

Reference number	R	an8
------------------	---	-----

## ---(EXIT REQUESTED) CUSTOMS OFFICE

Reference number	R	an8
------------------	---	-----

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE590	

## 5. Message Structure for: IE590

IE590	(CC590A)	EXIT NOTIFICATION	(E_EXT_NOT)
MESSAGE		1x	R
---HEADER		1x	R
---(ACTUAL EXIT) CUSTOMS OFFICE		1x	R
---PASSAGE EXIT		1x	R
---LOCAL AUTHORITY AT EXIT		1x	R

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE590	

## MESSAGE

Syntax identifier	R	a4	21	
Syntax version number	R	n1	22	
Message sender	R	an..35		
Sender identification code qualifier	O	an..4		
Message recipient	R	an..35		
Recipient identification code qualifier	O	an..4		
Date of preparation	R	n6		
Time of preparation	R	n4		
Interchange control reference	R	an..14		
Recipient's reference/password	O	an..14		
Recipient's reference/password qualifier	O	an2		
Application reference	O	an..14		
Priority	O	a1		
Acknowledgement request	O	n1	27	
Communications agreement id	O	an..35		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Common access reference	O	an..35		

## ---HEADER

Document/reference number	O	an..21		R863
Manifest Number	O	an..22		R863

## ---(ACTUAL EXIT) CUSTOMS OFFICE

Reference number	R	an8		
------------------	---	-----	--	--

## ---PASSAGE EXIT

Date of Exit	R	n8		TR0108
--------------	---	----	--	--------

## ---LOCAL AUTHORITY AT EXIT

Reference number	R	an8		
------------------	---	-----	--	--

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE599	

## 5. Message Structure for: IE599

IE599	(CC599A)	EXPORT NOTIFICATION	(C_EXP_NTF)
MESSAGE		1x	R R146
---HEADER		1x	R
-----LOADING DETAILS		9x	O
---(EXPORTER) TRADER		1x	D C510
---(CONSIGNEE) TRADER		1x	O R011
---(EXPORT) CUSTOMS OFFICE		1x	R
---(EXIT) CUSTOMS OFFICE		1x	D
---CONTROL RESULT		1x	O R160
---SEALS INFO		1x	O R165
-----SEALS ID		9999x	D C569
---GOODS ITEM		999x	R
-----PREVIOUS ADMINISTRATIVE REFERENCES		9x	O
-----PRODUCED DOCUMENTS/CERTIFICATES		999x	D
-----SPECIAL MENTIONS		99x	O
----- (EXPORTER) TRADER		1x	D C510
----- (CODE) COMMODITY		1x	R
----- (TAXES) CALCULATION		99x	O
----- (CONSIGNEE) TRADER		1x	O R011
-----CONTAINERS		99x	D C055
-----PACKAGES		99x	R
-----GRN		99x	O
-----VEHICLE DETAILS		999x	O
-----NATIONAL PRODUCTS		999x	O
-----BASE PRODUCTS		999x	O
---ITINERARY		99x	O R877
---(DECLARANT) TRADER		1x	R
---(TERMS) DELIVERY		1x	O
---(DATA) TRANSACTION		1x	O
---(PAYMENT) DEFERRED OR POSTPONED		9x	D C558
---(WAREHOUSE) IDENTIFICATION		1x	D C561
---VAT OR EXCISE OR CAP OR OTHER AUTHORITIES OR OTHERS		9x	O
---(STATUS) REPRESENTATIVE		1x	R

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE599	

## MESSAGE

Syntax identifier	R	a4	21	
Syntax version number	R	n1	22	
Message sender	R	an..35		
Sender identification code qualifier	O	an..4		
Message recipient	R	an..35		
Recipient identification code qualifier	O	an..4		
Date of preparation	R	n6		
Time of preparation	R	n4		
Interchange control reference	R	an..14		
Recipient's reference/password	O	an..14		
Recipient's reference/password qualifier	O	an2		
Application reference	O	an..14		
Priority	O	a1		
Acknowledgement request	O	n1	27	
Communications agreement id	O	an..35		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Common access reference	O	an..35		

## ---HEADER

Reference number	R	an..22		
Document/reference number	R	an..21		
Type of declaration	R	an..9	31	
Country of destination code	O	a2	8	TR9121
Agreed location of goods, code	D	an..17	IE_GR CL10029	C100 R041
Agreed location of goods	D	an..35		C100 R041
Agreed location of goods LNG	O	a2	12	TR0099
Authorised location of goods, code	D	an..17		C100 R041
Country of dispatch/export code	O	a2	8	
Customs sub place	D	an..17		C100 R041
Inland transport mode	D	n..2	18	C557
Transport mode at border	R	n..2	18	
Identity of means of transport at departure (exp/trans)	D	an..27		C005 R838
Identity of means of transport at departure LNG	O	a2	12	TR0099
Identity of means of transport crossing border	O	an..27		R838
Identity of means of transport crossing border LNG	O	a2	12	TR0099
Nationality of means of transport crossing border	D	a2	8	C010
Type of means of transport crossing border	O	n..2	18	
Containerised indicator	R	n1	27	R230
Acceptance date	R	n8		
Issuing date	R	n8		
Dialog language indicator at departure	O	a2	12	R100
ECS accompanying document language code	R	a2	12	
Total number of items	R	n..5		
Total number of packages	O	n..7		R105 R830
Total gross mass	D	n..11,3		R832
Declaration date	R	n8		
Declaration place	R	an..35		
Declaration place LNG	O	a2	12	TR0099
Specific Circumstance Indicator	O	a1	96	R839
Transport charges/ Method of Payment	O	a1	116	
Commercial Reference Number	D	an..70		R876

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE599	

Exit date	R	n8		
Grand total taxes amount	D	n..15,2		C560 R021
Type of declaration (Box 1.2)	R	a1	87	
Additional Declaration Date	O	n8		
TIR Follows	O	a1	27	
Financial and Banking Information	O	an..35		
Manual Entry Number	O	an..6		
Manual Entry Year	O	an4		
Loading Place	O	an..80		
<b>-----LOADING DETAILS</b>				
Loading Beginning Date and Time	O	n12		
Loading Ending Date and Time	O	n12		
<b>---(EXPORTER) TRADER</b>				
Name	R	an..35		
Street and number	R	an..35		
Postal code	R	an..9		
City	R	an..35		
Country code	R	a2	8	
NAD LNG	O	a2	12	TR0099
TIN	R	an..17		
Special Mention	D	an5		
<b>---(CONSIGNEE) TRADER</b>				
Name	R	an..35		
Street and number	R	an..35		
Postal code	R	an..9		
City	R	an..35		
Country code	R	a2	8	
NAD LNG	O	a2	12	TR0099
TIN	O	an..17		
Special Mention	D	an5		
<b>---(EXPORT) CUSTOMS OFFICE</b>				
Reference number	R	an8		
<b>---(EXIT) CUSTOMS OFFICE</b>				
Reference number	R	an8		
<b>---CONTROL RESULT</b>				
Control result code	R	an2	47	
Date limit	R	n8		
<b>---SEALS INFO</b>				
Seals number	R	n..4		
<b>-----SEALS ID</b>				
Seals identity	R	an..20		
Seals identity LNG	O	a2	12	TR0099
<b>---GOODS ITEM</b>				
Item number	R	n..5		R005 R007
Goods description	R	an..280		
Goods description LNG	O	a2	12	TR0099
Gross mass	O	n..11,3		R832
Net mass	R	n..11,3		
Country of dispatch/export code	D	a2	8	C578 TR9120
Country of destination code	D	a2	8	C568 TR9120 TR9121



<b>Message Specifications for EXPORT</b>	<b>ALIGNED TO DDNA KEL Draft Version</b>
<b>REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2</b>	
<b>Appendix Q2: Technical Message Structure</b>	
<b>5. Message Structure for: IE599</b>	

Transport charges/ Method of Payment	D	a1	116	C576 TR9120
Procedure requested	R	an2	92	
Previous Procedure	R	an2	93	
Community / National Procedure	O	an3	102	
Statistical value currency	O	a3	IE_GR CL10504	R873
Statistical value amount	D	n..15,2		C028 R021
Country of Origin	O	a2	8	R871
Dispatch / Production Region	O	an..2		
Supplementary units	O	n..11,3		R872
Total item taxes amount	D	n..15,2		C559 R021
Commercial Reference Number	D	an..70		R876
UN dangerous goods code	O	an4	101	
Identity of means of transport at departure (exp/trans)	O	an..27		
Identity of means of transport at departure LNG	O	a2	12	
Identity of means of transport crossing border	O	an..27		
Identity of means of transport crossing border LNG	O	a2	12	
Nationality of means of transport crossing border	O	a2	8	
Type of means of transport crossing border	O	n..2		
Procedure requested End Date	O	n8		

#### -----PREVIOUS ADMINISTRATIVE REFERENCES

Previous document type	R	an..6	14	R079 R893
Previous document reference	R	an..35		R893
Previous document reference LNG	O	a2	12	TR0099
Previous Document Category	R	a1	103	
Previous document MRN	O	an..18		
Previous document item number	O	n..5		
Previous document Quantity	O	n..11,3		
Previous document Supplementary units	O	n..11		
Previous document Summary Declaration Packages	O	an..10		
Previous document Bill of Lading Type	O	an..2		
Previous document Bill of Lading Number	O	an..70		

#### -----PRODUCED DOCUMENTS/CERTIFICATES

Document type	R	an..4	13	R079
Document reference	R	an..35		
Document reference LNG	O	a2	12	TR0099
Document Information	O	an..35		
Document Information LNG	O	a2	12	

#### -----SPECIAL MENTIONS

Additional information coded	R	an..5	39	
Text	O	an..70		
Text LNG	O	a2	12	TR0099

#### ----- (EXPORTER) TRADER

Name	R	an..35		
Street and number	R	an..35		
Postal code	R	an..9		
City	R	an..35		
Country code	R	a2	8	
NAD LNG	O	a2	12	TR0099
TIN	R	an..17		

#### ----- (CODE) COMMODITY

Combined Nomenclature	R	an..8		TR1008
TARIC code	R	an2		R868

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE599	

TARIC first additional code	R	an4		R869
TARIC second additional code	R	an4		R869
National additional code	O	an4		
<b>----- (TAXES) CALCULATION</b>				
Type of tax	R	an3	98	
Tax base	R	n..15,2		R021
Rate of tax	R	an..15		
Amount of tax	R	n..15,2		R021
Method of payment	R	a1	104	
<b>----- (CONSIGNEE) TRADER</b>				
Name	R	an..35		
Street and number	R	an..35		
Postal code	R	an..9		
City	R	an..35		
Country code	R	a2	8	
NAD LNG	O	a2	12	TR0099
TIN	O	an..17		
<b>----- CONTAINERS</b>				
Container number	R	an..17		
<b>----- PACKAGES</b>				
Marks & numbers of packages	D	an..42		C060
Marks & numbers of packages LNG	O	a2	12	TR0099
Kind of packages	R	an..3	17	
Number of packages	D	n..5		C060 R021 TR0022
Number of pieces	D	n..5		C060
<b>----- GRN</b>				
GRN Number	O	an..24		
<b>----- VEHICLE DETAILS</b>				
Frame Number	O	an..17		
Car Warehouse Number	O	an..16		
<b>----- NATIONAL PRODUCTS</b>				
Warehouse Number	O	an..16		
Product ID	O	an10		
Product Quantity	O	n..11,3		
<b>----- BASE PRODUCTS</b>				
Base Product Commodity Code	O	an10		
Base Product Additional Code	O	an4		
Base Product Quantity	O	n..11,3		
<b>--- ITINERARY</b>				
Country of routing code	R	a2	8	
<b>--- (DECLARANT) TRADER</b>				
Name	O	an..35		
Street and number	O	an..35		
Postal code	O	an..9		
City	O	an..35		
Country code	O	a2	8	
NAD LNG	O	a2	12	TR0099
TIN	R	an..17		
Special Mention	D	an5		
<b>--- (TERMS) DELIVERY</b>				
Incoterm Code	R	a3	90	
Complementary code	O	n1	86	

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE599	

Complement of info	R	an..35		
Complement of info LNG	O	a2	12	TR0099
<b>---(DATA) TRANSACTION</b>				
Currency	O	an..3	48	R874
Total amount invoiced	O	n..15,2		R021 R867
Exchange rate	D	n..6,5		C556
Nature of transaction code	O	n..2	91	R867
Nature of second transaction code	O	n..2	91	
<b>---(PAYMENT) DEFERRED OR POSTPONED</b>				
Authorisation Reference	R	an..35		
<b>---(WAREHOUSE) IDENTIFICATION</b>				
Warehouse type	R	a1	99	
Authorizing country	R	a2	8	
Warehouse identification	R	an..14		
<b>---VAT OR EXCISE OR CAP OR OTHER AUTHORITIES OR OTHERS</b>				
ID number	O	an..17		
Name	R	an..35		
Street and number	R	an..35		
Country code	R	a2	8	
Postal code	R	an..9		
City	R	an..35		
NAD LNG	O	a2	12	TR0099
<b>---(STATUS) REPRESENTATIVE</b>				
Representative status code	R	n1	94	

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE601	

## 5. Message Structure for: IE601

IE601	(CD601A)	EXS	(C_EXS_SND)
-------	----------	-----	-------------

MESSAGE	1x	R	
---HEADER	1x	R	
---(CONSIGNOR) TRADER	1x	O	R010 R804
---(CONSIGNEE) TRADER	1x	O	R011
---(EXIT) CUSTOMS OFFICE	1x	R	
---GOODS ITEM	999x	R	
-----PRODUCED DOCUMENTS/CERTIFICATES	99x	D	C567
----- (CONSIGNOR) TRADER	1x	O	R010
----- (CODE) COMMODITY	1x	D	C585
----- (CONSIGNEE) TRADER	1x	O	R011
-----CONTAINERS	99x	O	
-----PACKAGES	99x	D	C577
---ITINERARY	99x	D	C570 R879
---RISK ANALYSIS	999x	O	R819
---(LODGEMENT) CUSTOMS OFFICE	1x	R	
---(REPRESENTATIVE) TRADER	1x	O	R857
---(LODGING SUMMARY DECLARATION) PERSON	1x	R	
---SEALS ID	9999x	O	

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE601	

## MESSAGE

Syntax identifier	R	a4	21	
Syntax version number	R	n1	22	
Message sender	R	an..35		
Sender identification code qualifier	O	an..4		
Message recipient	R	an..35		
Recipient identification code qualifier	O	an..4		
Date of preparation	R	n6		
Time of preparation	R	n4		
Interchange control reference	R	an..14		
Recipient's reference/password	O	an..14		
Recipient's reference/password qualifier	O	an2		
Application reference	O	an..14		
Priority	O	a1		
Acknowledgement request	O	n1	27	
Communications agreement id	O	an..35		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Common access reference	O	an..35		

## ---HEADER

Reference number	R	an..22		
Document/reference number	R	an..21		
Customs sub place	O	an..17		R880
Total number of items	R	n..5		
Total number of packages	O	n..7		R105
Total gross mass	D	n..11,3		C581
Arrival agreed Location code	O	an..17		R880
Arrival agreed Location of goods	O	an..35		R880
Arrival agreed Location of goods LNG	O	a2	12	TR0099
Declaration date	R	n8		
Declaration place	R	an..35		
Declaration place LNG	O	a2	12	TR0099
Declaration submitted time	R	n12		R660
Specific Circumstance Indicator	O	a1	96	R839
Transport charges/ Method of Payment	O	a1	116	
Commercial Reference Number	D	an..70		C567 R876
Declaration registration date	R	n8		

## ---(CONSIGNOR) TRADER

Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	8	C501
NAD LNG	O	a2	12	TR0099
TIN	D	an..17		C562

## ---(CONSIGNEE) TRADER

Name	R	an..35		
Street and number	R	an..35		
Postal code	R	an..9		
City	R	an..35		
Country code	R	a2	8	
NAD LNG	O	a2	12	TR0099
TIN	O	an..17		

## ---(EXIT) CUSTOMS OFFICE

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE601	

Reference number	R	an8		
<b>---GOODS ITEM</b>				
Item number	R	n..5		R005 R007
Goods description	O	an..280		
Goods description LNG	O	a2	12	TR0099
Gross mass	D	n..11,3		C580
Transport charges/ Method of Payment	D	a1	116	C576 TR9120
Commercial Reference Number	D	an..70		C567 R876
UN dangerous goods code	O	an4	101	
<b>-----PRODUCED DOCUMENTS/CERTIFICATES</b>				
Document type	R	an..4	13	
Document reference	R	an..35		
Document reference LNG	O	a2	12	TR0099
<b>----- (CONSIGNOR) TRADER</b>				
Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	8	C501
NAD LNG	O	a2	12	TR0099
TIN	D	an..17		C562
<b>----- (CODE) COMMODITY</b>				
Combined Nomenclature	R	an..8		R881
<b>----- (CONSIGNEE) TRADER</b>				
Name	R	an..35		
Street and number	R	an..35		
Postal code	R	an..9		
City	R	an..35		
Country code	R	a2	8	
NAD LNG	O	a2	12	TR0099
TIN	O	an..17		
<b>-----CONTAINERS</b>				
Container number	R	an..17		
<b>-----PACKAGES</b>				
Marks & numbers of packages	O	an..42		
Marks & numbers of packages LNG	O	a2	12	TR0099
Kind of packages	R	an..3	17	
Number of packages	D	n..5		C061 R021 TR0022
Number of pieces	D	n..5		C061
<b>---ITINERARY</b>				
Country of routing code	R	a2	8	
<b>---RISK ANALYSIS</b>				
Item Number involved	O	n..5		R824 R875
Risk Analysis result code	R	an..5		
Risk Analysis text	O	an..350		
Risk Analysis LNG	O	a2	12	TR0099
<b>---(LODGEMENT) CUSTOMS OFFICE</b>				
Reference number	R	an8		
<b>---(REPRESENTATIVE) TRADER</b>				
Name	O	an..35		

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE601	

Street and number	O	an..35		
Postal code	O	an..9		
City	O	an..35		
Country code	O	a2	8	
NAD LNG	O	a2	12	TR0099
TIN	R	an..17		R837
<b>---(LODGING SUMMARY DECLARATION) PERSON</b>				
Name	O	an..35		
Street and number	O	an..35		
Postal code	O	an..9		
City	O	an..35		
Country code	O	a2	8	
NAD LNG	O	a2	12	TR0099
TIN	R	an..17		R837
<b>---SEALS ID</b>				
Seals identity	R	an..35		
Seals identity LNG	O	a2	12	TR0099

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE603	

## 5. Message Structure for: IE603

IE603	(CD603A)	EXIT SUMMARY DECLARATION RESPONSE	(C_EXS_RSP)
-------	----------	-----------------------------------	-------------

MESSAGE	1x	R	
---HEADER	1x	R	
---(CONSIGNOR) TRADER	1x	D	R010 R804 TR0201
---(CONSIGNEE) TRADER	1x	D	R011 TR0201
---(ACTUAL EXIT) CUSTOMS OFFICE	1x	R	
---(EXIT) CUSTOMS OFFICE	1x	D	TR0200
---GOODS ITEM	999x	D	TR0200
-----PRODUCED DOCUMENTS/CERTIFICATES	99x	D	C567
----- (CONSIGNOR) TRADER	1x	O	R010
----- (CODE) COMMODITY	1x	D	C585
----- (CONSIGNEE) TRADER	1x	O	R011
-----CONTAINERS	99x	O	
-----PACKAGES	99x	D	C577
---ITINERARY	99x	D	C570 R879 TR0201
---RISK ANALYSIS	999x	D	R819 TR0201
---(LODGEMENT) CUSTOMS OFFICE	1x	D	TR0218
---(REPRESENTATIVE) TRADER	1x	D	R857 TR0201
---(LODGING SUMMARY DECLARATION) PERSON	1x	D	TR0200
---SEALS ID	9999x	D	TR0201



Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE603	

## MESSAGE

Syntax identifier	R	a4	21	
Syntax version number	R	n1	22	
Message sender	R	an..35		
Sender identification code qualifier	O	an..4		
Message recipient	R	an..35		
Recipient identification code qualifier	O	an..4		
Date of preparation	R	n6		
Time of preparation	R	n4		
Interchange control reference	R	an..14		
Recipient's reference/password	O	an..14		
Recipient's reference/password qualifier	O	an2		
Application reference	O	an..14		
Priority	O	a1		
Acknowledgement request	O	n1	27	
Communications agreement id	O	an..35		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Common access reference	O	an..35		

## ---HEADER

Reference number	D	an..22		TR0200
Document/reference number	R	an..21		
Customs sub place	D	an..17		R880 TR0201
Total number of items	D	n..5		TR0200
Total number of packages	D	n..7		R105 TR0201
Total gross mass	D	n..11,3		C581 TR0201
Arrival agreed Location code	D	an..17		R880 TR0201
Arrival agreed Location of goods	D	an..35		R880 TR0201
Arrival agreed Location of goods LNG	O	a2	12	TR0099
Declaration date	D	n8		TR0200
Declaration place	D	an..35		TR0200
Declaration place LNG	O	a2	12	TR0099
Declaration submitted time	D	n12		R660 TR0200
Specific Circumstance Indicator	D	a1	96	R839 TR0201
Transport charges/ Method of Payment	D	a1	116	TR0201
Commercial Reference Number	D	an..70		C567 R876 TR0201
Declaration registration date	D	n8		TR0200
Summary Declaration rejection reason code	D	n..2	97	TR0202 TR0218
Summary Declaration rejection reason	D	an..350		C305 TR0203 TR0218
Summary Declaration rejection reason LNG	O	a2	12	TR0099

## ---(CONSIGNOR) TRADER

Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	8	C501
NAD LNG	O	a2	12	TR0099

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE603	

TIN	D	an..17	C562
<b>---(CONSIGNEE) TRADER</b>			
Name	R	an..35	
Street and number	R	an..35	
Postal code	R	an..9	
City	R	an..35	
Country code	R	a2	8
NAD LNG	O	a2	12 TR0099
TIN	O	an..17	
<b>---(ACTUAL EXIT) CUSTOMS OFFICE</b>			
Reference number	R	an8	
<b>---(EXIT) CUSTOMS OFFICE</b>			
Reference number	R	an8	
<b>---GOODS ITEM</b>			
Item number	R	n..5	R005 R007
Goods description	O	an..280	
Goods description LNG	O	a2	12 TR0099
Gross mass	D	n..11,3	C580
Transport charges/ Method of Payment	D	a1	116 C576 TR9120
Commercial Reference Number	D	an..70	C567 R876
UN dangerous goods code	O	an4	101
<b>-----PRODUCED DOCUMENTS/CERTIFICATES</b>			
Document type	R	an..4	13
Document reference	R	an..35	
Document reference LNG	O	a2	12 TR0099
<b>----- (CONSIGNOR) TRADER</b>			
Name	D	an..35	C501
Street and number	D	an..35	C501
Postal code	D	an..9	C501
City	D	an..35	C501
Country code	D	a2	8 C501
NAD LNG	O	a2	12 TR0099
TIN	D	an..17	C562
<b>----- (CODE) COMMODITY</b>			
Combined Nomenclature	R	an..8	R881
<b>----- (CONSIGNEE) TRADER</b>			
Name	R	an..35	
Street and number	R	an..35	
Postal code	R	an..9	
City	R	an..35	
Country code	R	a2	8
NAD LNG	O	a2	12 TR0099
TIN	O	an..17	
<b>-----CONTAINERS</b>			
Container number	R	an..17	
<b>-----PACKAGES</b>			
Marks & numbers of packages	O	an..42	
Marks & numbers of packages LNG	O	a2	12 TR0099
Kind of packages	R	an..3	17
Number of packages	D	n..5	C061 R021 TR0022
Number of pieces	D	n..5	C061

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE603	

### ---ITINERARY

Country of routing code R a2 8

### ---RISK ANALYSIS

Item Number involved O n..5 R824  
R875

Risk Analysis result code R an..5

Risk Analysis text O an..350

Risk Analysis LNG O a2 12 TR0099

### ---(LODGEMENT) CUSTOMS OFFICE

Reference number R an8

### ---(REPRESENTATIVE) TRADER

Name O an..35

Street and number O an..35

Postal code O an..9

City O an..35

Country code O a2 8

NAD LNG O a2 12 TR0099

TIN R an..17 R837

### ---(LODGING SUMMARY DECLARATION) PERSON

Name O an..35

Street and number O an..35

Postal code O an..9

City O an..35

Country code O a2 8

NAD LNG O a2 12 TR0099

TIN R an..17 R837

### ---SEALS ID

Seals identity R an..35

Seals identity LNG O a2 12 TR0099

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE604	

### 5. Message Structure for: IE604

IE604	(CC604A)	EXIT SUMMARY DECLARATION AMENDMENT ACCEPTANCE	(E_EXS_AAC)	
MESSAGE		1x	R	
---HEADER		1x	R	
---(ACTUAL EXIT) CUSTOMS OFFICE		1x	R	
---(REPRESENTATIVE) TRADER		1x	D	C552
---(LODGING SUMMARY DECLARATION) PERSON		1x	D	C552

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE604	

## MESSAGE

Syntax identifier	R	a4	21	
Syntax version number	R	n1	22	
Message sender	R	an..35		
Sender identification code qualifier	O	an..4		
Message recipient	R	an..35		
Recipient identification code qualifier	O	an..4		
Date of preparation	R	n6		
Time of preparation	R	n4		
Interchange control reference	R	an..14		
Recipient's reference/password	O	an..14		
Recipient's reference/password qualifier	O	an2		
Application reference	O	an..14		
Priority	O	a1		
Acknowledgement request	O	n1	27	
Communications agreement id	O	an..35		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Common access reference	O	an..35		

## ---HEADER

Document/reference number	R	an..21		
Date of amendment	R	n8		
Amendment acceptance date	R	n8		

## ---(ACTUAL EXIT) CUSTOMS OFFICE

Reference number	R	an8		
------------------	---	-----	--	--

## ---(REPRESENTATIVE) TRADER

Name	O	an..35		
Street and number	O	an..35		
Postal code	O	an..9		
City	O	an..35		
Country code	O	a2	8	
NAD LNG	O	a2	12	TR0099
TIN	R	an..17		R837

## ---(LODGING SUMMARY DECLARATION) PERSON

Name	O	an..35		
Street and number	O	an..35		
Postal code	O	an..9		
City	O	an..35		
Country code	O	a2	8	
NAD LNG	O	a2	12	TR0099
TIN	R	an..17		R837

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE605	

### 5. Message Structure for: IE605

IE605	(CC605A)	EXIT SUMMARY DECLARATION AMENDMENT REJECTION	(E_EXS_ARJ)
-------	----------	---	-------------

MESSAGE	1x	R	
---HEADER	1x	R	
---(ACTUAL EXIT) CUSTOMS OFFICE	1x	D	C124
---FUNCTIONAL ERROR	999x	D	R123
---(REPRESENTATIVE) TRADER	1x	D	C553
---(LODGING SUMMARY DECLARATION) PERSON	1x	D	C553

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE605	

## MESSAGE

Syntax identifier	R	a4	21	
Syntax version number	R	n1	22	
Message sender	R	an..35		
Sender identification code qualifier	O	an..4		
Message recipient	R	an..35		
Recipient identification code qualifier	O	an..4		
Date of preparation	R	n6		
Time of preparation	R	n4		
Interchange control reference	R	an..14		
Recipient's reference/password	O	an..14		
Recipient's reference/password qualifier	O	an2		
Application reference	O	an..14		
Priority	O	a1		
Acknowledgement request	O	n1	27	
Communications agreement id	O	an..35		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Common access reference	O	an..35		

## ---HEADER

Document/reference number	D	an..21		C124
Date of amendment	D	n8		C124
Amendment rejection date	R	n8		
Amendment rejection motivation code	D	n1	45	C124
Amendment rejection motivation text	D	an..350		C310
Amendment rejection motivation text LNG	O	a2	12	TR0099

## ---(ACTUAL EXIT) CUSTOMS OFFICE

Reference number	R	an8		
------------------	---	-----	--	--

## ---FUNCTIONAL ERROR

Error type	R	n2	49	
Error pointer	R	an..210		
Error reason	O	an..6		
Original attribute value	O	an..140		
Error description	O	an..350		

## ---(REPRESENTATIVE) TRADER

Name	O	an..35		
Street and number	O	an..35		
Postal code	O	an..9		
City	O	an..35		
Country code	O	a2	8	
NAD LNG	O	a2	12	TR0099
TIN	R	an..17		R837

## ---(LODGING SUMMARY DECLARATION) PERSON

Name	O	an..35		
Street and number	O	an..35		
Postal code	O	an..9		
City	O	an..35		
Country code	O	a2	8	
NAD LNG	O	a2	12	TR0099
TIN	R	an..17		R837

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE613	

## 5. Message Structure for: IE613

IE613	(CC613A)	EXIT SUMMARY DECLARATION AMENDMENT	(E_EXS_AMD)
-------	----------	------------------------------------	-------------

MESSAGE	1x	R	
---HEADER	1x	R	
---(CONSIGNOR) TRADER	1x	O	R010 R804
---(CONSIGNEE) TRADER	1x	O	R011
---(EXIT) CUSTOMS OFFICE	1x	R	R853
---GOODS ITEM	999x	R	
-----PREVIOUS ADMINISTRATIVE REFERENCES	9x	O	
-----PRODUCED DOCUMENTS/CERTIFICATES	99x	D	C567
----- (CONSIGNOR) TRADER	1x	O	R010
----- (CODE) COMMODITY	1x	D	C585
----- (CONSIGNEE) TRADER	1x	O	R011
-----CONTAINERS	99x	O	
-----PACKAGES	99x	D	C577
---ITINERARY	99x	D	C570 R879
---(LODGEMENT) CUSTOMS OFFICE	1x	R	
---(REPRESENTATIVE) TRADER	1x	O	R857 R870
---(LODGING SUMMARY DECLARATION) PERSON	1x	R	R856
---SEALS ID	9999x	O	



Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE613	

## MESSAGE

Syntax identifier	R	a4	21	
Syntax version number	R	n1	22	
Message sender	R	an..35		
Sender identification code qualifier	O	an..4		
Message recipient	R	an..35		
Recipient identification code qualifier	O	an..4		
Date of preparation	R	n6		
Time of preparation	R	n4		
Interchange control reference	R	an..14		
Recipient's reference/password	O	an..14		
Recipient's reference/password qualifier	O	an2		
Application reference	O	an..14		
Priority	O	a1		
Acknowledgement request	O	n1	27	
Communications agreement id	O	an..35		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Common access reference	O	an..35		

## ---HEADER

Document/reference number	R	an..21		
Customs sub place	O	an..17		R880
Total number of items	R	n..5		
Total number of packages	O	n..7		R105
Total gross mass	D	n..11,3		C581
Arrival agreed Location code	O	an..17		R880
Arrival agreed Location of goods	O	an..35		R880
Arrival agreed Location of goods LNG	O	a2	12	TR0099
Declaration date	R	n8		
Declaration place	R	an..35		
Declaration place LNG	O	a2	12	TR0099
Specific Circumstance Indicator	O	a1	96	R839
Transport charges/ Method of Payment	O	a1	116	
Commercial Reference Number	D	an..70		C567 R876

## ---(CONSIGNOR) TRADER

Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	8	C501
NAD LNG	O	a2	12	TR0099
TIN	D	an..17		C562

## ---(CONSIGNEE) TRADER

Name	R	an..35		
Street and number	R	an..35		
Postal code	R	an..9		
City	R	an..35		
Country code	R	a2	8	
NAD LNG	O	a2	12	TR0099
TIN	O	an..17		

## ---(EXIT) CUSTOMS OFFICE

Reference number	R	an8		
------------------	---	-----	--	--

## ---GOODS ITEM

<b>Message Specifications for EXPORT</b>	<b>ALIGNED TO DDNA KEL Draft Version</b>
<b>REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2</b>	
<b>Appendix Q2: Technical Message Structure</b>	
<b>5. Message Structure for: IE613</b>	

Item number	R	n..5		R005 R007
Goods description	O	an..280		
Goods description LNG	O	a2	12	TR0099
Gross mass	D	n..11,3		C580
Transport charges/ Method of Payment	D	a1	116	C576 TR9120
Commercial Reference Number	R	an..70		C567 R876
UN dangerous goods code	O	an4	101	
<b>-----PREVIOUS ADMINISTRATIVE REFERENCES</b>				
Previous document type	R	an..6	14	
Previous document reference	R	an..35		
Previous document reference LNG	O	a2	12	
Previous Document Category	R	a1	103	
<b>-----PRODUCED DOCUMENTS/CERTIFICATES</b>				
Document type	R	an..4	13	
Document reference	R	an..35		
Document reference LNG	O	a2	12	TR0099
<b>-----((CONSIGNOR) TRADER</b>				
Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	8	C501
NAD LNG	O	a2	12	TR0099
TIN	D	an..17		C562
<b>-----((CODE) COMMODITY</b>				
Combined Nomenclature	R	an..8		R881
<b>-----((CONSIGNEE) TRADER</b>				
Name	R	an..35		
Street and number	R	an..35		
Postal code	R	an..9		
City	R	an..35		
Country code	R	a2	8	
NAD LNG	O	a2	12	TR0099
TIN	O	an..17		
<b>-----CONTAINERS</b>				
Container number	R	an..17		
<b>-----PACKAGES</b>				
Marks & numbers of packages	D	an..42		
Marks & numbers of packages LNG	O	a2	12	TR0099
Kind of packages	R	an..3	17	
Number of packages	D	n..5		C061 R021 TR0022
Number of pieces	D	n..5		C061
<b>---ITINERARY</b>				
Country of routing code	R	a2	8	
<b>---((LODGEMENT) CUSTOMS OFFICE</b>				
Reference number	R	an8		
<b>---((REPRESENTATIVE) TRADER</b>				
Name	O	an..35		
Street and number	O	an..35		
Postal code	O	an..9		
City	O	an..35		

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE613	

Country code	O	a2	8	
NAD LNG	O	a2	12	TR0099
TIN	R	an..17		R837
---(LODGING SUMMARY DECLARATION) PERSON				
Name	O	an..35		
Street and number	O	an..35		
Postal code	O	an..9		
City	O	an..35		
Country code	O	a2	8	
NAD LNG	O	a2	12	TR0099
TIN	R	an..17		R837
---SEALS ID				
Seals identity	R	an..35		
Seals identity LNG	O	a2	12	TR0099

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE615	

## 5. Message Structure for: IE615

IE615	(CC615A)	EXIT SUMMARY DECLARATION	(E_EXS_DAT)
-------	----------	--------------------------	-------------

MESSAGE	1x	R	
---HEADER	1x	R	
---(CONSIGNOR) TRADER	1x	O	R010 R804
---(CONSIGNEE) TRADER	1x	O	R011
---(EXIT) CUSTOMS OFFICE	1x	R	
---GOODS ITEM	999x	R	
-----PREVIOUS ADMINISTRATIVE REFERENCES	9x	O	
-----PRODUCED DOCUMENTS/CERTIFICATES	99x	D	C567
----- (CONSIGNOR) TRADER	1x	O	R010
----- (CODE) COMMODITY	1x	D	C585
----- (CONSIGNEE) TRADER	1x	O	R011
-----CONTAINERS	99x	O	
-----PACKAGES	99x	D	C577
---ITINERARY	99x	D	C570 R879
---(LODGEMENT) CUSTOMS OFFICE	1x	R	
---(REPRESENTATIVE) TRADER	1x	O	R857
---(LODGING SUMMARY DECLARATION) PERSON	1x	R	
---SEALS ID	9999x	O	

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE615	

## MESSAGE

Syntax identifier	R	a4	21	
Syntax version number	R	n1	22	
Message sender	R	an..35		
Sender identification code qualifier	O	an..4		
Message recipient	R	an..35		
Recipient identification code qualifier	O	an..4		
Date of preparation	R	n6		
Time of preparation	R	n4		
Interchange control reference	R	an..14		
Recipient's reference/password	O	an..14		
Recipient's reference/password qualifier	O	an2		
Application reference	O	an..14		
Priority	O	a1		
Acknowledgement request	O	n1	27	
Communications agreement id	O	an..35		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Common access reference	O	an..35		

## ---HEADER

Reference number	R	an..22		
Customs sub place	O	an..17		R880
Total number of items	R	n..5		
Total number of packages	O	n..7		R105
Total gross mass	D	n..11,3		C581
Arrival agreed Location code	O	an..17		R880
Arrival agreed Location of goods	O	an..35		R880
Arrival agreed Location of goods LNG	O	a2	12	TR0099
Declaration date	R	n8		
Declaration place	R	an..35		
Declaration place LNG	O	a2	12	TR0099
Specific Circumstance Indicator	O	a1	96	R839
Transport charges/ Method of Payment	O	a1	116	
Commercial Reference Number	D	an..70		C567 R876

## ---(CONSIGNOR) TRADER

Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	8	C501
NAD LNG	O	a2	12	TR0099
TIN	D	an..17		C562

## ---(CONSIGNEE) TRADER

Name	R	an..35		
Street and number	R	an..35		
Postal code	R	an..9		
City	R	an..35		
Country code	R	a2	8	
NAD LNG	O	a2	12	TR0099
TIN	O	an..17		

## ---(EXIT) CUSTOMS OFFICE

Reference number	R	an8		
------------------	---	-----	--	--

## ---GOODS ITEM

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE615	

Item number	R	n..5		R005 R007
Goods description	O	an..280		
Goods description LNG	O	a2	12	TR0099
Gross mass	D	n..11,3		C580
Transport charges/ Method of Payment	D	a1	116	C576 TR9120
Commercial Reference Number	D	an..70		C567 R876
UN dangerous goods code	O	an4	101	
<b>-----PREVIOUS ADMINISTRATIVE REFERENCES</b>				
Previous document type	R	an..6	14	
Previous document reference	R	an..35		
Previous document reference LNG	O	a2	12	
Previous Document Category	R	a1	103	
<b>-----PRODUCED DOCUMENTS/CERTIFICATES</b>				
Document type	R	an..4	13	
Document reference	R	an..35		
Document reference LNG	O	a2	12	TR0099
<b>-----((CONSIGNOR) TRADER</b>				
Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	8	C501
NAD LNG	O	a2	12	TR0099
TIN	D	an..17		C562
<b>-----((CODE) COMMODITY</b>				
Combined Nomenclature	R	an..8		R881
<b>-----((CONSIGNEE) TRADER</b>				
Name	R	an..35		
Street and number	R	an..35		
Postal code	R	an..9		
City	R	an..35		
Country code	R	a2	8	
NAD LNG	O	a2	12	TR0099
TIN	O	an..17		
<b>-----CONTAINERS</b>				
Container number	R	an..17		
<b>-----PACKAGES</b>				
Marks & numbers of packages	O	an..42		
Marks & numbers of packages LNG	O	a2	12	TR0099
Kind of packages	R	an..3	17	
Number of packages	D	n..5		C061 R021 TR0022
Number of pieces	D	n..5		C061
<b>---ITINERARY</b>				
Country of routing code	R	a2	8	
<b>---((LODGEMENT) CUSTOMS OFFICE</b>				
Reference number	R	an8		
<b>---((REPRESENTATIVE) TRADER</b>				
Name	O	an..35		
Street and number	O	an..35		
Postal code	O	an..9		
City	O	an..35		

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE615	

Country code	O	a2	8	
NAD LNG	O	a2	12	TR0099
TIN	R	an..17		R837
---(LODGING SUMMARY DECLARATION) PERSON				
Name	O	an..35		
Street and number	O	an..35		
Postal code	O	an..9		
City	O	an..35		
Country code	O	a2	8	
NAD LNG	O	a2	12	TR0099
TIN	R	an..17		R837
---SEALS ID				
Seals identity	R	an..35		
Seals identity LNG	O	a2	12	TR0099

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE616	

5. Message Structure for: IE616

IE616	(CC616A)	EXIT SUMMARY DECLARATION REJECTED	(E_EXS_REJ)		
MESSAGE			1x	R	
---HEADER			1x	R	
---FUNCTIONAL ERROR			999x	D	R123



Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE616	

## MESSAGE

Syntax identifier	R	a4	21	
Syntax version number	R	n1	22	
Message sender	R	an..35		
Sender identification code qualifier	O	an..4		
Message recipient	R	an..35		
Recipient identification code qualifier	O	an..4		
Date of preparation	R	n6		
Time of preparation	R	n4		
Interchange control reference	R	an..14		
Recipient's reference/password	O	an..14		
Recipient's reference/password qualifier	O	an2		
Application reference	O	an..14		
Priority	O	a1		
Acknowledgement request	O	n1	27	
Communications agreement id	O	an..35		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Common access reference	O	an..35		

## ---HEADER

Reference number	R	an..22		
Declaration rejection date	R	n8		
Declaration rejection reason	O	an..350		
Declaration rejection reason LNG	O	a2	12	TR0099

## ---FUNCTIONAL ERROR

Error type	R	n2	49	
Error pointer	R	an..210		
Error reason	O	an..6		
Original attribute value	O	an..140		
Error description	O	an..350		

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE628	

### 5. Message Structure for: IE628

IE628	(CC628A)	EXIT SUMMARY DECLARATION ACKNOWLEDGEMENT	(E_EXS_ACK)
-------	----------	---	-------------

MESSAGE	1x	R
---HEADER	1x	R
---(LODGEMENT) CUSTOMS OFFICE	1x	R
---(LODGING SUMMARY DECLARATION) PERSON	1x	R

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE628	

## MESSAGE

Syntax identifier	R	a4	21	
Syntax version number	R	n1	22	
Message sender	R	an..35		
Sender identification code qualifier	O	an..4		
Message recipient	R	an..35		
Recipient identification code qualifier	O	an..4		
Date of preparation	R	n6		
Time of preparation	R	n4		
Interchange control reference	R	an..14		
Recipient's reference/password	O	an..14		
Recipient's reference/password qualifier	O	an2		
Application reference	O	an..14		
Priority	O	a1		
Acknowledgement request	O	n1	27	
Communications agreement id	O	an..35		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Common access reference	O	an..35		

## ---HEADER

Reference number	R	an..22		
Document/reference number	R	an..21		
Declaration registration date	R	n8		

## ---(LODGEMENT) CUSTOMS OFFICE

Reference number	R	an8		
------------------	---	-----	--	--

## ---(LODGING SUMMARY DECLARATION) PERSON

Name	O	an..35		
Street and number	O	an..35		
Postal code	O	an..9		
City	O	an..35		
Country code	O	a2	8	
NAD LNG	O	a2	12	TR0099
TIN	R	an..17		R837

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE901	

### 5. Message Structure for: IE901

IE901	(CD901B)	CANCELLATION ACKNOWLEDGEMENT	(C_CAN_ACK)
MESSAGE		1x	R
---HEADER		1x	R
---(DEPARTURE) CUSTOMS OFFICE		1x	D TR1011
---(EXPORT) CUSTOMS OFFICE		1x	D TR1009
---(TRANSIT DECLARED) CUSTOMS OFFICE		9x	D TR0904 TR1010
---(EXIT DECLARED) CUSTOMS OFFICE		1x	D TR1009
---(DESTINATION DECLARED) CUSTOMS OFFICE		1x	D TR0904 TR1010

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE901	

## MESSAGE

Syntax identifier	R	a4	21	
Syntax version number	R	n1	22	
Message sender	R	an..35		
Sender identification code qualifier	O	an..4		
Message recipient	R	an..35		
Recipient identification code qualifier	O	an..4		
Date of preparation	R	n6		
Time of preparation	R	n4		
Interchange control reference	R	an..14		
Recipient's reference/password	O	an..14		
Recipient's reference/password qualifier	O	an2		
Application reference	O	an..14		
Priority	O	a1		
Acknowledgement request	O	n1	27	
Communications agreement id	O	an..35		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Common access reference	O	an..35		

## ---HEADER

Document/reference number	R	an..21
Date of cancellation	R	n8

## ---(DEPARTURE) CUSTOMS OFFICE

Reference number	R	an8
------------------	---	-----

## ---(EXPORT) CUSTOMS OFFICE

Reference number	R	an8
------------------	---	-----

## ---(TRANSIT DECLARED) CUSTOMS OFFICE

Reference number	R	an8
------------------	---	-----

## ---(EXIT DECLARED) CUSTOMS OFFICE

Reference number	R	an8
------------------	---	-----

## ---(DESTINATION DECLARED) CUSTOMS OFFICE

Reference number	R	an8
------------------	---	-----

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE904	

5. Message Structure for: IE904

IE904	(CD904A)	STATUS REQUEST	(C_STD_REQ)
-------	----------	----------------	-------------

MESSAGE	1x	R
---HEADER	1x	R

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE904	

## MESSAGE

Syntax identifier	R	a4	21	
Syntax version number	R	n1	22	
Message sender	R	an..35		
Sender identification code qualifier	O	an..4		
Message recipient	R	an..35		
Recipient identification code qualifier	O	an..4		
Date of preparation	R	n6		
Time of preparation	R	n4		
Interchange control reference	R	an..14		
Recipient's reference/password	O	an..14		
Recipient's reference/password qualifier	O	an2		
Application reference	O	an..14		
Priority	O	a1		
Acknowledgement request	O	n1	27	
Communications agreement id	O	an..35		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Common access reference	O	an..35		
<b>---HEADER</b>				
Document/reference number	R	an..21		
Status	D	an3	58	

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE905	

## 5. Message Structure for: IE905

IE905	(CD905A)	STATUS RESPONSE	(C_STD_RSP)
-------	----------	-----------------	-------------

MESSAGE	1x	R
---HEADER	1x	R



Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE905	

## MESSAGE

Syntax identifier	R	a4	21	
Syntax version number	R	n1	22	
Message sender	R	an..35		
Sender identification code qualifier	O	an..4		
Message recipient	R	an..35		
Recipient identification code qualifier	O	an..4		
Date of preparation	R	n6		
Time of preparation	R	n4		
Interchange control reference	R	an..14		
Recipient's reference/password	O	an..14		
Recipient's reference/password qualifier	O	an2		
Application reference	O	an..14		
Priority	O	a1		
Acknowledgement request	O	n1	27	
Communications agreement id	O	an..35		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Common access reference	O	an..35		
<b>---HEADER</b>				
Document/reference number	R	an..21		
Status	R	an3	58	

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE906	

## 5. Message Structure for: IE906

IE906	(CD906A)	FUNCTIONAL NACK	(C_FUN_NCK)
-------	----------	-----------------	-------------

MESSAGE	1x	R	
---HEADER	1x	D	TR0104
---FUNCTIONAL ERROR	999x	R	

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE906	

## MESSAGE

Syntax identifier	R	a4	21	
Syntax version number	R	n1	22	
Message sender	R	an..35		
Sender identification code qualifier	O	an..4		
Message recipient	R	an..35		
Recipient identification code qualifier	O	an..4		
Date of preparation	R	n6		
Time of preparation	R	n4		
Interchange control reference	R	an..14		
Recipient's reference/password	O	an..14		
Recipient's reference/password qualifier	O	an2		
Application reference	O	an..14		
Priority	O	a1		
Acknowledgement request	O	n1	27	
Communications agreement id	O	an..35		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Common access reference	O	an..35		
Original message identification	R	an..14		

## ---HEADER

Document/reference number	R	an..21		TR9250
---------------------------	---	--------	--	--------

## ---FUNCTIONAL ERROR

Error type	R	n2	49	
Error pointer	R	an..210		
Error reason	O	an..6		
Original attribute value	O	an..140		TR9250

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE907	

5. Message Structure for: IE907

IE907	(CD907A)	EDIFACT NACK	(C_EDI_NCK)	
MESSAGE			1x	R
---INTERCHANGE ERRORS			1x	R
---MESSAGE ERRORS			99x	D
-----SEGMENT ERRORS			999x	D
-----DATA ELEMENT ERRORS			99x	D

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE907	

## MESSAGE

Syntax identifier	R	a4	21	
Syntax version number	R	n1	22	
Message sender	R	an..35		
Sender identification code qualifier	O	an..4		
Message recipient	R	an..35		
Recipient identification code qualifier	O	an..4		
Date of preparation	R	n6		
Time of preparation	R	n4		
Interchange control reference	R	an..14		
Recipient's reference/password	O	an..14		
Recipient's reference/password qualifier	O	an2		
Application reference	O	an..14		
Priority	O	a1		
Acknowledgement request	O	n1	27	
Communications agreement id	O	an..35		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Common access reference	O	an..35		

## ---INTERCHANGE ERRORS

Interchange control reference	R	an..14		TR9250
Message sender	R	an..35		TR9250
Message recipient	R	an..35		TR9250
Action taken by recipient	R	an..3	32	
Syntax error	D	n..2	23	TR0901
Interchange service segment	D	a3	33	TR0903
Position of erroneous data element	O	n..3		
Position of erroneous data component	O	n..3		

## ---MESSAGE ERRORS

Message identification	R	an..14		TR9250
Message type	R	an..6	1	
Message version	R	an..3	35	
Message release number	R	an..3	36	
Controlling agency	R	an..2	37	
Association assigned code	R	an..6		TR9250
Action taken by recipient	R	an..3	32	
Error	D	n..2	23	TR0901
Message service segment	D	a3	34	TR0903
Position of erroneous data element	O	n..3		
Position of erroneous data component	O	n..3		

## -----SEGMENT ERRORS

Segment position in message	R	n..6		
Error	D	n..2	23	TR0901

## -----DATA ELEMENT ERRORS

Error	R	n..2	23	TR0901
Position of erroneous data element	R	n..3		
Position of erroneous data component	O	n..3		

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE912	

## 5. Message Structure for: IE912

IE912	(CD912A)	AVAILABILITY MATRIX	(C_AVL_MTX)
-------	----------	---------------------	-------------

MESSAGE	1x	R
---COUNTRY	1x	R
-----UNAVAILABILITY MATRIX	1x	R
-----SYSTEM UNAVAILABILITY	99x	R

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE912	

## MESSAGE

Syntax identifier	R	a4	21	
Syntax version number	R	n1	22	
Message sender	R	an..35		
Sender identification code qualifier	O	an..4		
Message recipient	R	an..35		
Recipient identification code qualifier	O	an..4		
Date of preparation	R	n6		
Time of preparation	R	n4		
Interchange control reference	R	an..14		
Recipient's reference/password	O	an..14		
Recipient's reference/password qualifier	O	an2		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	

## ---COUNTRY

Country code	R	a2	8	
--------------	---	----	---	--

## -----UNAVAILABILITY MATRIX

Time from	R	n12		R660 TR0105 TR0107 TR9020
Time to	R	n12		R660 TR0105 TR9020

## -----SYSTEM UNAVAILABILITY

Business functionality	R	a1	68	
Downtime from	R	n12		R660 TR0105 TR0703 TR9020
System unavailability type	R	a1	79	TR9025
Downtime to	D	n12		C400 R660 TR0703 TR9020
Explanation	O	an..350		
Explanation LNG	O	a2	12	TR0099

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE913	

## 5. Message Structure for: IE913

IE913	(CD913A)	UPLOAD PARSING RESPONSE	(C_UPL_RSP)
-------	----------	-------------------------	-------------

MESSAGE	1x	R
---UPL RESPONSE	1x	R
---UPL ERROR	9999x	O



Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE913	

## MESSAGE

Syntax identifier	R	a4	21	
Syntax version number	R	n1	22	
Message sender	R	an..35		
Sender identification code qualifier	O	an..4		
Message recipient	R	an..35		
Recipient identification code qualifier	O	an..4		
Date of preparation	R	n6		
Time of preparation	R	n4		
Interchange control reference	R	an..14		
Recipient's reference/password	O	an..14		
Recipient's reference/password qualifier	O	an2		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	

## ---UPL RESPONSE

Original message identification	R	an..14		TR9006
Status	R	a..8		TR9007
Description	O	an..210		

## ---UPL ERROR

Action identification	R	an..20		TR9009
Attribute path	O	an..140		TR9010
Code	R	an..8		
Description	O	an..210		

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE914	

## 5. Message Structure for: IE914

IE914	(CD914A)	COL REQUEST	(C_COL_REQ)
-------	----------	-------------	-------------

MESSAGE	1x	R
---HEADER	1x	O

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE914	

## MESSAGE

Syntax identifier	R	a4	21	
Syntax version number	R	n1	22	
Message sender	R	an..35		
Sender identification code qualifier	O	an..4		
Message recipient	R	an..35		
Recipient identification code qualifier	O	an..4		
Date of preparation	R	n6		
Time of preparation	R	n4		
Interchange control reference	R	an..14		
Recipient's reference/password	O	an..14		
Recipient's reference/password qualifier	O	an2		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	

## ---HEADER

Period from date	O	n8		TR9080 TR9099 TR9115
Period to date	O	n8		TR9080 TR9099 TR9115
Extraction	O	n1	27	TR9099 TR9110

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE916	

## 5. Message Structure for: IE916

IE916	(CD916A)	COMMON RD REQUEST	(C_REF_REQ)
-------	----------	-------------------	-------------

MESSAGE	1x	R
---HEADER	1x	O

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE916	

## MESSAGE

Syntax identifier	R	a4	21	
Syntax version number	R	n1	22	
Message sender	R	an..35		
Sender identification code qualifier	O	an..4		
Message recipient	R	an..35		
Recipient identification code qualifier	O	an..4		
Date of preparation	R	n6		
Time of preparation	R	n4		
Interchange control reference	R	an..14		
Recipient's reference/password	O	an..14		
Recipient's reference/password qualifier	O	an2		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	

## ---HEADER

Period from date	O	n8		TR9080 TR9099 TR9115
Period to date	O	n8		TR9080 TR9099 TR9115
Extraction	O	n1	27	TR9099 TR9110

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE931	

## 5. Message Structure for: IE931

IE931	(CD931B)	COL DATA	(C_COL_DAT)
-------	----------	----------	-------------

MESSAGE	1x	R
---CUSTOMS OFFICE INFORMATION	99999x	O
-----ACTION	1x	R
------(DEDICATED) TRADER	99x	O
-----CUSTOMS OFFICE SPECIFIC NOTES	99x	O
-----CUSTOMS OFFICE LSD	9x	R
-----CUSTOMS OFFICE TIMETABLE	9x	O
-----CUSTOMS OFFICE TIMETABLE LINE	99x	R
-----CUSTOMS OFFICE ROLE / TRAFFIC COMPETENCE	99x	R
---COUNTRY/REGION	9999x	O
-----ACTION	1x	R
-----COUNTRY/REGION LSD	9x	R
-----COUNTRY/REGION HOLIDAYS	99x	O
-----COUNTRY/REGION HOLIDAYS LSD	9x	R
---COUNTRY HOLIDAYS	9999x	O
-----ACTION	1x	R
-----COUNTRY HOLIDAYS DATA	99x	R
-----COUNTRY HOLIDAYS DATA LSD	9x	R

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE931	

## MESSAGE

Syntax identifier	R	a4	21	
Syntax version number	R	n1	22	
Message sender	R	an..35		
Sender identification code qualifier	O	an..4		
Message recipient	R	an..35		
Recipient identification code qualifier	O	an..4		
Date of preparation	R	n6		
Time of preparation	R	n4		
Interchange control reference	R	an..14		
Recipient's reference/password	O	an..14		
Recipient's reference/password qualifier	O	an2		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	

## ---CUSTOMS OFFICE INFORMATION

Reference number	R	an8		
Reference number main office	O	an8		R489
Reference number higher authority	O	an8		R490
Reference number take-over	D	an8		R495 TR9201
Reference number Competent Authority of Enquiry	O	an8		TR9160
Reference number Competent Authority of Recovery	O	an8		TR9170
Country code	R	a2		
UN/LOCODE id	O	a3		R460
Region code	O	an..3		
NCTS entry date	O	n8		
Nearest office	D	an..175		C410
Nearest office LNG	O	a2	12	TR0099
Postal code	R	an..9		
Phone number	O	an..35		R500
Fax Number	O	an..35		R500
Telex number	O	an..35		R500
E-mail address	O	an..70		R500
Geo info code	O	an..6	15	
Trader dedicated	R	n1	27	

## -----ACTION

Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Action identification	R	an..20		TR9001

## ----- (DEDICATED) TRADER

Name	R	an..35		
Language code	R	a2	12	
TIN	O	an..17		

## -----CUSTOMS OFFICE SPECIFIC NOTES

Specific notes code	R	an..6	67	R486
---------------------	---	-------	----	------

## -----CUSTOMS OFFICE LSD

Language code	R	a2	12	
Customs office usual name	R	an..35		
Customs office usual name LNG	O	a2	12	TR0099
Street and number	R	an..35		
Street and number LNG	O	a2	12	TR0099
City	R	an..35		R422

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE931	

City LNG	O	a2	12	TR0099
Prefix-suffix level	O	an1	53	
Prefix-suffix flag	R	n1	27	
Prefix-suffix name	O	an..35		
Prefix-suffix name LNG	O	a2	12	TR0099
Space to add	R	n1	27	

#### -----CUSTOMS OFFICE TIMETABLE

Season code	R	n1		R425
Season name	O	an..35		
Season name LNG	O	a2	12	TR0099
Season start date	R	n8		TR0403
Season end date	R	n8		TR0403

#### -----CUSTOMS OFFICE TIMETABLE LINE

Day in the week (begin day)	R	n1	105	R430
Opening hours time first period from	R	n4		
Opening hours time first period to	R	n4		
Day in the week (end day)	R	n1	105	
Opening hours time second period from	O	n4		
Opening hours time second period to	O	n4		

#### -----CUSTOMS OFFICE ROLE / TRAFFIC COMPETENCE

Role	R	an..3	56	
Traffic type	R	an..3	20	

#### ---COUNTRY/REGION

Country code	R	a2		
Country/region code	R	an..3		

#### -----ACTION

Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Action identification	R	an..20		TR9001

#### -----COUNTRY/REGION LSD

Language code	R	a2	12	
Country/region name	R	an..35		
Country/region name LNG	O	a2	12	TR0099

#### -----COUNTRY/REGION HOLIDAYS

Variable holiday date	R	n1	27	R232
Day	R	an2		
Month	R	an2	26	
Year	D	n4		C295

#### -----COUNTRY/REGION HOLIDAYS LSD

Language code	R	a2	12	
Public holiday name	R	an..35		
Public holiday name LNG	O	a2	12	TR0099

#### ---COUNTRY HOLIDAYS

Country code	R	a2		
--------------	---	----	--	--

#### -----ACTION

Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Action identification	R	an..20		TR9001

#### -----COUNTRY HOLIDAYS DATA



Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE931	

Variable holiday date	R	n1	27	R232
Day	R	an2		
Month	R	an2	26	
Year	D	n4		C295
-----COUNTRY HOLIDAYS DATA LSD				
Language code	R	a2	12	
Public holiday name	R	an..35		
Public holiday name LNG	O	a2	12	TR0099

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE932	

## 5. Message Structure for: IE932

IE932	(CD932B)	COMMON RD DATA	(C_REF_DAT)
MESSAGE		1x	R
---RESULTS OF CONTROL		99999x	O TR1012
-----LANGUAGE SPECIFIC DATA		99x	R
-----ACTION		1x	R
---AMENDMENT REJECTION MOTIVATION		99999x	O
-----LANGUAGE SPECIFIC DATA		99x	R
-----ACTION		1x	R
---AAR/AER REJECTION REASON		99999x	O TR1012
-----LANGUAGE SPECIFIC DATA		99x	R
-----ACTION		1x	R
---ATR REJECTION REASON		99999x	O TR1002
-----LANGUAGE SPECIFIC DATA		99x	R
-----ACTION		1x	R
---CONTROL RESULT CODE		99999x	O TR1012
-----ACTION		1x	R
-----LANGUAGE SPECIFIC DATA		99x	R
---COUNTRY		99999x	O
-----ACTION		1x	R
-----LANGUAGE SPECIFIC DATA		99x	R
---COUNTRY REGIME		99999x	O
-----ACTION		1x	R
-----LANGUAGE SPECIFIC DATA		99x	R
---CUSTOMS OFFICE GEO INFO		99999x	O
-----ACTION		1x	R
-----LANGUAGE SPECIFIC DATA		99x	R
---CURRENCY CODE		99999x	O TR1012
-----ACTION		1x	R
-----LANGUAGE SPECIFIC DATA		99x	R
---DISCREPANCIES SOLVED NOTIFICATION		99999x	O TR1002
-----LANGUAGE SPECIFIC DATA		99x	R
-----ACTION		1x	R
---DIVERSION REJECTION REASON		99999x	O TR1012
-----LANGUAGE SPECIFIC DATA		99x	R
-----ACTION		1x	R
---DOCUMENT TYPE		99999x	O
-----ACTION		1x	R
-----LANGUAGE SPECIFIC DATA		99x	R
---GUARANTEE TYPE		99999x	O TR1002
-----ACTION		1x	R
-----LANGUAGE SPECIFIC DATA		99x	R
---GUARANTEE MONITORING		99999x	O TR1002
-----ACTION		1x	R
-----LANGUAGE SPECIFIC DATA		99x	R
---INVALID GUARANTEE REASON		99999x	O TR1002
-----ACTION		1x	R
-----LANGUAGE SPECIFIC DATA		99x	R
---LANGUAGE CODE		99999x	O
-----ACTION		1x	R
-----LANGUAGE SPECIFIC DATA		99x	R
---PACKAGING CODE		99999x	O
-----ACTION		1x	R
-----LANGUAGE SPECIFIC DATA		99x	R
---ROLE		99999x	O

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE932	

-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
--SENSITIVE GOODS CODE	99999x	O	TR1002
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
--SPECIAL MENTION CODE	99999x	O	
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
--STATISTICS TYPE	99999x	O	
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
--TRAFFIC TYPE	99999x	O	
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
--CUSTOMS OPERATION STATE TYPE	99999x	O	
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
--UNIT OF MEASURE	99999x	O	TR1012
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
--UN/LOCODE	99999x	O	
-----ACTION	1x	R	
--TRANSPORT MODE	99999x	O	
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
--QUERY ON GUARANTEE TYPE	99999x	O	TR1002
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
--SPECIFIC NOTES CODE	99999x	O	
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
--COMPLEMENTARY CODE	99999x	O	TR1003
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
--EXPORT QUERY REASON CODE	99999x	O	TR1003
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
--INCOTERM CODE	99999x	O	TR1003
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
--NATURE OF TRANSACTION CODE	99999x	O	TR1003
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
--PROCEDURE REQUESTED	99999x	O	TR1003
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
--PREVIOUS PROCEDURE	99999x	O	TR1003
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
--REPRESENTATIVE STATUS CODE	99999x	O	TR1003
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
--RISK ANALYSIS RESULT CODE	99999x	O	
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
--SPECIFIC CIRCUMSTANCE INDICATOR	99999x	O	
-----LANGUAGE SPECIFIC DATA	99x	R	

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE932	

-----ACTION	1x	R	
--SUMMARY DECLARATION REJECTION REASON CODE	99999x	O	TR1013
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
--TYPE OF TAX	99999x	O	TR1003
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
--WAREHOUSE TYPE	99999x	O	TR1003
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
--UN DANGEROUS GOODS CODE	99999x	O	
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
--COMMUNITY NATIONAL PROCEDURE	99999x	O	TR1003
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
--PREVIOUS DOCUMENT CATEGORY	99999x	O	TR1003
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
--METHOD OF PAYMENT	99999x	O	TR1003
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
--TRANSPORT CHARGES METHOD OF PAYMENT	99999x	O	
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
--DECLARATION TYPE	99999x	O	TR1012
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
--DECLARATION TYPE (BOX 1.2)	99999x	O	TR1003
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
--INFORMATION	99999x	O	TR1002
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
--PREVIOUS DOCUMENT TYPE	99999x	O	TR1012
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
--REQUESTED INFORMATION	99999x	O	TR1002
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
--ITEM NUMBER REJECTION REASON CODE	99999x	O	TR1006
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
--CUSTOMS INTERVENTION	99999x	O	TR1006
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
--INFORMATION TYPE	99999x	O	TR1006
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
--RESPONSE CODE	99999x	O	TR1002
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE932	

## MESSAGE

Syntax identifier	R	a4	21	
Syntax version number	R	n1	22	
Message sender	R	an..35		
Sender identification code qualifier	O	an..4		
Message recipient	R	an..35		
Recipient identification code qualifier	O	an..4		
Date of preparation	R	n6		
Time of preparation	R	n4		
Interchange control reference	R	an..14		
Recipient's reference/password	O	an..14		
Recipient's reference/password qualifier	O	an2		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	

## ---RESULTS OF CONTROL

Control indicator	R	an2	41	
-------------------	---	-----	----	--

## -----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

## -----ACTION

Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

## ---AMENDMENT REJECTION MOTIVATION

Amendment rejection motivation code	R	n1	45	
-------------------------------------	---	----	----	--

## -----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

## -----ACTION

Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

## ---AAR/AER REJECTION REASON

AAR/AER rejection reason code	R	n..2	43	
-------------------------------	---	------	----	--

## -----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

## -----ACTION

Operation	R	a1	24	R410
Validity date	D	n8		C300 R410

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE932	

Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>---ATR REJECTION REASON</b>				
ATR rejection reason code	R	n..2	44	
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>-----ACTION</b>				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>---CONTROL RESULT CODE</b>				
Control result code	R	an2	47	
<b>-----ACTION</b>				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>---COUNTRY</b>				
Country code	R	a2	8	
TCC entry date	R	n8		
NCTS entry date	R	n8		
Geo-nomenclature code	O	n3	16	
Country regime code	R	an3	11	
<b>-----ACTION</b>				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>---COUNTRY REGIME</b>				
Country regime code	R	an3	11	

<b>Message Specifications for EXPORT</b>	<b>ALIGNED TO DDNA KEL Draft Version</b>
<b>REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2</b>	
<b>Appendix Q2: Technical Message Structure</b>	
<b>5. Message Structure for: IE932</b>	

## -----ACTION

Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

## -----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

## ---CUSTOMS OFFICE GEO INFO

Geo info code	R	an..6	15	
---------------	---	-------	----	--

## -----ACTION

Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

## -----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

## ---CURRENCY CODE

Currency	R	an3	48	
Rate value	R	n..8,6		

## -----ACTION

Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

## -----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

## ---DISCREPANCIES SOLVED NOTIFICATION

Discrepancies solved notification code	R	an..2	69	
--	---	-------	----	--

## -----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

## -----ACTION

Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE932	

Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>---DIVERSION REJECTION REASON</b>				
Diversion rejection reason code	R	n..2	46	
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>-----ACTION</b>				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>---DOCUMENT TYPE</b>				
Document type	R	an..4	13	
Transport document	R	n1	27	R230
<b>-----ACTION</b>				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..350		
Language specific data LNG	O	a2	12	TR0099
<b>---GUARANTEE TYPE</b>				
Guarantee type	R	an1	51	
<b>-----ACTION</b>				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>---GUARANTEE MONITORING</b>				
Guarantee monitoring code	R	n1	50	
<b>-----ACTION</b>				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410



Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE932	

Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>---INVALID GUARANTEE REASON</b>				
Invalid guarantee reason code	R	an..3	52	
<b>-----ACTION</b>				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>---LANGUAGE CODE</b>				
Language code	R	a2	12	
<b>-----ACTION</b>				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>---PACKAGING CODE</b>				
Kind of packages	R	an..3	17	R456
<b>-----ACTION</b>				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>---ROLE</b>				
Role	R	an..3	56	

<b>Message Specifications for EXPORT</b>	<b>ALIGNED TO DDNA KEL Draft Version</b>
<b>REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2</b>	
<b>Appendix Q2: Technical Message Structure</b>	
<b>5. Message Structure for: IE932</b>	

#### -----ACTION

Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

#### -----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

#### ---SENSITIVE GOODS CODE

Commodity code (taric code)	R	an..6	62	R445
Sensitive goods code	O	n..2	64	R445
Reference quantity	O	n..6		
Unit of measure code	O	an..3	59	
EEC territory limitation	R	n1	27	R230

#### -----ACTION

Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

#### -----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

#### ---SPECIAL MENTION CODE

Additional information coded	R	an..5	39	
------------------------------	---	-------	----	--

#### -----ACTION

Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

#### -----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

#### ---STATISTICS TYPE

Statistics type	R	an..4		
-----------------	---	-------	--	--

#### -----ACTION

Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE932	

Action identification	R	an..20		TR9001
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>---TRAFFIC TYPE</b>				
Traffic type	R	an..3	20	
<b>-----ACTION</b>				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>---CUSTOMS OPERATION STATE TYPE</b>				
Customs Operation State Types	R	an..3	58	
<b>-----ACTION</b>				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>---UNIT OF MEASURE</b>				
Unit of measure code	R	an..3	59	
<b>-----ACTION</b>				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>---UN/LOCODE</b>				
Country code	R	a2	8	
UN/LOCODE id	R	a3		R460
UN/LOCODE name	R	an..29		R422
<b>-----ACTION</b>				

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE932	

Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>---TRANSPORT MODE</b>				
Transport mode	R	n..2	18	
<b>-----ACTION</b>				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>---QUERY ON GUARANTEE TYPE</b>				
Query identifier	R	n1	54	
<b>-----ACTION</b>				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>---SPECIFIC NOTES CODE</b>				
Specific notes code	R	an..6	67	
<b>-----ACTION</b>				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..350		
Language specific data LNG	O	a2	12	TR0099
<b>---COMPLEMENTARY CODE</b>				
Complementary code	R	n1	86	
<b>-----LANGUAGE SPECIFIC DATA</b>				

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE932	

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>-----ACTION</b>				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>---EXPORT QUERY REASON CODE</b>				
Export_Query Reason Code	R	an..3	89	
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>-----ACTION</b>				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>---INCOTERM CODE</b>				
Incoterm Code	R	a3	90	
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>-----ACTION</b>				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>---NATURE OF TRANSACTION CODE</b>				
Nature of transaction code	R	n..2	91	
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..350		
Language specific data LNG	O	a2	12	TR0099
<b>-----ACTION</b>				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

<b>Message Specifications for EXPORT</b>	<b>ALIGNED TO DDNA KEL Draft Version</b>
<b>REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2</b>	
<b>Appendix Q2: Technical Message Structure</b>	
<b>5. Message Structure for: IE932</b>	

## ---PROCEDURE REQUESTED

Procedure requested	R	an2	92	
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..350		
Language specific data LNG	O	a2	12	TR0099
<b>-----ACTION</b>				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

## ---PREVIOUS PROCEDURE

Previous Procedure	R	an2	93	
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..350		
Language specific data LNG	O	a2	12	TR0099
<b>-----ACTION</b>				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

## ---REPRESENTATIVE STATUS CODE

Representative status code	R	n1	94	
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>-----ACTION</b>				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

## ---RISK ANALYSIS RESULT CODE

Risk Analysis result code	R	an1	95	
<b>-----ACTION</b>				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

<b>Message Specifications for EXPORT</b>	<b>ALIGNED TO DDNA KEL Draft Version</b>
<b>REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2</b>	
<b>Appendix Q2: Technical Message Structure</b>	
<b>5. Message Structure for: IE932</b>	

#### -----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

#### ---SPECIFIC CIRCUMSTANCE INDICATOR

Specific Circumstance Indicator	R	a1	96	
---------------------------------	---	----	----	--

#### -----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

#### -----ACTION

Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

#### ---SUMMARY DECLARATION REJECTION REASON CODE

Summary Declaration rejection reason code	R	n..2	97	
---	---	------	----	--

#### -----ACTION

Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

#### -----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

#### ---TYPE OF TAX

Type of tax	R	an3	98	
-------------	---	-----	----	--

#### -----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

#### -----ACTION

Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

#### ---WAREHOUSE TYPE

Warehouse type	R	a1	99	
----------------	---	----	----	--

#### -----ACTION

Operation	R	a1	24	R410
Validity date	D	n8		C300 R410

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE932	

Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>---UN DANGEROUS GOODS CODE</b>				
UN dangerous goods code	R	an4	101	
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..350		
Language specific data LNG	O	a2	12	TR0099
<b>-----ACTION</b>				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>---COMMUNITY NATIONAL PROCEDURE</b>				
Community / National Procedure	R	an3	102	
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..350		
Language specific data LNG	O	a2	12	TR0099
<b>-----ACTION</b>				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>---PREVIOUS DOCUMENT CATEGORY</b>				
Previous Document Category	R	a1	103	
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>-----ACTION</b>				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>---METHOD OF PAYMENT</b>				
Method of payment	R	a1	104	



<b>Message Specifications for EXPORT</b>	<b>ALIGNED TO DDNA KEL Draft Version</b>
<b>REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2</b>	
<b>Appendix Q2: Technical Message Structure</b>	
<b>5. Message Structure for: IE932</b>	

#### -----ACTION

Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

#### -----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

#### ---TRANSPORT CHARGES METHOD OF PAYMENT

Transport charges/ Method of Payment	R	a1	116	
--------------------------------------	---	----	-----	--

#### -----ACTION

Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

#### -----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

#### ---DECLARATION TYPE

Type of declaration	R	an..9	31	
---------------------	---	-------	----	--

#### -----ACTION

Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

#### -----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

#### ---DECLARATION TYPE (BOX 1.2)

Type of declaration (Box 1.2)	R	a1	87	
-------------------------------	---	----	----	--

#### -----ACTION

Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

#### -----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
---------------	---	----	----	--

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE932	

Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>---INFORMATION</b>				
Information Code	R	n2	119	
<b>-----ACTION</b>				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>---PREVIOUS DOCUMENT TYPE</b>				
Previous document type	R	an..6	14	
<b>-----ACTION</b>				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>---REQUESTED INFORMATION</b>				
Requested Information Code	R	n1	118	
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>-----ACTION</b>				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>---ITEM NUMBER REJECTION REASON CODE</b>				
Item number rejection reason code	R	n..2	106	
<b>-----ACTION</b>				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE932	

Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>---CUSTOMS INTERVENTION</b>				
Customs Intervention code	R	an..4	108	
<b>-----ACTION</b>				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>---INFORMATION TYPE</b>				
Information type	R	n..2	109	
<b>-----ACTION</b>				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>---RESPONSE CODE</b>				
Response Code	R	n..2	29	
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>-----ACTION</b>				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE971	

## 5. Message Structure for: IE971

IE971	(CD971A)	FULL UNAVAILABILITY SCHEDULE	(C_UNA_DAT)
MESSAGE		1x	R
---COUNTRY		99x	O
-----ACTION		9x	R
-----SYSTEM UNAVAILABILITY		99x	R
			TR0704

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE971	

## MESSAGE

Syntax identifier	R	a4	21	
Syntax version number	R	n1	22	
Message sender	R	an..35		
Sender identification code qualifier	O	an..4		
Message recipient	R	an..35		
Recipient identification code qualifier	O	an..4		
Date of preparation	R	n6		
Time of preparation	R	n4		
Interchange control reference	R	an..14		
Recipient's reference/password	O	an..14		
Recipient's reference/password qualifier	O	an2		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
<b>---COUNTRY</b>				
Country code	R	a2	8	
<b>-----ACTION</b>				
Operation	R	a1	24	R411
<b>-----SYSTEM UNAVAILABILITY</b>				
Business functionality	R	a1	68	
Downtime from	R	n12		R660 TR0703 TR9020
System unavailability type	R	a1	79	TR0702
Downtime to	D	n12		C400 R660 TR0703 TR9020
Explanation	O	an..350		
Explanation LNG	O	a2	12	TR0099

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: XP09	

## 5. Message Structure for: XP09

XP09	(XP09A)	Απόφαση Ακύρωσης Εγγραφου Προ Ενημερωσης	(E_DRD_BRE)
------	---------	--	-------------

MESSAGE	1x	R
---HEADER	1x	R
---(EXPORTER) TRADER	1x	R
---(EXPORT) CUSTOMS OFFICE	1x	R

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: XP09	

## MESSAGE

Syntax identifier	R	a4	21
Syntax version number	R	n1	22
Message sender	R	an..35	
Sender identification code qualifier	O	an..4	
Message recipient	R	an..35	
Recipient identification code qualifier	O	an..4	
Date of preparation	R	n6	
Time of preparation	R	n4	
Interchange control reference	R	an..14	
Recipient's reference/password	O	an..14	
Recipient's reference/password qualifier	O	an2	
Application reference	O	an..14	
Priority	O	a1	
Acknowledgement request	O	n1	27
Communications agreement id	O	an..35	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Common access reference	O	an..35	

## ---HEADER

Document/reference number	R	an..21	
Cancellation decision	D	n1	27
Date of cancellation request	D	n8	
Cancellation initiated by customs	R	n1	27
Date of cancellation decision	R	n8	
Cancellation justification	D	an..350	
Cancellation justification LNG	O	a2	12

## ---(EXPORTER) TRADER

Name	O	an..35	
Street and number	O	an..35	
Postal code	O	an..9	
City	O	an..35	
Country code	O	a2	8
TIN	R	an..17	
Phone number	O	an..35	
Fax number	O	an..12	

## ---(EXPORT) CUSTOMS OFFICE

Reference number	R	an8	
------------------	---	-----	--

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: XP14	

## 5. Message Structure for: XP14

XP14	(XP14A)	Αιτημα Ακύρωσης Εγγραφου Προ Ενημερωσης	(E_ARD_BRE)
------	---------	---	-------------

MESSAGE	1x	R
---HEADER	1x	R
---(EXPORTER) TRADER	1x	R
---(EXPORT) CUSTOMS OFFICE	1x	R



Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: XP14	

## MESSAGE

Syntax identifier	R	a4	21
Syntax version number	R	n1	22
Message sender	R	an..35	
Sender identification code qualifier	O	an..4	
Message recipient	R	an..35	
Recipient identification code qualifier	O	an..4	
Date of preparation	R	n6	
Time of preparation	R	n4	
Interchange control reference	R	an..14	
Recipient's reference/password	O	an..14	
Recipient's reference/password qualifier	O	an2	
Application reference	O	an..14	
Priority	O	a1	
Acknowledgement request	O	n1	27
Communications agreement id	O	an..35	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Common access reference	O	an..35	

## ---HEADER

Document/reference number	R	an..21	
Date of cancellation request	R	n8	
Cancellation reason	R	an..350	
Cancellation reason LNG	O	a2	12

## ---(EXPORTER) TRADER

Name	O	an..35	
Street and number	O	an..35	
Postal code	O	an..9	
City	O	an..35	
Country code	O	a2	8
TIN	R	an..17	
Phone number	O	an..35	
Fax number	O	an..12	

## ---(EXPORT) CUSTOMS OFFICE

Reference number	R	an8	
------------------	---	-----	--

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: XP15	

## 5. Message Structure for: XP15

XP15	(XP15A)	Εγγραφο Προ Ενημερωσης	(E_DOC_BRE)
------	---------	------------------------	-------------

MESSAGE		1x	R
---HEADER		1x	R
---(EXPORTER) TRADER		1x	R
---(EXPORT) CUSTOMS OFFICE		1x	R
---(CODE) COMMODITY		999x	R

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: XP15	

## MESSAGE

Syntax identifier	R	a4	21
Syntax version number	R	n1	22
Message sender	R	an..35	
Sender identification code qualifier	O	an..4	
Message recipient	R	an..35	
Recipient identification code qualifier	O	an..4	
Date of preparation	R	n6	
Time of preparation	R	n4	
Interchange control reference	R	an..14	
Recipient's reference/password	O	an..14	
Recipient's reference/password qualifier	O	an2	
Application reference	O	an..14	
Priority	O	a1	
Acknowledgement request	O	n1	27
Communications agreement id	O	an..35	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Common access reference	O	an..35	

## ---HEADER

Reference number	R	an..22	
Submission Date	R	n8	
Loading date	R	n8	
Loading Time	R	n4	
Loading Ending Date	R	n8	
Loading Ending Time	R	n4	
Loading Duration	O	n..5	
Loading Place	R	an..80	
Loading Phone	R	an..14	
Responsible	R	an..35	
Invoice Number	O	an..10	
Destination	O	an..30	
Document Reference Number	O	an..21	
Identity of means of transport	O	an..27	

## ---(EXPORTER) TRADER

Name	O	an..35	
Street and number	O	an..35	
Postal code	O	an..9	
City	O	an..35	
Country code	O	a2	8
TIN	R	an..17	
Phone number	O	an..35	
Fax number	O	an..12	

## ---(EXPORT) CUSTOMS OFFICE

Reference number	R	an8	
------------------	---	-----	--

## ---(CODE) COMMODITY

Combined Nomenclature	R	an..8	
TARIC code	R	an2	
Gross mass	O	n..11,3	
Return Code	O	an4	
Return Amount	O	n..11,3	

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: XP15	

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: XP16	

## 5. Message Structure for: XP16

XP16	(XP16A)	Απόρριψη Εγγράφου Προ Ενημέρωσης	(E_RD_BRE)
------	---------	----------------------------------	------------

MESSAGE	1x	R
---HEADER	1x	R
---FUNCTIONAL ERROR	999x	D

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: XP16	

## MESSAGE

Syntax identifier	R	a4	21
Syntax version number	R	n1	22
Message sender	R	an..35	
Sender identification code qualifier	O	an..4	
Message recipient	R	an..35	
Recipient identification code qualifier	O	an..4	
Date of preparation	R	n6	
Time of preparation	R	n4	
Interchange control reference	R	an..14	
Recipient's reference/password	O	an..14	
Recipient's reference/password qualifier	O	an2	
Application reference	O	an..14	
Priority	O	a1	
Acknowledgement request	O	n1	27
Communications agreement id	O	an..35	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Common access reference	O	an..35	
Original message identification	R	an..14	

## ---HEADER

Reference number	R	an..22	
Rejection Reason	O	an..350	
Rejection Reason LNG	O	a2	12
Rejection date	R	n8	

## ---FUNCTIONAL ERROR

Error type	R	n2	49
Error pointer	R	an..210	
Error reason	O	an..6	
Original attribute value	O	an..140	
Error description	O	an..350	

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: XP28	

## 5. Message Structure for: XP28

XP28	(XP28A)	A/A Εγγράφου Προ Ενημέρωσης	(E_AAD_BRE)
------	---------	-----------------------------	-------------

MESSAGE	1x	R
---HEADER	1x	R
---(EXPORTER) TRADER	1x	R
---(EXPORT) CUSTOMS OFFICE	1x	R

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: XP28	

## MESSAGE

Syntax identifier	R	a4	21
Syntax version number	R	n1	22
Message sender	R	an..35	
Sender identification code qualifier	O	an..4	
Message recipient	R	an..35	
Recipient identification code qualifier	O	an..4	
Date of preparation	R	n6	
Time of preparation	R	n4	
Interchange control reference	R	an..14	
Recipient's reference/password	O	an..14	
Recipient's reference/password qualifier	O	an2	
Application reference	O	an..14	
Priority	O	a1	
Acknowledgement request	O	n1	27
Communications agreement id	O	an..35	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Common access reference	O	an..35	

## ---HEADER

Reference number	R	an..22	
Document/reference number	R	an..21	
Acceptance date	R	n8	

## ---(EXPORTER) TRADER

Name	O	an..35	
Street and number	O	an..35	
Postal code	O	an..9	
City	O	an..35	
Country code	O	a2	8
TIN	R	an..17	
Phone number	O	an..35	
Fax number	O	an..12	

## ---(EXPORT) CUSTOMS OFFICE

Reference number	R	an8	
------------------	---	-----	--



Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Rules/Conditions index	

## 5. Rules/Conditions index

C001	IF 'HEADER.Country of destination code' in {CL009}, THEN ('CONSIGNEE) TRADER' = 'R' OR 'GOODS ITEM.(CONSIGNEE) TRADER' = 'R' for all GOODS ITEMS) ELSE ('CONSIGNEE) TRADER'='O' AND 'GOODS ITEM.(CONSIGNEE) TRADER' = 'O', unless other Rules & Conditions apply ).
C005	IF first digit of "Inland mode of transport" (box 26) = "5" or "7" THEN Identity at Departure (box 18) can not be used
C010	IF first digit of "Transport mode at border" (box 25) = "2", "5" or "7" THEN "Nationality crossing border" (box 21) = "O" ELSE "Nationality crossing border" (box 21) = "R"
C015	IF SGI-CODES is used THEN "Commodity Code" (box 33) = "R" ELSE "Commodity Code" (box 33) = "O"
C028	IF the attribute 'Procedure requested (box 37.1)' = '31', '71', '76', '77' or '78' THEN this attribute = "O" ELSE this attribute = "R"
C030	IF 'HEADER.Type of declaration' = 'TIR', THEN '(TRANSIT) CUSTOMS OFFICE' cannot be used, ELSE IF (Country Code of '(DEPARTURE) CUSTOMS OFFICE.Reference Number' in {CL063} OR Country Code of '(DESTINATION) CUSTOMS OFFICE.Reference Number' in {CL063} OR 'HEADER.Type of declaration' in { 'T2', 'T-' } ), THEN '(TRANSIT) CUSTOMS OFFICE' = 'R', ELSE '(TRANSIT) CUSTOMS OFFICE' = 'O'.
C035	IF 'Declaration type' (box 1) or 'Declaration type' (ex box 1) = 'T2','T2F' and if the Country of the Office of Departure, identified by the first 2 digits of the 'CUSTOMS OFFICE of Departure Reference Number' (Box C) = is an EFTA country or TR THEN 'PREVIOUS ADMINISTRATIVE REFERENCES' = 'R' ELSE 'PREVIOUS ADMINISTRATIVE REFERENCES' = 'O'
C045	IF "Declaration type" (box 1) = "T-" THEN "Declaration type" (ex box 1) = "R" (T1, T2, T2F or T2SM) ELSE "Declaration type" (ex box 1) can not be used
C050	IF "TIN" (box 50) is used THEN all attributes of name and address (NAD) (box50) = "O" if already known by NCTS ELSE all attributes of name and address (NAD) (box50) = "R"
C055	IF "Container" (box 19) = "1" THEN "CONTAINERS (box 31)" must be present in at least one data group "GOODS ITEM". ELSE "CONTAINERS (box 31)" cannot be used.
C060	IF "Kind of packages" (Box 31) indicates "BULK" (UNECE rec 21: 'VQ', 'VG', 'VL', 'VY','VR', 'VS' or 'VO') THEN "Marks & numbers of packages" (Box 31) = "O" "Number of packages" (box 31) can not be used "Number of Pieces" (box 31) can not be used ELSE IF "Kind of packages" (Box 31) indicates "UNPACKED" (UNECE rec 21 : = "NE", "NF" or "NG") THEN "Marks & numbers of packages" (Box 31) = "O" "Number of packages" can not be used "Number of Pieces" (box 31) = "R" ELSE "Marks & numbers of packages" (Box 31) = "R" "Number of packages" (box 31) = "R" "Number of Pieces" (box 31) can not be used
C061	IF 'Kind of packages' (Box 31) indicates 'BULK' (UNECE rec 21 : 'VQ', 'VG', 'VL', 'VY','VR', 'VS' or 'VO') THEN 'Number of packages' (box 31) can not be used 'Number of Pieces' (box 31) can not be used ELSE IF 'Kind of packages' (Box 31) indicates 'UNPACKED' (UNECE rec 21: = 'NE', 'NF' or 'NG') THEN 'Number of packages' can not be used 'Number of Pieces' (box 31) = 'R' ELSE 'Number of packages' (box 31) = 'R' 'Number of Pieces' (box 31) can not be used
C100	IF "CONTROL RESULT" (Box D) is used THEN "Authorised location of goods" = "O" "Customs sub place" can not be used "Agreed location code" can not be used "Agreed location of goods" can not be used ELSE "Authorised location of goods" can not be used "Agreed location code" = "O" "Agreed location of goods" = "O" "Customs sub place" = "O".

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Rules/Conditions index	

C124	IF 'E_DEC_AMD/'E_EXP_AMD/'E_EXS_AMD/'E_ENS_AMD 'is NOT used THEN this data group or attribute = 'R' ELSE this data group or attribute = 'O'
C135	IF only 1 Country of dispatch is declared THEN "Country of dispatch (box 15a)" on Header level = "R" "Country of dispatch (ex box 15a)" on GOODS ITEM level can not be used ELSE "Country of dispatch (box 15a)" on Header level can not be used "Country of dispatch (ex box 15a)" on GOODS ITEM level = "R".
C140	IF 'HEADER.Country of destination code' is used, THEN 'GOODS ITEM.Country of destination code' cannot be used (for every any GOODS ITEMS) ELSE (('GOODS ITEM.Country of destination code' = 'R' (for all GOODS ITEMS) ) AND (the same 'Country of destination code' cannot be used for all GOODS ITEMS) )
C156	IF 'Storing flag'= 'YES' THEN 'Authorised Storing Location Of Goods' = 'R' ELSE 'Authorised Storing Location Of Goods' can not be used.
C160	IF TIN of Trader is used THEN all attributes marked with this condition = "O" if already known by NCTS ELSE all attributes marked with this condition = "R".
C170	IF 'Cancellation initiated by Customs' = 'Yes' THEN 'Cancellation Decision' can not be used ELSE 'Cancellation Decision' = 'R'.
C175	IF ( "Cancellation initiated by Customs" = "No" AND "Cancellation Decision" = "0" (=N0)) OR ( "Cancellation initiated by Customs" = "Yes" ) THEN "Cancellation Justification" = "R" ELSE "Cancellation Justification" = "O".
C180	IF "Cancellation initiated by Customs" = "Yes" THEN "Date of cancellation request" can not be used ELSE "Date of cancellation request" = "R".
C221	IF FOLLOW-UP Information available ='1' (=yes) THEN 'Exit date' and 'CUSTOMS OFFICE Actual Office of Exit' = 'R' ELSE 'Exit date' and where relevant 'CUSTOMS OFFICE Actual Office of Exit' can not be used
C295	If 'Variable Holiday Date' = '1' THEN 'Year'='R' ELSE 'Year' can not be used (it will be automatically updated on 01/01 each year to be the current year)
C300	IF "Operation" = "C" OR "U" THEN All attributes marked with this condition = "R" ELSE All attributes marked with this condition = "O"
C305	IF 'AAR/AER/Summary Declaration rejection reason code/Pre-Arrival item rejection reason code' = '4' (other) THEN 'AAR/AER/Summary Declaration rejection reason' = 'R' ELSE 'AAR/AER/Summary Declaration rejection reason' = 'O'
C310	IF 'Amendment rejection motivation code' = '?' (other) * THEN 'Amendment rejection motivation text' = 'R' ELSE 'Amendment rejection motivation text' = 'O' * (To be defined at national level).
C312	IF 'Diversion Rejection Code/'Entry Rejection Motivation Code' = '4' (Other) THEN 'Diversion Rejection Text' = 'R' ELSE 'Diversion Rejection Text' = 'O'
C330	IF "Requested Information Code" = "5" or "6" THEN "Requested Information Text" = "R" ELSE "Requested Information Text" can not be used
C400	IF 'Type' = 'S' (Scheduled) THEN 'Downtime TO' = 'R' ELSE 'Downtime TO' = 'O'
C410	IF <<'Geo-info code' contains "/" (I.e. the Customs Office is situated at the frontier)>> THEN Attribute 'Nearest office'="R" ELSE Attribute 'Nearest office' can not be used.
C501	IF the attribute 'TIN' is present in the data group THEN this attribute = 'O' ELSE this attribute = 'R'
C510	IF only one Trader Exporter is declared for all goods items THEN the data group 'Trader Exporter (box 2)' on EXPORT OPERATION level is used ELSE the data group 'Trader Exporter (ex box 2)' on GOODS ITEM level is used
C530	IF 'Transit' = '1' (yes) THEN 'Control result code' 'A1', 'A2' and 'B1' cannot be used
C552	IF 'PERSON Lodging the summary declaration' is used (because he is the sender of the amendment request) THEN data group 'Trader Representative' can not be used ELSE data group 'Trader Representative' = 'R' (because he is the sender of the amendment request).

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Rules/Conditions index	

C553	IF 'E_ENS_AMD'/'E_EXS_AMD' is used THEN the data group 'PERSON Lodging the summary declaration' and 'TRADER Representative' can not be used ELSE IF the data group 'PERSON Lodging the summary declaration' is used (because he is the sender of the amendment request) THEN the data group 'TRADER Representative' can not be used ELSE the data group 'TRADER Representative' = 'R' (because he is the sender of the amendment request)
C554	IF the attribute 'Transit' is set to '1' (yes) THEN the data group 'Produced Documents/Certificates' = 'R' ELSE the data group 'Produced Documents/Certificates' = 'O'
C555	IF attribute 'Partial Shipment flag' = '1' THEN 'MRN Item number', 'Gross Mass involved' (where present) = 'R' and IF 'Kind of Packages' indicates 'BULK' (UNECE rec 21: 'VQ', 'VG', 'VL', 'VY', 'VR', 'VS' or 'VO') THEN 'Number of Packages involved' and 'Number of Pieces involved' cannot be used ELSE either 'Number of Packages involved' or 'Number of Pieces involved' = 'R' ELSE these attributes cannot be used
C556	IF 'Currency code (box 22.1)' is used THEN 'Exchange rate (box 23)' = 'R' ELSE 'Exchange rate (box 23)' can not be used
C557	IF 'CUSTOMS OFFICE of Export.Reference Number (box A)' and 'CUSTOMS OFFICE of Exit.Reference Number (box 29)' are not the same THEN 'Inland Transport mode (box 26)' = 'R' ELSE 'Inland Transport mode (box 26)' can not be used:
C558	IF the attribute 'Method of payment (box 47)' of one goods item = 'E', 'F' or 'G' THEN the data group 'DEFERRED/POSTPONED Payment (box 48)' = 'R' ELSE the data group 'DEFERRED/POSTPONED Payment (box 48)' can not be used
C559	IF the datagroup 'CALCULATION Of Taxes (box 47)' is used THEN the attribute 'Total item taxes amount (box 47)' = 'R' ELSE the attribute 'Total item taxes amount (box 47)' can not be used.
C560	IF the attribute 'Total item taxes amount (box 47)' of one goods item is used THEN the attribute 'Grand total taxes amount (box 47)' = 'R' ELSE the attribute 'Grand total taxes amount (box 47)' can not be used
C561	IF the attribute 'Previous Procedure (box 37.1)' of one goods item = '71', '76' or '77' THEN the data group 'IDENTIFICATION Of Warehouse (box 49)' = 'R' ELSE the data group 'IDENTIFICATION Of Warehouse (box 49)' can not be used
C562	IF 'Specific circumstance indicator is 'E' THEN the attribute = 'R' ELSE the attribute = 'O'
C563	IF attribute 'Nature of transaction first code(box 24.1)' is used THEN 'Nature of transaction second code (box 24.2)' = 'O' ELSE 'Nature of transaction second code (box 24.2)' can not be used.
C567	IF the attribute 'Specific circumstance indicator = 'A' THEN the attribute 'Commercial Reference Number (box 7)', 'Commercial Reference Number (ex box 7)' and the datagroup 'PRODUCED DOCUMENTS/CERTIFICATES' = 'O' ELSE IF the attribute 'Commercial Reference Number (box 7)' and Commercial Reference Number (ex box 7)' is not used, THEN at least one attribute 'PRODUCED DOCUMENTS/CERTIFICATES.Document type' pointing to a transport document must be present ELSE the data group 'PRODUCED DOCUMENTS/CERTIFICATES' = 'O'
C568	IF the attribute 'EXPORT OPERATION.Destination country (box 17)' is present THEN the attribute 'GOODS ITEM.Destination country (ex box 17a)' can not be used ELSE IF 'Previous Procedure (box 37.1)' on goods item level = '71' or '78' is present THEN the attribute 'GOODS ITEM Destination country (box 17a)' = 'O' ELSE the attribute 'GOODS ITEM Destination country (box 17a)' = 'R'
C569	IF the attribute 'Seals Number (Box D)' is > '0' THEN the data group 'SEALS ID' = 'R' ELSE the data group 'SEALS ID' can not be used
C570	IF the attribute 'Specific circumstance indicator' = 'A' THEN the attribute must occur at least once (min. 1 value) ELSE this attribute must occur at least twice (min. 2 values)
C573	IF 'E_MAN_PRE'/'E_PAN_DAT' is used THEN the data group can not be used ELSE the data group = 'R'
C575	IF 'E_MAN_PRE' is present THEN the data group 'MANIFEST REGISTRATION' can not be used the data group 'MANIFEST REJECTION' = 'R' ELSE the data group 'MANIFEST REGISTRATION' = 'R'
C576	IF the attribute 'EXPORT OPERATION/ IMPORT OPERATION / TRANSIT OPERATION.Transport charges – Method of payment' is used THEN this attribute cannot be used ELSE this attribute = 'O'

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Rules/Conditions index	

C577	IF the attribute 'Specific circumstance indicator' = 'A' THEN this data group or attribute = 'O' ELSE this data group or attribute = 'R'
C578	IF the attribute 'EXPORT OPERATION.Country of Export' (Box 15) is used THEN the attribute 'GOODS ITEM.Country of Export' (Box 15a) can not be used ELSE IF the attribute 'Specific circumstance indicator' is 'A' THEN the attribute 'GOODS ITEM Country of Export (Box 15a)' = 'O' ELSE the attribute 'GOODS ITEM Country of Export (Box 15a)' = 'R'
C580	IF the attribute 'Specific circumstance indicator' = 'E' THEN this attribute is = 'O' ELSE this attribute is = 'R'
C581	IF the attribute 'GOODS ITEM.Gross mass' is used THEN this attribute is = 'R' ELSE this attribute is = 'O'
C585	IF the attribute 'GOODS ITEM.Textual description' is used THEN this data group is = 'O' ELSE this data group is = 'R'
C598	IF the attribute 'TRANSIT OPERATION.Security' = '1' and the first two digits of 'CUSTOMS OFFICE of Transit.Reference number' consists of a Member State country code and the first two digits of 'CUSTOMS OFFICE of Departure.Reference number' does not consist of an Member State country code THEN the attribute = 'R' ELSE the attribute = 'O'.
C901	IF "Declaration Type" = 'TIR', THEN one occurrence of the value '952' of "Document Type (Box 44)" - irrespective of other document types declared - must be entered within one operation and it must be present in the first goods item, ELSE value '952' of "Document Type (box 44)" can not be used.
C902	IF PRODUCED DOCUMENTS/CERTIFICATES.Document Type= '952', THEN PRODUCED DOCUMENTS/CERTIFICATES.Document Reference is 'Required' ELSE PRODUCED DOCUMENTS/CERTIFICATES.Document Reference is 'Optional'
C903	IF "Declaration Type" = 'TIR', THEN the data group 'PRODUCED DOCUMENTS/CERTIFICATES' for the first Goods Item = 'R' ELSE the data group 'PRODUCED DOCUMENTS/CERTIFICATES' = 'O'.
CN0030	Αν το πεδίο «CONTROL RESULT.Control result code» έχει την τιμή A3, τότε είναι υποχρεωτικό.
CN0031	Αν το πεδίο «CONTROL RESULT.Control result code» δεν είναι συμπληρωμένο, τότε είναι υποχρεωτικό και το πεδίο «HEADER.Authorised location of goods, code» δεν θα πρέπει να συμπληρώνεται.
CN0032	Αν ο τύπος διασάφησης (1β) είναι A, B, D, E, X, Z και η διαδικασία (37β) έχει τις τιμές F61 ή F62 ή F63, τότε είναι υποχρεωτικό.
CN0041	Ο "Κωδ. Συμφωνηθείσας Τοποθεσίας Εμπορευμάτων" δεν θα πρέπει να ανήκει σε τελωνείο διαφορετικό από το τελωνείο εξαγωγής.
E600	Οι κωδικοί ευρωπαϊκών τελωνείων λόγω της πληθώρας τους είναι διαθέσιμοι στον ιστοχώρο της Γενικής Γραμματείας Πληροφοριακών Συστημάτων στην διεύθυνση <a href="http://www.gsis.gr">www.gsis.gr</a> στην ενότητα «Τελωνειακή Ενημέρωση».
ER060	Αν η δήλωση είναι τύπου TIR οι χρησιμοποιούμενοι κωδικοί εμπορευμάτων πρέπει να είναι είτε 6 είτε 10 ψηφία. Αλλιώς πρέπει να είναι 10 ψηφίων.
R005	"Item no" (box 32) is always used even if "Items" (box 5) = "1", "Item no" (box 32) is also "1".
R007	Each 'Item no' (box 32) is unique throughout the declaration The items shall be numbered in a sequential fashion, starting from '1' for the first item and incrementing the numbering by '1' for each following item".
R010	IF '(CONSIGNOR) TRADER' is used THEN 'GOODS ITEM.(CONSIGNOR) TRADER' cannot be used (for every any GOODS ITEMS) ELSE ( ('GOODS ITEM.(CONSIGNOR) TRADER' = 'O') AND (the same '(CONSIGNOR) TRADER' cannot be used for all GOODS ITEMS))  Note To evaluate if two traders are identical, a case-sensitive comparison is performed between the strings CONCAT[Name;Street and number;Postal code; City;Country code;NAD LNG] of each TRADER at GOODS ITEM level (i.e. any differences in letter cases of two string means two different traders, as defined in DDCOM section 'Text fields').
R011	IF '(CONSIGNEE) TRADER' is used THEN 'GOODS ITEM.(CONSIGNEE) TRADER' cannot be used (for every any GOODS ITEMS) ELSE ( ('GOODS ITEM.(CONSIGNEE) TRADER' = 'D' 'O') unless other Rules & Conditions apply AND (the same '(CONSIGNEE) TRADER' cannot be used for all GOODS ITEMS) ).  Note To evaluate if two traders are identical, a case-sensitive comparison is performed between the strings CONCAT[Name;Street and number;Postal code; City;Country code;NAD LNG] of each TRADER at GOODS ITEM level (i.e. any differences in letter cases of two string means two different traders, as defined in DDCOM section 'Text fields').
R012	The attribute is sent if it was provided in the corresponding message that was received from the Trader.
R020	When the declaration type (box 1 or ex box 1) = "T2" and the movement is issued in a non-EU country (identified by the Office of Departure), the Principal must declare at least one "Previous document type" (box 40) = "T2", "T2L", "T2F", "T2LF", "T2CIM", "T2TIR" or "T2ATA" followed by its reference in "Previous document reference".
R021	A zero '0' is to be considered as a valid number in this field.

<b>Message Specifications for EXPORT</b>	<b>ALIGNED TO DDNA KEL Draft Version</b>
<b>REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2</b>	
<b>Appendix Q2: Technical Message Structure</b>	
<b>5. Rules/Conditions index</b>	

R027	Either "Additional information id" or "Text" of the data group "SPECIAL MENTIONS" (Box 44) is required in case "SPECIAL MENTIONS" is used.
R036	Condition "C010" can not be checked in case the "Transport mode at border" (box 25) is not used.
R041	"Agreed Location Of Goods" / "Agreed location of goods, code", "Authorised location of goods" and "Customs sub place" (box 30) can not be used at the same time.
R060	When the Trader uses Commodity codes then he must declare at least 4 and up to 8 digits of the commodity code.
R079	The datagroups PREVIOUS ADMINISTRATIVE REFERENCES and PRODUCED DOCUMENTS/CERTIFICATES will be sent to Destination/Exit by means of IE01/501 only in case the declared attributes 'Previous Document Type (Box 40)'and/or 'Document Type (Box 44)'contain codes which are considered as 'common'.
R080	Only the SPECIAL MENTIONS that are marked as 'Common' in the reference data shall be included in common domain messages.
R100	The attribute is used as the basic language to be used in any further communication between the Trader and the Customs system. If the Trader does not use this attribute then the Customs system will use the default language of the Office concerned.
R101	The attribute is used as the basic language to be used in any further communication between the Trader and the Customs system. If the Trader does not use this attribute then the Customs system will use the default language of the Office concerned.
R105	The total number of packages is equal to the sum of all 'Number of packages' + all 'Number of pieces' + a value of '1' for each declared 'bulk'.
R115	The IE structure used for the amendment is the same as E_DEC_DAT/E_EXP_DAT/E_EXS_DAT /E_ENS_DAT with some changes: replace LRN by MRN R an18, replace 'Declaration date' by 'Date of amendment' R n8, (NCTS /ECS) replace 'Declaration date and time' by 'Date and time of amendment' R n12 (ICS), replace 'Declaration place' by 'Amendment place' R an..35 The IE transmits a complete amended declaration data, this means that all data groups and attributes are transmitted and not only those that are amended.
R123	From the originally received IE, only the attributes in error are transmitted back to the Trader, indicating whether the attribute(s) in question is missing or incorrect.
R135	The IE retransmits back to the Trader the whole E_DEC_DAT received associating to each single attribute, when the case occurs, the data group "RESULTS OF CONTROL".
R143	The data in the IE corresponds always to the current (latest) version of the Transit/Export/Summary declaration operation data. This means that it contains the amended declaration data (if any) and/or the revised declaration data after a control (if any) and completed with the departure/export control results and entry/exit control results.
R145	At least one occurrence of this data group must be present in the message.
R146	The data in the IE corresponds always to the current (latest) version of the Export operation data. This means the declaration data are eventually upgraded with the information brought in by the exit control results (IE518).
R150	The attribute "Corrected value" of the data group "RESULTS OF CONTROL" is linked with each single attribute that can be subject of a control and therefore it must reflect the same characteristics of the original message attribute.
R157	If the data group is present in the IE then at least one of the optional attributes must be filled in. When it concerns a data group containing a name/address then the attributes of the name/address are treated as one.
R160	The data group CONTROL RESULTS must be present in case the declaration is submitted under simplified procedure.
R165	The data group SEALS INFO must be present if the declaration is submitted under simplified procedure and if the authorisation foresees to use seals.
R175	Two possible values : "0" = "No" : Request to cancel initiated by Trader "1" = "Yes" : Request to cancel initiated by Customs
R180	Two possible values : Cancellation refused by Customs : Decision = "0" (=NO) Cancellation accepted by Customs : Decision = "1" (=YES)
R212	The IE transmits to the Office of Departure/Export the relevant controlled declaration data associating to each single attribute, when the case occurs, the data group "RESULTS OF CONTROL".
R213	The IE is used to communicate the controlled items and minor or major discrepancies (if any).
R216	"HEADER"/"CUSTOMS OFFICE of Departure" and "C_ATR_SND" can not be used at the same time. When Customs can agree with the request for an ATR, the complete C_ATR_SND is sent to Office of Transit. When they disagree, only the MRN, CUSTOMS OFFICE of Departure, ATR rejection reason code and the ATR rejection reason (if necessary) are sent to Office of Transit.
R220	The Office of Departure communicates to the Trader all controlled information associating to each single attribute, when the case occurs, the data group "RESULTS OF CONTROL".
R230	This attribute is used as a flag, its value can be either "0" ("no") or "1" ("yes").
R232	"Variable Holiday Date" is used as a flag and can contain 2 possible values: "0" : the holiday date is fixed and thus the year doesn't have to be specified (e.g. Christmas = 25 December "1" : the holiday date is variable and therefore the year will need to be specified together with the date (e.g. Easter Monday)
R235	This attribute is used as a flag, its value can be either '0' ('final') or '1' ('partial').
R246	"Customs sub place" and "Arrival Agreed Location Of Goods / Arrival Agreed Location Code" can not be used at the same time.
R251	"Requested Additional Information Code" and "Return Copy returned on" can not be used at the same time.
R254	The LIST OF ITEMS is a copy certified as conform of the NCTS Accompanying Document. In case of a diversion from a declared NCTS destination to an OTS Destination, the NCTS RETURN COPY is also a copy certified as conform of the NCTS Accompanying Document.
R255	Either the data group LIST OF ITEMS or the data group PAPER LOADING LIST is required or in case there is only 1 goods item then both data groups can not be used.
R267	For international IEs, the value of the attribute is always in EUR.
R285	When data group "COMPREHENSIVE GUARANTEE" is present then "CUSTOMS OFFICE (responsible)" becomes required.
R290	When data group "GUARANTEE WAIVER" is present then "CUSTOMS OFFICE (responsible)" becomes required.
R295	When data group "OTS GUARANTEE" is present then "CUSTOMS OFFICE (responsible)" becomes required.



Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Rules/Conditions index	

R300	When data group "SPECIAL GUARANTEE" is present then "CUSTOMS OFFICE (responsible)" becomes required.
R305	When data group "FLAT RATE VOUCHER" is present then "CUSTOMS OFFICE (responsible)" and "FLAT RATE GUARANTEE" become required.
R325	If there are already seals identified in the AAR/AER and/or Arrival Notification/Arrival at Exit (IE507) then 'State of seals' is required.
R330	The use of paper loading lists having been suppressed and all offices being NCTS offices, this data-group/attribute can no longer be used.
R335	The data groups "CONTROL RESULT" and where necessary "SEALS INFO" become required only when a control by Customs took place at premises of the Authorised Consignor /Trader Exporter.
R345	This IE can contains only the following 3 types of guarantee : Waiver, Comprehensive or Vouchers.
R355	Only "GOODS ITEMS" showing discrepancies are sent back to the Office of Departure/Export.
R410	<p>The IE consist of top level data groups. Each top level data group has its own data group ACTION which attributes apply to the top level data group and its subsequent sub data groups.</p> <p>The sender of the IE will always (in case of Create, Update and Delete) send all values of the occurrence.</p> <p>The "Operation" attribute is used to indicate what action is applied to the occurrence in the IE. Its value can be: "C" (create), "U" (update), "D"(delete).</p> <p>The "Validity date" together with the attribute "Modification Subtype" allow the following mechanism;</p> <p>An occurrence becomes invalid as of the specified "Validity date" when the value of "Modification Subtype" is set to "0" (implies an implicit end date).</p> <p>An occurrence and all values of the attributes become valid as of the specified "Validity date" when the value of "Modification Subtype" is set to "1".</p> <p>The values of the attributes become applicable as of the "Validity date" when the value of "Modification Subtype" is set to "2" (this is when the value of the attribute(s) change).</p> <p>"C" (create) :</p> <p>The create operation is used to create a new occurrence of an entity;</p> <p>"U" (update):</p> <p>The update operation is used to change an existing occurrence. It can render an existing occurrence invalid or it can modify existing values of attribute(s) of an occurrence;</p> <p>"D" (delete):</p> <p>The delete operation is used to physically delete an occurrence. This operation must only be used when data has been created erroneously.</p>
R411	<p>The 'Operation' attribute is used to indicate what action is applied:</p> <p>'C' (create), 'D' (delete).</p> <p>In case of "updates", the data group 'SYSTEM UNAVAILABILITY' to be updated will be first deleted and then (re)-created.</p>
R422	This attribute refers to the content of Column 2 in the UN/LOCODE. Column 2 shows the names of the locations (city names) which have been accepted for inclusion in UN/LOCODE, in accordance with the provisions of Recommendation n° 16 (see Rule 460).
R425	The attribute "Season Code" is NOT used as a flag. It is possible to have up to 9 different "seasons" in a year, depending on a defined time period, which is completely covering the year-period.
R430	The "Day in the week (end)" must be equal or greater then the "Day in the week (begin)".
R445	<p>The SENSITIVE GOODS CODE consists of two parts: the first part represents the HS6 six digit commodity code of the TARIC system, the second part represents the "Sensitive Goods Code" which is a two numeric digit code, to be defined by DG TAXUD.</p> <p>This two digit numeric "Sensitive Goods Code" is only used when the 6 digit HS6 code is not specific enough to identify the concerned goods (example: the codes "0405xx" and "2208xx" in the TARIC system cover both sensitive and non sensitive goods, or more than one sensitive good, and must be extended to 0405xx.01 and 2208xx.01 in order to uniquely identify the sensitive goods).</p> <p>These codes are used in the ""List of Goods which when transported give rise to an increase in the Flat-rate Guarantee" (see proper domain).</p>
R450	<p>"Declaration Type" (box 1 of SAD form) is split up into three subdivisions:</p> <p>1st subdivision (declaration symbol): up to 3 alphanumeric characters related to the type of movement concerned;</p> <p>2nd subdivision (declaration type): one numeric code related to the type of procedure concerned;</p> <p>3rd subdivision (declaration transit): up to 5 alphabetic characters (T1, T2(AN/SM), T2L(AN/SM)). Only this 3rd subdivision has to be considered in the context of this Transit application.</p>
R456	For "Package Code" use the alphabetic two-digit UN-code going from "AE"= "aerosol" to "WB" = "Wickerbottle".
R460	This UN/LOCODE refers to the 3 digit alphabetical code of the second part of Column 1 in the UN/LOCODE - Code for Ports and other Locations. Column 1 shows in a first part the ISO 3166 alpha-2 Country Code, which is followed by a space and a 3-alpha code for the city (location) name: XX XXX. This combination is invariably identifying the "City Name". This UN/LOCODE city name is used as an attribute in the "CUSTOMS OFFICE LSD" entity.
R470	The IE15 allows the usage of commodity codes up to 8 digits (national), however only the first six digits are sent to destination with the AAR (international) and to the Office(s) of Transit with the ATR (international).
R486	This attribute can be used to indicate potential specific characteristics of the Customs Office, namely regarding variation of opening hours (e.g. during public holidays, etc.), operational and/or procedural restrictions (e.g. competent only for simplified procedures, competent only for certain goods, the only office authorised to accept flat-rate guarantees, etc.). This attribute will be coded by DG TAXUD after clear definition of the need of the NAs.
R489	Reference Number Main Office is used to indicate the Customs Office (local) to which the Customs Office in question is subordinate. The use of this attribute is left up to the NAs.
R490	Reference Number Higher Authority is used to indicate that the Customs Office in question has a higher authority. As a consequence this attribute becomes required when the Office in question has a higher authority.
R495	Reference Number Take-over is used to indicate another Customs Office that replaces (take-over) the Customs Office in question when the latter is no longer able to perform NCTS operations.
R500	At least 1 of the 4 attributes must be present.
R605	For an international IE38 / IE538 the values of this attribute must be amongst those defined by the common domain (see IE32, data group TRANSIT OPERATION STATE TYPE / EXPORT OPERATION STATE TYPE).

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Rules/Conditions index	

R660	The time has to be given in the format YYYYMMDDHHMM where: YYYY = Year MM = Month DD = Day HH = Hour MM = Minute
R700	This information is not required when goods of different type covered by the same declaration are packed together in such a way that it is impossible to determine the gross mass of each type of goods.
R804	The data group 'TRADER Consignor' must be used if it is different from the data group 'PERSON Lodging the summary declaration'.
R819	Only those occurrences of the data group shall be included in the message for which the last digit of the attribute 'Risk Analysis result code' has one of the following values: 'D', 'E', 'Z'.
R824	The 'Item Number (box 32) involved' shall be indicated if the risk analysis result relates to an item of an Entry summary declaration (ICS), Exit summary declaration or Export declaration (ECS) or Transit declaration (NCTS). In any other case the attribute 'Item Number (box 32) involved' shall not be used.
R830	The attribute cannot be used if the value of the attribute 'Procedure requested' is 76 or 77.
R831	If the value of the attribute 'Procedure requested (box 37.1)' is 76 or 77 or if value of the attribute 'Previous procedure (box 37.1)' is 71 or 78, the attribute 'Identity at departure' can not be used.
R832	If the value of the attribute 'Procedure requested (box 37.1)' is 76 or 77 or if value of the attribute 'Previous procedure (box 37.1)' is 71 or 78, the attribute 'Gross mass' is required either at EXPORT OPERATION or at GOODS ITEM level. Technical Note: If [( 'GOODS ITEM.Procedure requested' = 76 or 77) or ( 'GOODS ITEM.Previous Procedure'=71 or 78)], Then [(the data item 'HEADER.Total gross mass' is present) or (the data item 'GOODS ITEM.Gross Mass' is present) or (both 'HEADER.Total gross mass' and 'GOODS ITEM.Gross Mass' are present)]
R837	The EORI Trader Identification number (TIN) shall be declared.
R838	The attribute is required where the attribute COMMODITY CODE.TARIC first additional code or COMMODITY CODE.TARIC second additional code contain an agricultural (refund) code, and where the attribute 'Procedure requested (box 37.1)' contains the codes 10, 11 or 23, and where the first digit of the attribute 'Inland mode of transport (box 26)' is other than '5' or '7'.
R839	The 'Specific circumstance indicator' with value 'E' (AEO) can be used only if the 'Person lodging the exit summary declaration' and all 'Consignors' declared in the exit summary declaration/ 'Declarant' and all 'Exporters' declared in the export declaration have a valid AEO certificate of type 'AEOF' or 'AEOS'.
R852	The attribute 'Transit' is set to '1' (yes), if a transit procedure is issued after Export (the Export operation is – from a fiscal viewpoint- to be considered as 'exited'). In this cases the issued transit document (MRN) must be indicated in the Data group 'Produced Documents/Certificates'. In any other case the attribute 'Transit' is set to '0' (no).
R853	The amendment request must be sent to the Member State where the Office of Exit (declared in the initial version of the Exit summary declaration) is located.
R854	The amendment request must be sent to the Member State where the Office of Export (declared in the initial version of the Export declaration) is located.
R856	No amendment allowed for 'PERSON lodging the summary declaration'.
R857	The data group 'TRADER Representative' can be used by the 'PERSON Lodging the Exit summary declaration' to authorise a Representative amending an Exit summary declaration on his behalf at the Office of Exit concerned.
R858	Nationally defined values shall not be transmitted to the office of exit.
R859	The attribute can be used either on EXPORT OPERATION or on GOODS ITEM level.
R860	The attribute becomes required (R) when not already known by AES.
R861	Either 'Trader Exporter' or 'Trader Declarant' must be used.
R862	No amendment allowed for 'Trader Declarant'.
R863	Either 'MRN' or 'Manifest Number' must be used.
R864	Either 'E_MAN_PRE' or 'HEADER' Level must be used.
R865	Either 'Exit date' or 'Exit stopped date' must be used. If the 'control result code' is 'B1', then the 'Date exit stopped' must be used, in any other case the 'Exit date' must be used.
R867	Within the data group at least one of the attribute to which Rule 867 applies is to be used.
R868	The content of this attribute is always set to '00'.
R869	Where TARIC doesn't demand for this additional code the content of this attribute is set to '0000'.
R870	When the exit summary declaration amendment is submitted by the Trader Representative, the data group 'TRADER Representative' becomes required'.
R871	This attribute becomes required for agricultural products with export refunds, i.e. where the first digit of the attribute 'Community / National Procedure (box 37.2)' is 'E'.
R872	This attribute becomes required where TARIC so demands.
R873	This attribute becomes required when the 'Statistical value amount (box 46)' is expressed in a currency other than the national one.
R874	This attribute becomes required when the 'Total amount invoiced' (box 22.1) is expressed in a currency other than the national one.
R875	The attribute 'Item Number' refers to corresponding 'Item number' of the E_EXS_DAT (IE 615)/E_ENS_DAT (IE315) /E_EXP_DAT (IE515)/ E_DEC_DAT (IE15).
R876	If the same 'Commercial reference number' is declared for all goods items, the attribute 'Commercial reference number' (box 7) on HEADER level is used. The attribute 'Commercial reference number' (ex box 7) on GOODS ITEM level can not be used.
R877	The data group can be used to add routing information, other than the 'Country of Export' (box15/15a) and 'Destination country' (box17/17a).

<b>Message Specifications for EXPORT</b>	<b>ALIGNED TO DDNA KEL Draft Version</b>
<b>REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2</b>	
<b>Appendix Q2: Technical Message Structure</b>	
<b>5. Rules/Conditions index</b>	

R879	Exit: The country of final destination must be entered in any case. If the specific circumstance indicator is not equal to 'A', then at least the country of original departure must be entered additionally. Entry: The country of original departure must be entered in any case. If the specific circumstance indicator is not equal to 'A', then at least the country of final destination must be entered additionally.
R880	The attribute 'Location Of Goods (box 30)' / 'Location Code (box 30)' and 'Customs sub place (box 30)' can not be used at the same time.
R881	If the attribute is used, its minimum length is 4 digits.
R887	The 'Item number'/'Arrival item number'/'Pre-arrival item number' is the sequential number of the listed items in this message. It must be unique throughout the declaration.
R893	Rule for the purpose of EMCS: Only 1 occurrence of the value 'AAD' for the attribute 'Previous Document Type' can be used per goods item. The attribute 'Previous Document Reference' for 'Previous Document Type' with value 'AAD' shall be the AAD Reference Code (ARC-21 characters) concatenated with 3 positions for the Body Record Unique Reference (3 characters, left padded with zeroes).
R901	When "Declaration Type (box 1)" = 'TIR', the country code (first two digits) in the code of OoDep/Des must have the country regime 'EEC'.
R902	When "Declaration Type (box 1)" = 'TIR', CUSTOMS OFFICE of Transit cannot be used.
R906	When the country code of Office of Destination (box 53) is 'AD', the country code of Office of Transit can only be 'AD'.
R907	When the country code of Office of Destination (box 53) is 'SM', the country regime of the country of Office of Transit can only be 'EEC'.
R908	When the country of Office of Departure (box C) is EFTA or TR, the country code of Office of Transit can not be 'AD' or 'SM'.
R909	When the country code of Office of Destination (box 53) is 'SM' and the country code of Office of Departure (box C) is 'IT', declaration type (box 1) can only be 'T2SM'. When the country code of Office of Destination (box 53) is 'SM' and the country code of Office of Departure (box C) is not 'IT', declaration type (box 1) can only be 'T2' or T2F.
R910	When the country code of Office of Departure (box C) is 'AD' or 'SM', the country regime of the country of Office of Transit can only be 'EEC'.
TR0001	(General) The C_DES_CON message provides the information on satisfactory and unsatisfactory control. The difference between satisfactory and unsatisfactory is determined by the value of the data-item CONTROL RESULT - Control Result Code.
TR0002	The Control Message (IE17/IE18/IE44/IE51/IE517/IE518) always reports back the following fields at the HEADER level only if they are available in the relevant declaration message (IE15/IE515 {IE01/IE501 or IE03/IE503}/IE43 respectively): - Identity of means of transport at departure (exp/trans) - Nationality of means of transport at departure - Total number of packages - Total gross mass - Specific Circumstance Indicator - Transport Charges – Method of Payment - Commercial Reference Number These fields are returned for the information of Customs Officers at Departure and are NOT verified on receipt against the original values."
TR0003	If errors are found at the HEADER level, then RoC-Control Indicator is set to: - DI (Different values found) or - OT (any OTher things to report) If errors are found at the level of GI then GI-RoC-Control Indicator can be set to: - OR (ORiginal values of the Goods item), - DI (Differences in values for a Goods Item), - NE (values of a New Goods item) – this value will not occur in the ECS domain, - NP (Not Presented document) or - OT (OTHer)
TR0004	The RoC group at the HEADER level is repeated for each of the differences found in the data items at the HEADER level. The concerned data items, if present, are: - Identity of means of transport at departure (exp/trans) - Nationality of means of transport at departure - Total number of items - Total number of packages - Total gross mass - Transport charges - Method of Payment - Commercial Reference Number
TR0005	When the RoC-Control Indicator is equal to DI, this data item is Required. When the RoC-Control Indicator is equal to OT, this data item cannot be used.
TR0006	When the RoC-Control Indicator is equal to OT, this data item is Required. When the RoC-Control Indicator is equal to DI, this data item is Optional.
TR0007	The GI data group is Required only when discrepancies have been found in one or more GI or when a new goods item has been found during the control.
TR0008	This data group shall be used in the following cases: - when the Control Indicator in the accompanying RoC-group is equal to 'DI' or 'NE', the group will list the information found, if available. For the case where the goods item is missing, the goods item is filled in as TR0011 suggests. - when the Control Indicator in the accompanying RoC-group is equal to 'OR', the group will list the information received with the declaration, if present.
TR0009	This data item is Required only when the value of the accompanying Control Indicator is equal to OT. For other values of the Control Indicator, it is Optional.
TR0010	This data item is Required when the accompanying Control Indicator is equal to NP. In all other cases, this data item must not be used.



Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Rules/Conditions index	

TR0011	<p>'(Unsatisfactory -&gt; Discrepancies at the level of a GI are found – Control Indicator=DI). One or two GI groups are specified: One for the Original GI (GI-OR), and optionally another one for the Found GI (GI-DI). - GI-OR specifies all the data-groups and data-items present in Goods item of the original IE001/IE501 and also includes a RoC - Control Indicator with the value OR. - GI-DI specifies the information for the goods item as found. It contains at least the RoC - Control Indicator with the value DI. Eventually, other Results of Control groups with value NP can be added, specifying not presented documents. Additionally, RoC OT can be added to GI-OR and/or GI-DI groups, specifying any other things to report on the goods item.' A missing Goods Item should be treated like a discrepancy. The found 'Goods Item' group should then be empty apart from the 'Item number' field and the 'RoC' groups.</p>
TR0012	<p>(Unsatisfactory -&gt; Missing document – Control Indicator=NP) For each document missing, a RoC-group with Control Indicator=NP will be added.</p>
TR0014	<p>(Unsatisfactory -&gt; Document Not Presented - Control Indicator=NP) GI - RoC - Control Indicator is set to NP. The Pointer to the attribute contains a reference to the missing document in the format 44#n (n being the number of the document).</p>
TR0017	This data-item is required if Control is unsatisfactory.
TR0018	The hash symbol ('#') is used to indicate the numbering of subdivision or occurrence (i.e. 'box_number # subdivision/occurrence').
TR0019	<p>The numbering of items: - In case of any difference being found in a Goods Item, the item numbering is equal to numbering defined in the declaration. - In case of a new Goods Item, the item number is equal to the number of the last Goods Item in the declaration + 1.</p>
TR0021	The value of this field must be larger than zero (0).
TR0022	In case the value of a MESSAGE.GOODS ITEM.PACKAGES.Number of Packages is '0' then there should exist at least one GOODS ITEM with the same 'Marks and Numbers of Packages', and 'Number of Packages' with value greater than '0'.
TR0035	Technical Rules "TR9090" and "TR9095" can not be checked in case "Inland mode of transport" (box 26) is not used.
TR0051	'In case of unsatisfactory control results (Control Result Code is equal either to 'B1' or 'A4' in case of Export or to 'B1' or 'A5' in case of Transit), then at least one discrepancy will be reported either at Header or Goods Item level. This means that a Results of Control group will exist either at Header or at Goods Item level. Otherwise, the Results of Control data groups will not be used.'
TR0063	The country defined in the 'MESSAGE.Message sender' data field of the IE518 message should be the same as the country defined in the '(ACTUAL EXIT) CUSTOMS OFFICE.Reference number' data field.
TR0099	<p>This data item must be entered if the message is encoded in EDIFACT and the corresponding free text field is not in the UNOC character set. It is otherwise optional. If the data item is filled in, it must contain the language code of the language used in the corresponding free text field.</p>
TR0100	This field is to be validated against Codelist 14 (Previous document type) if used in a Common Domain message. This field is to be validated against the Previous document types valid in the NA if used in an External Domain message.
TR0101	This field is to be validated against Codelist 39 (Additional information coded codes) if used in a Common Domain message. This field is to be validated against the Additional information coded valid in the NA if used in an External Domain message.
TR0102	In NCTS only 4 or 6 characters can be used in this data item.
TR0103	<p>This field is to be validated against Codelist 13 (Document Type) if used in a Common Domain message. This field is to be validated against the Document Type valid in the NA if used in an External Domain message.</p>
TR0104	<p>TR0104 Document/reference number is not needed for IE906 related to IE411, IE30, IE31, IE32, IE34, IE37, IE912, IE913, IE914, IE916, IE931, IE932, IE70, IE71, IE971 and also for IE302 and IE303 when no Document/Reference number is provided. It must be present in IE906 related to all other messages.</p>
TR0105	The value of the "Downtime FROM" in the MESSAGE - COUNTRY - SYSTEM UNAVAILABILITY Data Group must be within the time range ["Time FROM", "Time TO"] specified in the MESSAGE - COUNTRY - UNAVAILABILITY MATRIX Data Group.
TR0106	<p>IF PLL is used THEN &lt;&lt;MESSAGE - GOODS ITEM - PACKAGES&gt;&gt; can not be used ELSE &lt;&lt;MESSAGE - GOODS ITEM - PACKAGES&gt;&gt; is "R"</p>
TR0107	This time cannot be in the past.
TR0108	If specified, this date must be less or equal to the 'MESSAGE.Date of preparation' of this message and must not be less than the 'HEADER.Issuing date' of the IE501/IE503 for this movement. A tolerance of one (1) day will be applied to take into account that the NECAs' system times may diverge due to different time zones, daylight savings time (DST) schemes, and non-synchronous clocks.
TR0200	This data group or item is Required when NTA/NECA sends AAR/AER/ATR/EXS in response to the request; otherwise not used.
TR0201	This data group or item is Optional/Dependent when NTA/NECA/NICA sends AAR/AER/ATR/EXS/ENS in response to the request; otherwise not used.
TR0202	This data item is Required when NTA/NECA/NICA does not send AAR/AER/ATR/EXS/ENS in response to the request; otherwise not used.
TR0203	This data item is Optional/Dependent when NTA/NECA/NICA does not send AAR/AER/ATR/EXS/ENS in response to the request; otherwise not used.
TR0217	When Customs can agree with the request for an AER, the complete C_AER_SND is sent to Office of Exit. When they disagree, only the MRN, the AER rejection reason code, the CUSTOMS OFFICE of Export (only if the rejection reason code is other than "3"), and the AER rejection reason (only mandatory if the rejection reason code is "4", otherwise optionally) are sent to Exit.
TR0218	When Customs can agree with the request for an EXS the complete C_EXS_SND is sent to exit. When they disagree only the MRN, the Summary Declaration rejection reason code, the CUSTOMS OFFICE of Lodgment (only if the rejection reason code is other than "3") and the Summary Declaration rejection reason (only if the rejection reason code is "4") are sent to Exit.
TR0403	The maximum time period covered by the seasons is one year. There must be no overlap of seasons, meaning that the starting day of one season must not be before the finishing day of any other season.
TR0554	The Condition "C554" should be checked only for the goods items with the RoC Control Indicator 'DI' but not missing (see TR0011 for the definition of a missing item).
TR0700	Values of field 'type' must be identical throughout the message (i.e.: same value in all the repetitions of the "System Unavailability" group).

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Rules/Conditions index	

TR0702	Note that the IE71 is a replica of the IE70 and so the same conditions and rules can be applied. In case of unscheduled unavailability the 'down time to' of the IE70 is optional. For the purpose of consolidation, IE70 with Type 'U' or 'N' that have no value for 'downtime to' are considered as being ongoing. This means that when a IE70 is received by the system with an empty 'down time to'-field, the timer will keep on running until a new IE70 is received containing a filled in 'down time to'-field.
TR0703	Within a single "SYSTEM UNAVAILABILITY" data-group, the "Downtime from" must be prior to the "Downtime to".
TR0704	The conjunction of the following data items uniquely identifies a system unavailability: - COUNTRY.Country code - SYSTEM UNAVAILABILITY.Business functionality - SYSTEM UNAVAILABILITY.Downtime from - SYSTEM UNAVAILABILITY.Type
TR0901	Only the 'Error' data item attached to the level at which the error has been detected, will be used in the CONTRL message.
TR0902	The data groups below the one indicating the error in the CONTRL message will not be used.
TR0903	When there is no error at INTERCHANGE (UNB or UNZ segment) or MESSAGE (UNH or UNT segment) level, the data items INTERCHANGE ERRORS.Interchange service segment and MESSAGE ERRORS.Message service segment should not be used.
TR0904	The only offices included are those Transit Offices and/or Office of Destination, that are in the NA producing the acknowledgement.
TR0910	The IE901 includes only the Customs Office returning the Acknowledgement.
TR0911	The pointer in 'RESULTS OF CONTROL' refers to the box number of the Export Accompanying Documents/Transit Accompanying Documents of a particular data item. Where the data item is a further subdivision or if a particular occurrence of a document needs to be identified, this is denoted by : 'box_number' # 'subdivision/occurrence'.
TR1002	This data group is applicable to NCTS Phase 4 only.
TR1003	This data group is applicable to ECS Phase 2 only.
TR1006	This data group/ item is applicable to ICS Phase 1 only.
TR1008	In case of Export declaration all 8 characters must be used.
TR1009	This data group is required if the domain is ECS Phase 2 only. Otherwise, it is not used.
TR1010	This data group is optional if the domain is NCTS Phase 4 only. Otherwise, it is not used.
TR1011	This data group is required if the domain is NCTS Phase 4 only. Otherwise, it is not used.
TR1012	This data group is applicable to ECS Phase 2 and NCTS Phase 4 only.
TR1013	This Data group is applicable to ECS Phase 2 and ICS Phase only.
TR1014	This Data group is applicable to NCTS Phase 4 and ICS Phase only.
TR1015	This data group is applicable to ECS Phase 2, NCTS Phase 4 and ICS Phase 1 only.
TR9001	The content and the format of the ACTION.Action identification attribute is free to be chosen by the producer of the message. The content must be unique in the context of the enclosing Original message identification.
TR9006	The UPL RESPONSE.Original message identification is equal to the Interchange control reference of the corresponding IE30 transmitted.
TR9007	The value of this attribute can be: "OK", "REJECTED", "ERRORS" or "NOAUTH".
TR9009	The value of the UPL ERROR.Action identification is equal to the Action identification of the corresponding transmission.
TR9010	The attribute path is a hierarchical path from the root of the modifying occurrence down to the attribute in the message using indexed data group names and attribute names.
TR9020	The values of a date and time attribute must be specified by NAs using GMT time reference.
TR9025	Only System Unavailability Type "S" is acceptable for this field in the IE912 message.
TR9030	The "Incident flag" data item is required if the data item "Incident information" is not present; in order to indicate that an incident has occurred and no other information is available. In any other case , the "Incident flag" data item is optional. The only allowed value of the field is the value '1'.
TR9045	When the IE919.MRNINFO.MSGINFO.Message type is equal to 'CD906A', or 'CD907A', then this field is required.
TR9080	Within the "HEADER" data-group, the "Period from date" must be prior or equal to the "Period to date".
TR9085	In Normal Mode of Operation if this field is used it must have a value of 0.
TR9095	IF first digit of 'Inland transport mode' (box 26) = '2', '5' or '7' THEN the 'Nationality of means of transport at departure' (box 18) can not be used ELSE IF "Container number" is present THEN the 'Nationality of means of transport at departure' is 'O'. ELSE it is "R"
TR9099	Within the "HEADER" data-group, one (or more) of the contained fields must be present.
TR9110	The value of this attribute shall be '1' in case an extraction is requested. If it is not used a retrieval will be requested.
TR9115	In case that an extraction is requested, the 'Period from date' and/or the 'Period to date' fields will be used to request occurrences valid in the specified period. On the contrary, in case retrieval is requested, the 'Period from date' and/or the 'Period to date' fields will be used to request occurrences modified and published in the specified period.
TR9120	If used, this data item has to be filled in at GOODS ITEM level only if there is more than one value. If there is one value, it has to be filled in at HEADER level.
TR9121	IF 'HEADER.Type of Declaration' = 'CO', THEN the value must be in {CL010, 'QQ', 'QR', 'QV'}, CL010 applies, ELSE IF 'HEADER.Type of Declaration' = 'EU', THEN CL063 applies except 'AD' and 'SM', ELSE [i.e. 'HEADER.Type of Declaration' = 'EX'], CL140 applies. The value must be in { ( CL140 except {'QQ', 'QR', 'QV'} ) , 'AD', 'SM', 'CY', 'DE', 'IT'}.

Message Specifications for EXPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-EXPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Rules/Conditions index	

TR9160	Reference Number Competent Authority for Enquiry is used to indicate that the Customs Office in question has a Competent Authority of Enquiry for the NCTS P4. As a consequence this attribute becomes required when the Office in question has a Competent Authority of Enquiry.
TR9170	Reference Number Competent Authority for Recovery is used to indicate that the Customs Office in question has a Competent Authority of Recovery for the NCTS P4. As a consequence this attribute becomes required when the Office in question has a Competent Authority of Recovery.
TR9175	The last digit, which is used to identify the type of risk, shall be validated against codelist "Risk analysis result code".
TR9190	This field is domain specific and it includes the numeric values 1 for NCTS, 2 for ECS or 3 for ICS.
TR9200	IF "MESSAGE.CUSTOMS OFFICE INFORMATION.ACTION.Operation" = "U" AND "MESSAGE.CUSTOMS OFFICE INFORMATION.ACTION.Modification subtype" = "0" THEN the "MESSAGE.CUSTOMS OFFICE INFORMATION.ACTION.Validity date" shall be at least 15 days after the "MESSAGE.Date of preparation".
TR9201	IF "MESSAGE.CUSTOMS OFFICE INFORMATION.ACTION.Operation" = "U" AND "MESSAGE.CUSTOMS OFFICE INFORMATION.ACTION.Modification subtype" = "0" THEN "MESSAGE.CUSTOMS OFFICE INFORMATION.Reference number take-over" = "R" ELSE "MESSAGE.CUSTOMS OFFICE INFORMATION.Reference number take-over" = "O"
TR9202	IF the FUNCTIONAL ERROR data group is used then the specific Data Group/Data Item must not be used, otherwise the Data Group/Data Item is required.
TR9203	IF the FUNCTIONAL ERROR data group is used then the specific Data Group/Data Item is required, otherwise the Data Group/Data Item must not be used.
TR9250	The field can accept any printable character with ASCII value 32-126 or 160-255 of UNOC: Latin-1 ISO 8859-1, UNOD: Latin-2 ISO 8859-2 (Central Europe), UNOH: Latin-4 ISO 8859-4, UNOE: Latin-5 ISO 8859-5 or UNOK: Turkish ISO 8859-9, or with ASCII value 32-126 or 160-254 (except 174 and 210) of UNOF: Greek ISO 8859-7. Any other character must be transliterated to one of the aforementioned character set.