

# ICIS NET

---

## Message Specifications for IMPORT

### Appendix Q2: Technical Message Structure

#### ICISNET-IMPORT-MSG-SPECS

---

**Issue Date:** 14/07/2020

**Owner:** INTRASOFT

**Authors:** INTRASOFT

**Version:** v1.00

Framework Contract No: null

Contract No: ICISNET

Restricted - In Confidence

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
1. Introduction	

## 1. Introduction

This appendix describes the detailed structure of each Functional Message Structure (FMS) identified in Message Specifications for IMPORT.

The introduction text for this appendix can be found in a separate file, referred to as Appendix Q - Part 1. Appendix Q - Part 1 provides the user an overview of amendments from SAM Mapping and FTSS-AES Addendum [A4].

Furthermore, it explains the usage of Technical Rules.

FMSs are organised into data groups that contain data items. A data group is not necessarily the equivalent of a database entity. The data items are grouped together in such a way that they build up coherent logical blocks within the scope of each FMS.

This appendix lists:

- the characteristics of the data groups belonging to the FMS: sequence, number of repetitions, a status value to indicate if the data group is mandatory (R: Required), optional (O: Optional) or conditional (D: Dependent)
- data group indentation indicates that the data group may contain not only data items but also other groups of data
- Rules and Conditions applying
- Applicable ICS\_Declaratives Codelists

## DDNA KEL Alignment

The specific Appendix is aligned to DDNA KEL VDRAFT Version

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
2. MESSAGES LIST	

## 2. MESSAGES LIST

Number	Title	Message Type
DA004	Αποδοχή τροποποίησης ARN / SAN	DA004A
DA005	Απόρριψη τροποποίησης ARN / SAN	DA005A
DA013	Υποβολή τροποποίησης ARN / SAN	DA013A
DA204	Αποδοχή Τροποποίησης Παρατηρήσεων Αποθηκευτή Π.Ε.	DA204A
DA205	Απόρριψη Τροποποίησης Παρατηρήσεων Παραλαβής Αποθηκευτή Π.Ε.	DA205A
DA213	Υποβολή Τροποποίησης Παρατηρήσεων Παραλαβής Αποθηκευτή Π.Ε.	DA213A
DA215	Υποβολή Παρατηρήσεων Παραλαβής Αποθηκευτή Π.Ε.	DA215A
DA216	Απόρριψη Παρατηρήσεων Παραλαβής Αποθηκευτή Π.Ε.	DA216A
DA228	Αποδοχή Παρατηρήσεων Παραλαβής Αποθηκευτή Π.Ε.	DA228A
DA229	Δεδομένα Εισόδου Παρατηρήσεων Παραλαβής Αποθηκευτή Π.Ε.	DA229A
DA261	Ειδοποίηση Απόφασης Ελέγχου Εμπορευμάτων Παρατηρήσεων Παραλαβής Αποθηκευτή Π.Ε.	DA261A
DA291	Αίτημα προς τον διαχειριστή Π.Ε. για την εικόνα των πιστώσεων ενός MRN	DA291A
DA292	Ενημέρωση τελωνείου για την εικόνα των πιστώσεων ενός MRN	DA292A
DA304	Αποδοχή Τροποποίησης Αίτησης Ανασυσκευασίας	DA304A
DA305	Απόρριψη Τροποποίησης Αίτησης Ανασυσκευασίας	DA305A
DA313	Υποβολή Τροποποίησης Αίτησης Ανασυσκευασίας	DA313A
DA315	Υποβολή Αίτησης Ανασυσκευασίας	DA315A
DA316	Απόρριψη Αίτησης Ανασυσκευασίας	DA316A
DA328	Αποδοχή Αίτησης Ανασυσκευασίας	DA328A
DA404	ARN AMENDMENT ACCEPT	DA404A
DA405	ARN AMENDMENT REJECT	DA405A
DA413	ARN AMENDMENT	DA413A
DB104	Αποδοχή Τροποποίησης Αναγγελίας Άφιξης – Κατάπλου Πλοίου	DB104A
DB105	Απόρριψη Τροποποίησης Αναγγελίας Άφιξης – Κατάπλου Πλοίου	DB105A
DB113	Τροποποίηση Αναγγελίας Άφιξης – Κατάπλου Πλοίου	DB113A
DB404	Αποδοχή Τροποποίησης IMO Ship's Stores Declaration	DB404A
DB504	Αποδοχή Τροποποίησης IMO Crew's Effects Declaration	DB504A
DB505	Απόρριψη Τροποποίησης IMO Crew's Effects Declaration	DB505A
DB513	Τροποποίηση IMO Crew's Effects Declaration	DB513A
DC004	Αποδοχή Τροποποίησης Αίτησης Καταστροφής	DC004A
DC005	Απόρριψη Τροποποίησης Αίτησης Καταστροφής	DC005A
DC013	Τροποποίηση Αίτησης Καταστροφής	DC013A
DC015	Αίτηση Καταστροφής	DC015A
DC016	Απόρριψη Αίτησης Καταστροφής	DC016A
DC028	Αποδοχή Αίτησης Καταστροφής	DC028A
DC104	Αποδοχή Τροποποίησης Αίτησης Εγκατάλειψης	DC104A
DC105	Απόρριψη Τροποποίησης Αίτησης Εγκατάλειψης	DC105A
DC113	Τροποποίηση Αίτησης Εγκατάλειψης	DC113A
DC115	Αίτηση Εγκατάλειψης	DC115A
DC116	Απόρριψη Αίτησης Εγκατάλειψης	DC116A
DC128	Αποδοχή Αίτησης Εγκατάλειψης	DC128A
DC515	Υποβολή Αίτησης Προσκόμισης Πρόσθετων Στοιχείων από Οικονομικό Φορέα	DC515A
DC516	Απόρριψη Αίτησης Προσκόμισης Πρόσθετων Στοιχείων από Οικονομικό Φορέα	DC516A
DC528	Αποδοχή Αίτησης Προσκόμισης Πρόσθετων Στοιχείων από Οικονομικό Φορέα	DC528A
DC591	Αίτημα Προσκόμισης Πρόσθετων Στοιχείων από Οικονομικό Φορέα	DC591A
DC604	Αποδοχή Τροποποίησης Αίτησης Δειγματοληψίας	DC604A
DC605	Απόρριψη Τροποποίησης Αίτησης Δειγματοληψίας	DC605A
DC613	Αίτηση Τροποποίησης Δειγματοληψίας	DC613A
DC615	Αίτηση Δειγματοληψίας	DC615A
DC616	Απόρριψη Αίτησης Δειγματοληψίας	DC616A
DC628	Αποδοχή Αίτησης Δειγματοληψίας	DC628A
DC704	Αποδοχή Τροποποίησης Βεβαίωσης Τελωνειακού Χαρακτήρα Εμπορευμάτων	DC704A
DC705	Απόρριψη Τροποποίησης Βεβαίωσης Τελωνειακού Χαρακτήρα Εμπορευμάτων	DC705A
DC709	Απόφαση Ακύρωσης Αίτησης Βεβαίωσης Τελωνειακού Χαρακτήρα Εμπορευμάτων	DC709A

Number	Title	Message Type
DC713	Αίτηση Τροποποίησης Βεβαίωσης Τελωνειακού Χαρακτήρα Εμπορευμάτων	DC713A
DC714	Αίτηση Ακύρωσης Βεβαίωσης Τελωνειακού Χαρακτήρα Εμπορευμάτων	DC714A
DC715	Αίτηση Βεβαίωσης Τελωνειακού Χαρακτήρα Εμπορευμάτων	DC715A
DC716	Απόρριψη Αίτησης Βεβαίωσης Τελωνειακού Χαρακτήρα Εμπορευμάτων	DC716A
DC728	Αποδοχή Αίτησης Βεβαίωσης Τελωνειακού Χαρακτήρα Εμπορευμάτων	DC728A
DC780	Ενημέρωση κατάστασης Αίτησης Βεβαίωσης Τελωνειακού Χαρακτήρα Εμπορευμάτων	DC780A
DC804	Αποδοχή Τροποποίησης Βεβαίωσης Τελωνειακού Χαρακτήρα Εμπορευμάτων EZ/AE	DC804A
DC805	Απόρριψη Τροποποίησης Βεβαίωσης Τελωνειακού Χαρακτήρα Εμπορευμάτων EZ/AE	DC805A
DC809	Απόφαση Αίτησης Ακύρωσης Βεβαίωσης Τελωνειακού Χαρακτήρα Εμπορευμάτων EZ/AE	DC809A
DC813	Αίτηση Τροποποίησης Βεβαίωσης Τελωνειακού Χαρακτήρα Εμπορευμάτων EZ/AE	DC813A
DC814	Αίτηση Ακύρωσης Βεβαίωσης Τελωνειακού Χαρακτήρα Εμπορευμάτων EZ/AE	DC814A
DC815	Αίτηση Βεβαίωσης Τελωνειακού Χαρακτήρα Εμπορευμάτων EZ/AE	DC815A
DC816	Απόρριψη Αίτησης Βεβαίωσης Τελωνειακού Χαρακτήρα Εμπορευμάτων EZ/AE	DC816A
DC828	Αποδοχή Αίτησης Βεβαίωσης Τελωνειακού Χαρακτήρα Εμπορευμάτων EZ/AE	DC828A
DC880	Ενημέρωση κατάστασης Αίτησης Βεβαίωσης Τελωνειακού Χαρακτήρα Εμπορευμάτων EZ/AE	DC880A
DE004	Αποδοχή Τροποποίησης Αίτησης Δηλωτικού	DE004A
DE005	Απόρριψη Τροποποίησης Αίτησης Δηλωτικού	DE005A
DE013	Τροποποίηση Αίτησης Δηλωτικού	DE013A
DE015	Αίτηση Δηλωτικού	DE015A
DE016	Απόρριψη Αίτησης Δηλωτικού	DE016A
DE028	Αποδοχή Αίτησης Δηλωτικού	DE028A
DX304	Αποδοχή Τροποποίησης Δηλωτικού	DX304A
DX305	Απόρριψη Τροποποίησης Δηλωτικού	DX305A
DX313	Δηλωτικό Εισαγωγής - Μεταβολή Συνοπτικής Διασάφησης Προσωρινής Εναπόθεσης	DX313A
DX315	Δηλωτικό Εισαγωγής - Συνοπτική Διασάφηση Προσωρινής Εναπόθεσης	DX315A
DX316	Απόρριψη Δηλωτικού	DX316A
DX322	Απόρριψη Εισόδου Εμπορευμάτων Δηλωτικού	DX322A
DX328	Αποδοχή Υποβολής Δηλωτικού	DX328A
DX329	Δεδομένα Εισόδου Δηλωτικού	DX329A
DX330	Απελευθέρωση Εισόδου Δηλωτικού	DX330A
DX361	Ειδοποίηση Απόφασης Ελέγχου Εμπορευμάτων Δηλωτικού	DX361A
IE030	NOTIFICATION OF CUSTOMS OFFICES MODIFICATION TO COMMON DOMAIN	CD030C
IE031	NOTIFICATION OF CUSTOMS OFFICES MODIFICATION TO NATIONAL DOMAIN	CD031C
IE032	NOTIFICATION OF COMMON REFERENCE DATA MODIFICATION TO ND	CD032C
IE070	NOTIFICATION OF SYSTEM UNAVAILABILITY TO CD	CD070B
IE071	NOTIFICATION OF SYSTEM UNAVAILABILITY TO ND	CD071B
IE301	ENS	CD301A
IE302	DECLARATION REQUEST IMPORT	CD302A
IE303	ENTRY SUMMARY DECLARATION RESPONSE	CD303A
IE304	ENTRY SUMMARY DECLARATION AMENDMENT ACCEPTED	CC304A
IE305	ENTRY SUMMARY DECLARATION AMENDMENT REJECTION	CC305A
IE313	ENTRY SUMMARY DECLARATION AMENDMENT	CC313A
IE315	ENTRY SUMMARY DECLARATION	CC315A
IE316	ENTRY SUMMARY DECLARATION REJECTED	CC316A
IE319	TRANSMISSION TO SUBSEQUENT OFFICE OF ENTRY	CD319A
IE322	Απόρριψη Εισόδου	CC322A
IE323	DIVERSION REQUEST IMPORT	CC323A
IE324	DIVERSION REQUEST REJECTED	CC324A
IE325	DIVERSION REQUEST ACKNOWLEDGEMENT	CC325A
IE328	ENTRY SUMMARY DECLARATION ACKNOWLEDGEMENT	CC328A
IE329	Δεδομένα Εισόδου	CC329A
IE330	Απελευθέρωση Εισόδου	CC330A
IE340	PRE-ARRIVAL NOTIFICATION	CC340A
IE341	PRE-ARRIVAL NOTIFICATION VALIDATION	CC341A
IE342	PRE-ARRIVAL ITEM REJECTION	CC342A
IE344	Υποβολή SAN	CC344A

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
2. MESSAGES LIST	

Number	Title	Message Type
IE345	SUBSEQUENT ARRIVAL NOTIFICATION VALIDATION	CC345A
IE346	SUBSEQUENT ARRIVAL ITEM REJECTION	CC346A
IE347	Υποβολή ARN	CC347A
IE348	ARRIVAL NOTIFICATION VALIDATION	CC348A
IE349	ARRIVAL ITEM REJECTION	CC349A
IE351	ADVANCED INTERVENTION NOTIFICATION	CC351A
IE361	Ειδοποίηση Απόφασης Ελέγχου	CC361A
IE392	Δεδομένα Ελέγχου	CC392A
IE411	SENDING OF STATISTICS DATA	CD411C
IE412	STATISTICS GENERATED SENT TO NATIONAL DOMAIN	CD412C
IE906	FUNCTIONAL NACK	CD906B
IE912	AVAILABILITY MATRIX	CD912B
IE913	UPLOAD PARSING RESPONSE	CD913B
IE914	COL REQUEST	CD914B
IE916	COMMON RD REQUEST	CD916B
IE917	XML NACK	CD917B
IE931	COL DATA	CD931C
IE932	COMMON RD DATA	CD932C
IE971	FULL UNAVAILABILITY SCHEDULE	CD971B

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
3. FORMAT DIFFERENCES	

### 3. FORMAT DIFFERENCES

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
4. NAMING DIFFERENCES	

## 4. NAMING DIFFERENCES

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DA004	

## 5. Message Structure for: DA004

DA004	(DA004A)	Αποδοχή τροποποίησης ARN / SAN	(E_ARN_SAN_AMM_AC C)
-------	----------	--------------------------------	-------------------------

MESSAGE	1x	R
---HEADER	1x	R
---(ACTUAL OFFICE OF ENTRY) CUSTOMS OFFICE	1x	D
---(ENTRY CARRIER) TRADER	1x	D
---ARRIVAL OPERATION	1x	R
---PROVISION	1x	O
-----MEANS OF PROVISIONING	99x	O
-----FUEL CONTROL	99x	O



Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DA004	

## MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Correlation identifier	D	an..14		

## ---HEADER

Reference number	R	an..22		
Document/reference number	R	an..21		
Transport mode at border	R	n..2	18	
Total number of items	R	n..5		
Total number of packages	D	n..7		
Total gross mass	O	n..11,3		
Identification of the means of transport	O	an..35		
Document/reference number Communicated	R	n1	27	
Declaration Amendment registration date and time	R	n12		
Declaration Amendment Submitted Date and Time	R	n12		
Declaration Amendment date and time	R	n12		

## ---(ACTUAL OFFICE OF ENTRY) CUSTOMS OFFICE

Reference number	R	an8		
------------------	---	-----	--	--

## ---(ENTRY CARRIER) TRADER

Name	D	an..35		
Street and number	D	an..35		
Postal code	D	an..9		
City	D	an..35		
Country code	D	a2	8	
NAD LNG	O	a2	12	TR0099
TIN	R	an..17		

## ---ARRIVAL OPERATION

Arrival LRN	R	an..22		
MRN	R	an..21		
Declaration registration date and time	R	n12		
Arrival registration date and time	D	n12		

## ---PROVISION

Ship Name	R	an..20		
IMO Number	R	an..15		
Ship Flag	R	a2		IE_GR CL10505
Gross Tonnage	R	n..6		

## -----MEANS OF PROVISIONING

DIPENAK Record ID	R	an..15		
Description of means of provisioning	R	an..20		
Quantity	R	n..11,3		

## -----FUEL CONTROL

Relief Code	R	an..3		
Quantity	R	n..11,3		

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DA005	

## 5. Message Structure for: DA005

DA005	(DA005A)	Απόρριψη τροποποίησης ARN / SAN	(E_ARN_SAN_AMM_RE J)
-------	----------	---------------------------------	-------------------------

MESSAGE	1x	R
--HEADER	1x	R
--FUNCTIONAL ERROR	999x	D
--IMPORT OPERATION	99999x	R
--ARRIVAL OPERATION	1x	R

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DA005	

## MESSAGE

Message sender	R	an..35	
Message recipient	R	an..35	
Date of preparation	R	n6	
Time of preparation	R	n4	
Priority	O	a1	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Correlation identifier	D	an..14	

## ---HEADER

Reference number	R	an..22	
Document/reference number	R	an..21	
Document/reference number Communicated	R	n1	27
Amendment rejection motivation code	O	n1	45
Amendment rejection motivation text	D	an..350	
Amendment rejection motivation text LNG	O	a2	12
Declaration Amendment rejection date	R	n6	
Declaration Amendment rejection time	R	n4	

## ---FUNCTIONAL ERROR

Error type	R	n2	49
Error pointer	R	an..210	
Error reason	O	an..6	
Original attribute value	O	an..140	
Error description	O	an..350	

## ---IMPORT OPERATION

MRN	R	an..21	
MRN Item Number	R	n..5	
Arrival item rejection reason	O	an..35	
Arrival item rejection reason LNG	O	a2	

## ---ARRIVAL OPERATION

Arrival MRN	R	an..21	
Arrival rejection date and time	R	n12	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DA013	

## 5. Message Structure for: DA013

DA013	(DA013A)	Υποβολή τροποποίησης ARN / SAN	(E_ARN_SAN_AMM)
-------	----------	--------------------------------	-----------------

MESSAGE	1x	R
---HEADER	1x	R
---(ACTUAL OFFICE OF ENTRY) CUSTOMS OFFICE	1x	R
---(ENTRY CARRIER) TRADER	1x	R
---ARRIVAL ITEM	99999x	R
-----TRANSPORT DOCUMENT DATA	1x	R
-----CUSTOMS DATA REFERENCE	99999x	O
-----CUSTOMS DATA REFERENCE DETAILS	999x	D
-----IMPORT OPERATION	1x	D
-----GOODS ITEM	999x	D
------(CONSIGNOR) TRADER	1x	O
------(CONSIGNEE) TRADER	1x	D
-----NOTIFY PARTY	1x	D
-----CONTAINERS	99x	O
------(MEANS OF TRANSPORT AT BORDER) IDENTITY	999x	D
-----PACKAGES	99x	D
------(CODE) COMMODITY	1x	D
-----PREVIOUS ADMINISTRATIVE REFERENCES	9x	O
-----PRODUCED DOCUMENTS/CERTIFICATES	99x	D
-----SPECIAL MENTIONS	99x	O
------(WAREHOUSE) IDENTIFICATION	999x	R
-----SEALS ID	9999x	O
-----ITINERARY	99x	D
------(CONSIGNOR) TRADER	1x	D
------(CONSIGNEE) TRADER	1x	D
-----NOTIFY PARTY	1x	D

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DA013	

## MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Correlation identifier	D	an..14		

## ---HEADER

Transport mode at border	R	n..2	18	
Total number of packages	O	n..7		
Total gross mass	O	n..11,3		
Identification of the means of transport	O	an..35		
Arrival LRN	R	an..22		
Date and Time of presentation	R	n12		
Total number of arrival items	R	n..5		
Date and time of scheduled arrival	R	n12		

## ---(ACTUAL OFFICE OF ENTRY) CUSTOMS OFFICE

Reference number	R	an8		
Expected date and time of arrival	R	an12		

## ---(ENTRY CARRIER) TRADER

Name	D	an..35		
Street and number	D	an..35		
Postal code	D	an..9		
City	D	an..35		
Country code	D	a2	8	
NAD LNG	O	a2	12	TR0099
TIN	R	an..17		

## ---ARRIVAL ITEM

Arrival item number	R	n..5		
---------------------	---	------	--	--

## -----TRANSPORT DOCUMENT DATA

Document type	R	an..4		
Transport document reference	R	an..35		
Transport Document Reference LNG	O	a2	12	

## -----CUSTOMS DATA REFERENCE

MRN	R	an..21		
Country code of Office of first Entry declared	O	a2		

## -----CUSTOMS DATA REFERENCE DETAILS

MRN Item Number	R	n..5		
-----------------	---	------	--	--

## -----IMPORT OPERATION

Total number of items	R	n..5		
Total number of packages	D	n..7		
Commercial Reference Number	D	an..70		
Transport mode at border	R	n..2		
Nationality crossing border	O	a2		
Identity of means of transport crossing border	D	an..27		
Identity of means of transport crossing border LNG	O	a2	12	
Conveyance reference number	O	an..35		
Place of loading	D	an..35		R670
Place of loading LNG	O	a2		
Place of unloading	O	an..35		R670
Place of unloading LNG	O	a2		

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DA013	

Total gross mass	O	n..11,3	
Specific Circumstance Indicator	O	a1	
Transport charges/ Method of Payment	O	a1	
Declaration date	R	n8	
Declaration place	R	an..35	
Declaration place LNG	O	a2	
LRN	R	an..22	
<b>-----GOODS ITEM</b>			
Item number	R	n..5	
Customs status	O	an..5	
Commercial Reference Number	D	an..70	
Goods description	O	an..280	
Goods description LNG	O	a2	
Gross mass	D	n..11,3	
UN dangerous goods code	O	an4	
Transport charges/ Method of Payment	D	a1	
Place of loading	D	an..35	R670
Place of loading LNG	O	a2	
Place of unloading	D	an..35	R670
Place of unloading LNG	O	a2	
<b>----- (CONSIGNOR) TRADER</b>			
Name	D	an..35	
Street and number	D	an..35	
Postal code	D	an..9	
City	D	an..35	
Country code	D	a2	
NAD LNG	O	a2	
TIN	R	an..17	
<b>----- (CONSIGNEE) TRADER</b>			
Name	D	an..35	
Street and number	D	an..35	
Postal code	D	an..9	
City	D	an..35	
Country code	D	a2	
NAD LNG	O	a2	
TIN	R	an..17	
<b>-----NOTIFY PARTY</b>			
Name	D	an..35	
Street and number	D	an..35	
Postal code	D	an..9	
City	D	an..35	
Country code	D	a2	
NAD LNG	O	a2	
TIN	R	an..17	
<b>-----CONTAINERS</b>			
Container number	R	an..17	
<b>----- (MEANS OF TRANSPORT AT BORDER) IDENTITY</b>			
Nationality of means of transport crossing border	R	a2	
Identity of means of transport crossing border	R	an..27	
Identity of means of transport crossing border LNG	O	a2	12
<b>-----PACKAGES</b>			
Marks & numbers of packages (long)	D	an..140	
Marks & numbers of packages (long) LNG	O	a2	
Kind of packages	R	an..3	17
Number of packages	D	n..5	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DA013	

Number of pieces	D	n..5
----- <b>(CODE) COMMODITY</b>		
Combined Nomenclature	R	an..8
----- <b>PREVIOUS ADMINISTRATIVE REFERENCES</b>		
Previous document type	R	an..6
Previous document reference	R	an..35
Previous document reference LNG	O	a2
Complement of information	O	an..26
Complement of information LNG	O	a2
----- <b>PRODUCED DOCUMENTS/CERTIFICATES</b>		
Document type	R	an..4
Document reference	R	an..35
Document reference LNG	O	a2
----- <b>SPECIAL MENTIONS</b>		
Additional information coded	R	an..5
----- <b>(WAREHOUSE) IDENTIFICATION</b>		
Warehouse type	R	a1
Authorizing country	R	a2
Warehouse identification	R	an..14
Warehouse Keeper identification	D	an..21
Warehouse approval identification	O	an..35
----- <b>SEALS ID</b>		
Seals identity	R	an..20
Seals identity LNG	O	a2
----- <b>ITINERARY</b>		
Country of routing code	R	a2
----- <b>(CONSIGNOR) TRADER</b>		
Name	D	an..35
Street and number	D	an..35
Postal code	D	an..9
City	D	an..35
Country code	D	a2
NAD LNG	O	a2
TIN	R	an..17
----- <b>(CONSIGNEE) TRADER</b>		
Name	D	an..35
Street and number	D	an..35
Postal code	D	an..9
City	D	an..35
Country code	D	a2
NAD LNG	O	a2
TIN	R	an..17
----- <b>NOTIFY PARTY</b>		
Name	D	an..35
Street and number	D	an..35
Postal code	D	an..9
City	D	an..35
Country code	D	a2
NAD LNG	O	a2
TIN	R	an..17

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DA013	



Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DA204	

## 5. Message Structure for: DA204

DA204	(DA204A)	Αποδοχή Τροποποίησης Παρατηρήσεων Αποθηκευτή Π.Ε.	(E_WAR_KEE_REM_AM M)
-------	----------	--	-------------------------

MESSAGE	1x	R
---HEADER	1x	R
---(ACTUAL OFFICE OF ENTRY) CUSTOMS OFFICE	1x	R
---(ENTRY CARRIER) TRADER	1x	R
---ARRIVAL OPERATION	1x	R

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DA204	

## MESSAGE

Message sender	R	an..35	
Message recipient	R	an..35	
Date of preparation	R	n6	
Time of preparation	R	n4	
Priority	O	a1	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Correlation identifier	D	an..14	

## ---HEADER

Reference number	R	an..22	
Document/reference number	R	an..21	
Total number of items	R	n..5	
Total number of packages	D	n..7	
Total gross mass	O	n..11,3	
Document/reference number Communicated	R	n1	27
Remarks registration date and time	R	n12	
Remarks Submitted Date and Time	R	n12	
Remarks date and time	R	n12	
Accepting date	R	n6	
Accepting time	R	n4	

## ---(ACTUAL OFFICE OF ENTRY) CUSTOMS OFFICE

Reference number	R	an8	
------------------	---	-----	--

## ---(ENTRY CARRIER) TRADER

Name	D	an..35	
Street and number	D	an..35	
Postal code	D	an..9	
City	D	an..35	
Country code	D	a2	8
NAD LNG	O	a2	12
TIN	R	an..17	

## ---ARRIVAL OPERATION

Arrival LRN	R	an..22	
MRN	R	an..21	
Declaration registration date and time	R	n12	
Arrival rejection date and time	D	n12	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DA205	

## 5. Message Structure for: DA205

DA205	(DA205A)	Απόρριψη Τροποποίησης Παρατηρήσεων Παραλαβής Αποθηκευτή Π.Ε.	(E_WAR_KEE_REM_AM M)
-------	----------	---	-------------------------

MESSAGE	1x	R
--HEADER	1x	R
--FUNCTIONAL ERROR	999x	D
--ARRIVAL OPERATION	1x	R
--CUSTOMS OFFICE	1x	R

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DA205	

## MESSAGE

Message sender	R	an..35	
Message recipient	R	an..35	
Date of preparation	R	n6	
Time of preparation	R	n4	
Priority	O	a1	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Correlation identifier	D	an..14	

## ---HEADER

Reference number	R	an..22	
Document/reference number	R	an..21	
Total number of items	R	n..5	
Total number of packages	D	n..7	
Total gross mass	O	n..11,3	
Document/reference number Communicated	R	n1	27
Amendment rejection motivation code	R	n1	45
Amendment rejection motivation text	R	an..350	
Amendment rejection motivation text LNG	O	a2	12
Remarks registration date and time	R	n12	
Remarks Submitted Date and Time	R	n12	
Remarks date and time	R	n12	
Rejection date	R	n8	
Rejection time	R	n4	

## ---FUNCTIONAL ERROR

Error type	R	n2	49
Error pointer	R	an..210	
Error reason	O	an..6	
Original attribute value	O	an..140	

## ---ARRIVAL OPERATION

Arrival LRN	R	an..22	
MRN	R	an..21	
Declaration registration date and time	R	n12	
Arrival rejection date and time	D	n12	

## ---CUSTOMS OFFICE

Reference number	R	an8	ESD_GR _CL1127
------------------	---	-----	-------------------

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DA213	

## 5. Message Structure for: DA213

DA213	(DA213A)	Υποβολή Τροποποίησης Παρατηρήσεων Παραλαβής Αποθηκευτή Π.Ε.	(E_WAR_KEE_REM_AM M)
-------	----------	--	-------------------------

MESSAGE	1x	R
--HEADER	1x	R
--IMPORT OPERATION	99999x	R
--WAREHOUSE KEEPER	1x	R
--CUSTOMS OFFICE	1x	R
--TEMPORARY STORAGE	1x	R
--CONTACT PERSON	1x	O
--GOODS ITEM (DI)	99999x	O
-----CONTAINERS	99x	D
-----PACKAGES	99x	R
--GOODS ITEM (OR)	99999x	O
-----ITEM RANGE	1x	O
--PERSON LODGING REQUEST	1x	R
--RELATED MANIFEST	1x	R
--HAND OVER PROTOCOL	1x	O

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DA213	

## MESSAGE

Message sender	R	an..35	
Message recipient	R	an..35	
Date of preparation	R	n6	
Time of preparation	R	n4	
Priority	O	a1	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Correlation identifier	D	an..14	

## ---HEADER

Document/reference number	R	an..21	
Total number of items	R	n..5	
Declaration Request amendment registration date and time	R	n12	
Declaration Request amendment submitted Date and Time	R	n12	
Declaration Request amendment date and time	R	n12	
Delivery date	R	n8	
Warehouse Keeper Notes Dispatch Date and Time	R	n12	
TARIC Code	R	an10	

## ---IMPORT OPERATION

Commercial Reference Number	D	an..70	
Conveyance reference number	O	an..35	
MRN	R	an..21	

## ---WAREHOUSE KEEPER

Name	D	an..35	
Street and number	D	an..35	
Postal code	D	an..9	
City	D	an..35	
Country code	D	a2	ESD_GR _CL128
NAD LNG	O	a2	ESD_GR _CL129
TIN	R	an..17	

## ---CUSTOMS OFFICE

Reference number	R	an8	ESD_GR _CL1127
------------------	---	-----	-------------------

## ---TEMPORARY STORAGE

Warehouse type	R	n1	
Warehouse Keeper identification	D	an..21	
Warehouse identification	R	an..19	
Warehouse section	O	an..70	
Warehouse approval identification	O	an..35	

## ---CONTACT PERSON

Name	D	an..35	
Street and number	D	an..35	
Postal code	D	an..9	
City	D	an..35	
Country code	D	a2	
NAD LNG	O	a2	
ID	R	an..21	
ID Type	R	n3	NCL05

## ---GOODS ITEM (DI)

Item number	R	n..5	
Goods description	R	an..260	
Gross mass	O	n..11,3	
Goods description LNG	O	a2	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DA213	

Taric CodeTR	R	an..8	
Warehouse Remarks	D	an..280	
Other remarks	O	an..280	
<b>-----CONTAINERS</b>			
Container number	R	an..17	
<b>-----PACKAGES</b>			
Kind of packages	R	an..3	17
Number of packages	D	n..5	
Number of pieces	D	n..5	
Marks & numbers of packages (long)	D	an..140	
Marks & numbers of packages (long) LNG	O	a2	
<b>---GOODS ITEM (OR)</b>			
Item number	R	n..5	
<b>-----ITEM RANGE</b>			
Item number from	R	n..5	
Item number to	R	n..5	
<b>---PERSON LODGING REQUEST</b>			
Name	D	an..35	
Street and number	D	an..35	
Postal code	D	an..9	
City	D	an..35	
Country code	D	a2	ESD_GR _CL128
NAD LNG	O	a2	
ID	R	an..21	
ID Type	R	n1	NCL06
<b>---RELATED MANIFEST</b>			
MRN	R	an..21	
<b>---HAND OVER PROTOCOL</b>			
DRN	R	an..35	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DA215	

## 5. Message Structure for: DA215

DA215	(DA215A)	Υποβολή Παρατηρήσεων Παραλαβής Αποθηκευτή Π.Ε.	(E_WAR_KEE_REM)
-------	----------	--	-----------------

MESSAGE		1x	R
--HEADER		1x	R
--CUSTOMS OFFICE		1x	R
--TEMPORARY STORAGE		1x	R
--CONTACT PERSON		1x	O
--GOODS ITEM (DI)		99999x	O
-----CONTAINERS		99x	D
-----PACKAGES		99x	R
--GOODS ITEM (OR)		99999x	O
-----ITEM RANGE		1x	D
--PERSON LODGING REQUEST		1x	R
--RELATED MANIFEST		1x	R
--HAND OVER PROTOCOL		1x	O



Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DA215	

## MESSAGE

Message sender	R	an..35	
Message recipient	R	an..35	
Date of preparation	R	n6	
Time of preparation	R	n4	
Priority	O	a1	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Correlation identifier	D	an..14	

## ---HEADER

Reference number	R	an..22	
Total number of items	R	n..5	
Declaration Request registration date and time	R	n12	
Declaration Request submitted Date and Time	R	n12	
Delivery date	R	n8	
Warehouse Keeper Notes Dispatch Date and Time	R	n12	
notes	O	an..240	
AKLA	O	an..50	

## ---CUSTOMS OFFICE

Reference number	R	an8	ESD_GR _CL1127
------------------	---	-----	-------------------

## ---TEMPORARY STORAGE

Warehouse type	R	n1	
Warehouse Keeper identification	D	an..21	
Warehouse identification	R	an..19	
Warehouse section	O	an..70	
Warehouse approval identification	O	an..35	

## ---CONTACT PERSON

Contact person	D	an..35	
Contact Person Telephone	D	an..35	
Contact Person Email	D	an..35	

## ---GOODS ITEM (DI)

Item number	R	n..5	
Goods description	O	an..260	
Gross mass	O	n..11,3	
Gross mass difference	O	n..11,3	
Goods description LNG	O	a2	
Taric CodeTR	R	an..8	
Warehouse Remarks	D	an..280	
Other remarks	O	an..280	
Pleon Ellaton Gross mass difference	O	n1	

## -----CONTAINERS

Container number	R	an..17	
------------------	---	--------	--

## -----PACKAGES

Kind of packages	R	an..3	17
Number of packages	D	n..5	
Number of pieces	D	n..5	
Marks & numbers of packages (long)	D	an..140	
Marks & numbers of packages (long) LNG	O	a2	
Number of packages difference	O	n..8	
Number of pieces difference	O	n..8	
Pleon Ellaton Number of packages difference	O	n1	
Pleon Ellaton Number of pieces difference	O	n1	

## ---GOODS ITEM (OR)

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DA215	

Item number	D	n..5	
<b>-----ITEM RANGE</b>			
Item number from	R	n..5	
Item number to	R	n..5	
<b>---PERSON LODGING REQUEST</b>			
Name	D	an..35	
Street and number	D	an..35	
Postal code	D	an..9	
City	D	an..35	
Country code	D	a2	ESD_GR _CL128
NAD LNG	O	a2	
ID	R	an..21	
ID Type	O	n1	NCL06
<b>---RELATED MANIFEST</b>			
MRN	R	an..21	
<b>---HAND OVER PROTOCOL</b>			
DRN	R	an..35	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DA216	

## 5. Message Structure for: DA216

DA216	(DA216A)	Απόρριψη Παρατηρήσεων Παραλαβής Αποθηκευτή Π.Ε.	(E_WAR_KEE_REM_RE J)
-------	----------	---	----------------------

MESSAGE	1x	R
---HEADER	1x	R
---FUNCTIONAL ERROR	999x	D

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DA216	

MESSAGE

Message sender	R	an..35	
Message recipient	R	an..35	
Date of preparation	R	n6	
Time of preparation	R	n4	
Priority	O	a1	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Correlation identifier	D	an..14	

---HEADER

Reference number	R	an..22	
Declaration registration date and time	R	n12	
Declaration rejection reason	O	an..350	
Declaration rejection reason LNG	O	a2	12

---FUNCTIONAL ERROR

Error type	R	n2	49
Error pointer	R	an..210	
Error reason	O	an..6	
Original attribute value	O	an..140	
Error description	O	an..350	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DA228	

## 5. Message Structure for: DA228

DA228	(DA228A)	Αποδοχή Παρατηρήσεων Παραλαβής Αποθηκευτή Π.Ε.	(E_WAR_KEE_REM_ACC)
-------	----------	--	---------------------

MESSAGE	1x	R	
---HEADER	1x	R	
---GOODS ITEM	999x	O	R134
-----PRODUCED DOCUMENTS/CERTIFICATES	99x	O	R147
-----CONTAINERS	99x	O	
----- (MEANS OF TRANSPORT AT BORDER) IDENTITY	999x	O	C019
---(LODGEMENT) CUSTOMS OFFICE	1x	R	
---(LODGING SUMMARY DECLARATION) PERSON	1x	R	
---(FIRST ENTRY) CUSTOMS OFFICE	1x	O	
---(ENTRY CARRIER) TRADER	1x	O	R134

<b>Message Specifications for IMPORT</b>	<b>ALIGNED TO DDNA KEL Draft Version</b>
<b>REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2</b>	
<b>Appendix Q2: Technical Message Structure</b>	
<b>5. Message Structure for: DA228</b>	

## MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Correlation identifier	D	an..14		TR9181

## ---HEADER

Reference number	R	an..22		R891
Document/reference number	R	an..21		
Transport mode at border	O	n..2	18	R134
Nationality	R	a2	8	C024
Identity of means of transport crossing border	R	an..27		C017 C514 R134
Identity of means of transport crossing border LNG	R	a2	12	TR0099
Total number of items	R	n..5		
Total number of packages	O	n..7		
Commercial Reference Number	O	an..70		R134
Conveyance reference number	O	an..35		C518 R134 R843
Declaration registration date and time	R	n12		R660 R661

## ---GOODS ITEM

Item number	R	n..5		R005 R007
Commercial Reference Number	D	an..70		

## -----PRODUCED DOCUMENTS/CERTIFICATES

Document type	R	an..4	13	R136
Document reference	R	an..35		
Document reference LNG	O	a2	12	TR0099

## -----CONTAINERS

Container number	R	an..17		
------------------	---	--------	--	--

## -----((MEANS OF TRANSPORT AT BORDER) IDENTITY

Nationality	R	a2	8	C020
Identity of means of transport crossing border	R	an..27		
Identity of means of transport crossing border LNG	O	a2	12	TR0099

## ---((LODGEMENT) CUSTOMS OFFICE

Reference number	R	an8		
------------------	---	-----	--	--

## ---((LODGING SUMMARY DECLARATION) PERSON

Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	8	C501
NAD LNG	D	a2	12	TR0099
TIN	R	an..17		

## ---((FIRST ENTRY) CUSTOMS OFFICE

Reference number	R	an8		
Expected date and time of arrival	R	an12		R134 R660 R666

## ---((ENTRY CARRIER) TRADER

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DA228	

Name	D	an..35	C501
Street and number	D	an..35	C501
Postal code	D	an..9	C501
City	D	an..35	C501
Country code	D	a2	8C501
NAD LNG	D	a2	12TR0099
TIN	R	an..17	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DA229	

## 5. Message Structure for: DA229

DA229	(DA229A)	Δεδομένα Εισόδου Παρατηρήσεων Παραλαβής Αποθηκευτή Π.Ε.	(ENTR_DAT_REM_WAR E)
MESSAGE		1x	R
---HEADER		1x	R
---(CONSIGNOR) TRADER		1x	D C511
---(CONSIGNEE) TRADER		1x	D C583 R805
---CONTROL RESULT		1x	O
---NOTIFY PARTY		1x	D C583
---GOODS ITEM		999x	R
-----PRODUCED DOCUMENTS/CERTIFICATES		99x	D C564 C567
-----SPECIAL MENTIONS		99x	O
------(CONSIGNOR) TRADER		1x	D C511
------(CODE) COMMODITY		1x	D C585
------(CONSIGNEE) TRADER		1x	D C583
-----CONTAINERS		99x	O
------(MEANS OF TRANSPORT AT BORDER) IDENTITY		999x	D C019
-----PACKAGES		99x	D C577
-----NOTIFY PARTY		1x	D C583
---ITINERARY		99x	D C570 R879
---(LODGEMENT) CUSTOMS OFFICE		1x	O
---(LODGING SUMMARY DECLARATION) PERSON		1x	O
---SEALS ID		9999x	O
---(ACTUAL OFFICE OF ENTRY) CUSTOMS OFFICE		1x	R
---(FIRST ENTRY) CUSTOMS OFFICE		1x	O
---(SUBSEQUENT ENTRY) CUSTOMS OFFICE		99x	O R808
---(ENTRY CARRIER) TRADER		1x	O R806
---TRADER REPRESENTATIVE		1x	O



Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DA229	

## MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Correlation identifier	D	an..14		TR9181

## ---HEADER

Transport mode at border	R	n..2	18	C513
Identity of means of transport crossing border	D	an..27		C017 C514
Identity of means of transport crossing border LNG	O	a2	12	TR0099
Nationality of means of transport crossing border	O	a2	8	
Total number of items	R	n..5		
Total number of packages	D	n..7		C582
Total gross mass	O	n..11,3		
Declaration date	R	n8		
Declaration place	R	an..35		
Declaration place LNG	O	a2	12	TR0099
Specific Circumstance Indicator	O	a1	96	R834
Transport charges/ Method of Payment	O	a1	116	
Commercial Reference Number	D	an..70		C567
Conveyance reference number	O	an..35		R843
Place of loading	D	an..35		C574 R670
Place of loading LNG	O	a2	12	TR0099
Place of unloading	O	an..35		R670
Place of unloading LNG	O	a2	12	TR0099
LRN	R	an..22		R891

## ---(CONSIGNOR) TRADER

Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	8	C501
NAD LNG	O	a2	12	TR0099
TIN	O	an..17		R835

## ---(CONSIGNEE) TRADER

Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	8	C501
NAD LNG	O	a2	12	TR0099
TIN	D	an..17		C502 R835

## ---CONTROL RESULT

Control date	R	n8		
--------------	---	----	--	--

## ---NOTIFY PARTY

Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DA229	

Country code	D	a2	8	C501
NAD LNG	O	a2	12	TR0099
TIN	O	an..17		R835
<b>---GOODS ITEM</b>				
Item number	R	n..5		R005 R007
Goods description	O	an..280		
Goods description LNG	O	a2	12	TR0099
Gross mass	D	n..11,3		C592
Transport charges/ Method of Payment	D	a1	116	C576
Commercial Reference Number	D	an..70		C567
UN dangerous goods code	O	an4	101	R823
Place of loading	D	an..35		C574 R670
Place of loading LNG	O	a2	12	TR0099
Place of unloading	D	an..35		C579 R670
Place of unloading LNG	O	a2	12	TR0099
Customs status	O	an..5		R815
<b>-----PRODUCED DOCUMENTS/CERTIFICATES</b>				
Document type	R	an..4	13	C565
Document reference	R	an..35		C566
Document reference LNG	O	a2	12	TR0099
<b>-----SPECIAL MENTIONS</b>				
Additional information coded	R	an..5	39	R080
<b>----- (CONSIGNOR) TRADER</b>				
Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	8	C501
NAD LNG	O	a2	12	
TIN	O	an..17		R835
<b>----- (CODE) COMMODITY</b>				
Combined Nomenclature	R	an..8		R881
<b>----- (CONSIGNEE) TRADER</b>				
Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	8	C501
NAD LNG	O	a2	12	
TIN	D	an..17		C502 R835
<b>-----CONTAINERS</b>				
Container number	R	an..17		
<b>----- (MEANS OF TRANSPORT AT BORDER) IDENTITY</b>				
Identity of means of transport crossing border	R	an..27		C514
Identity of means of transport crossing border LNG	O	a2	12	TR0099
Nationality crossing border	R	a2		
<b>-----PACKAGES</b>				
Marks & numbers of packages	D	an..42		C062
Marks & numbers of packages LNG	O	a2	12	TR0099
Kind of packages	R	an..3	17	
Number of packages	D	n..5		C062 R021

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DA229	

Number of pieces	D	n..5	C062
<b>-----NOTIFY PARTY</b>			
Name	D	an..35	C501
Street and number	D	an..35	C501
Postal code	D	an..9	C501
City	D	an..35	C501
Country code	D	a2	8 C501
NAD LNG	O	a2	12
TIN	O	an..17	R835
<b>---ITINERARY</b>			
Country of routing code	R	a2	8
<b>---(LODGEMENT) CUSTOMS OFFICE</b>			
Reference number	R	an8	
<b>---(LODGING SUMMARY DECLARATION) PERSON</b>			
Name	D	an..35	C501
Street and number	D	an..35	C501
Postal code	D	an..9	C501
City	D	an..35	C501
Country code	D	a2	8 C501
NAD LNG	O	a2	12 TR0099
TIN	R	an..17	R837
<b>---SEALS ID</b>			
Seals identity	R	an..35	
Seals identity LNG	O	a2	12 TR0099
<b>---(ACTUAL OFFICE OF ENTRY) CUSTOMS OFFICE</b>			
Reference number	R	an8	
<b>---(FIRST ENTRY) CUSTOMS OFFICE</b>			
Reference number	R	an8	
Expected date and time of arrival	R	an12	R660 R666
<b>---(SUBSEQUENT ENTRY) CUSTOMS OFFICE</b>			
Reference number	R	an8	
Expected date and time of arrival	R	an12	R660
<b>---(ENTRY CARRIER) TRADER</b>			
Name	D	an..35	C501
Street and number	D	an..35	C501
Postal code	D	an..9	C501
City	D	an..35	C501
Country code	D	a2	8 C501
NAD LNG	O	a2	12 TR0099
TIN	R	an..17	R837
<b>---TRADER REPRESENTATIVE</b>			
Name	D	an..35	
Street and number	D	an..35	
Postal code	D	an..9	
City	D	an..35	
Country code	D	a2	
NAD LNG	O	a2	
TIN	R	an..17	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DA261	

## 5. Message Structure for: DA261

DA261	(DA261A)	Ειδοποίηση Απόφασης Ελέγχου Εμπορευμάτων Παρατηρήσεων Παραλαβής Αποθηκευτή Π.Ε.	(DA261)
-------	----------	--	---------

MESSAGE	1x	R	
--HEADER	1x	R	
--GOODS ITEM	999x	O	R812
--(CARRIER) TRADER	1x	R	
--(ACTUAL OFFICE OF ENTRY) CUSTOMS OFFICE	1x	R	
--CUSTOMS INTERVENTION	999x	D	
--PRODUCED DOCUMENTS/CERTIFICATES	99x	O	R147
--CONTAINERS	99x	O	R818
--IDENTITY OF MEANS OF TRANSPORT AT BORDER (ex. Box 21)	999x	O	R818

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DA261	

## MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Correlation identifier	D	an..14		TR9181

## ---HEADER

Total number of items	R	n..5		R811
Commercial Reference Number	O	an..70		R818
Conveyance reference number	O	an..35		R818
MRN	R	an..21		
Arrival LRN	R	an..22		R891

## ---GOODS ITEM

Item number	R	n..5		R810
Commercial Reference Number	O	an..70		R818

## ---(CARRIER) TRADER

Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	8	C501
NAD LNG	O	a2	12	TR0099
TIN	R	an..17		R837

## ---(ACTUAL OFFICE OF ENTRY) CUSTOMS OFFICE

Reference number	R	an8		
------------------	---	-----	--	--

## ---CUSTOMS INTERVENTION

Item Number concerned	O	n..5		R888
Customs Intervention code	R	an..4	108	
Customs Intervention text	O	an..350		
Customs Intervention LNG	O	a2	12	TR0099

## ---PRODUCED DOCUMENTS/CERTIFICATES

Document type	R	an..4	13	
Document reference	R	an..35		R136 R809
Document reference LNG	O	a2	12	TR0099

## ---CONTAINERS

Container numbers (Box 31)	R	an..17		R809
----------------------------	---	--------	--	------

## ---IDENTITY OF MEANS OF TRANSPORT AT BORDER (ex. Box 21)

Nationality of means of transport crossing border	R	a2		
Identity of means of transport crossing border	R	an..27		C514 R809
Identity of means of transport crossing border LNG	O	a2	12	TR0099

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DA291	

## 5. Message Structure for: DA291

DA291	(DA291A)	Αίτημα προς τον διαχειριστή Π.Ε. για την εικόνα των πιστώσεων ενός MRN	(E_MRN_CRE_INF_REQ)
-------	----------	--	---------------------

MESSAGE	1x	R
--HEADER	1x	R
--CUSTOMS OFFICE	1x	R
--CUSTOMS OFFICER CONTACT INFO	1x	R
--DOCUMENT	1x	R
-----GOODS ITEM	999x	O
--CARRIER	1x	R
--DECLARANT	1x	R

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DA291	

## MESSAGE

Message sender	R	an..35	
Message recipient	R	an..35	
Date of preparation	R	n6	
Time of preparation	R	n4	
Priority	O	a1	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Correlation identifier	D	an..14	

## ---HEADER

Document/reference number	R	an..21	
Declaration Submitted Date and Time	R	n12	
Warehouse Keeper	R	an..21	
Warehouse identification	R	an..19	

## ---CUSTOMS OFFICE

Reference number	R	an8	ESD_GR _CL1127
------------------	---	-----	-------------------

## ---CUSTOMS OFFICER CONTACT INFO

Name	R	an..35	
Customs Officer Id	R	an..15	
Surname	R	an..35	
Category	R	an..30	
Degree	R	an..15	
Branch	R	an..50	

## ---DOCUMENT

MRN	R	an..22	
-----	---	--------	--

## -----GOODS ITEM

Item Number	R	n..3	
-------------	---	------	--

## ---CARRIER

Name	D	an..35	
Street and number	D	an..35	
Postal code	D	an..9	
City	D	an..35	
Country code	D	a2	
NAD LNG	O	a2	
ID	R	an..21	
ID Type	R	n3	NCL05

## ---DECLARANT

Name	D	an..35	
Street and number	D	an..35	
Postal code	D	an..9	
City	D	an..35	
Country code	D	a2	
NAD LNG	O	a2	
ID	R	an..21	
ID Type	R	n3	NCL05

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DA292	

## 5. Message Structure for: DA292

DA292	(DA292A)	Ενημέρωση τελωνείου για την εικόνα των πιστώσεων ενός MRN	(E_MRN_CRE_INF)
-------	----------	---	-----------------

MESSAGE		1x	R
--HEADER		1x	R
--DOCUMENT		1x	R
-----GOODS ITEM		999x	O
-----DELIVERY		999x	O
-----PACKAGES		999x	R
-----BALANCE		999x	O



Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DA292	

## MESSAGE

Message sender	R	an..35	
Message recipient	R	an..35	
Date of preparation	R	n6	
Time of preparation	R	n4	
Priority	O	a1	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Correlation identifier	D	an..14	

## ---HEADER

Document/reference number	R	an..21	
Warehouse Keeper	R	an..21	
Declaration Response submitted Date and Time	R	n12	
Warehouse identification	R	an..19	

## ---DOCUMENT

MRN	R	an..22	
-----	---	--------	--

## -----GOODS ITEM

Item Number	R	n..3	
AKLA	O	an..50	
Status	O	an..3	
Delivery Mrn (WN)	O	an..21	

## -----DELIVERY

Delivery number	O	an..50	
Document Type	R	an..3	
Document/reference number	R	an..21	

## -----PACKAGES

Kind of packages	R	an..3	17
Quantity	R	n..5	

## -----BALANCE

Document Type	O	an..3	
Document/reference number	O	an..21	
Quantity	R	n..11,3	
Kind of packages	R	an..3	17

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DA304	

5. Message Structure for: DA304

DA304	(DA304A)	Αποδοχή Τροποποίησης Αίτησης Ανασυσκευασίας	(E_REP_REQ_AMM_AC C)
-------	----------	---	-------------------------

MESSAGE	1x	R
--HEADER	1x	R
--CUSTOMS OFFICE	1x	R

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DA304	

MESSAGE

Message sender	R	an..35	
Message recipient	R	an..35	
Date of preparation	R	n6	
Time of preparation	R	n4	
Priority	O	a1	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Correlation identifier	D	an..14	

---HEADER

Reference number	R	an..22	
Document/reference number	R	an..21	
Repacking amendment accepting date	R	n8	
Repacking amendment accepting time	R	n4	

---CUSTOMS OFFICE

Reference number	R	an8	ESD_GR _CL1127
------------------	---	-----	-------------------

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DA305	

### 5. Message Structure for: DA305

DA305	(DA305A)	Απόρριψη Τροποποίησης Αίτησης Ανασυσκευασίας	(E_REP_REQ_AMM_RE J)
-------	----------	--	-------------------------

MESSAGE	1x	R
---HEADER	1x	R
---FUNCTIONAL ERROR	999x	R

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DA305	

## MESSAGE

Message sender	R	an..35	
Message recipient	R	an..35	
Date of preparation	R	n6	
Time of preparation	R	n4	
Priority	O	a1	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Correlation identifier	D	an..14	

## ---HEADER

Reference number	R	an..22	
Document/reference number	R	an..21	
Rejection Reason	O	an..350	
Repacking amendment rejection date	R	n8	
Repacking amendment rejection time	R	n4	

## ---FUNCTIONAL ERROR

Error type	R	n2	49
Error pointer	R	an..210	
Error reason	O	an..6	
Original attribute value	O	an..140	
Error description	O	an..350	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DA313	

## 5. Message Structure for: DA313

DA313	(DA313A)	Υποβολή Τροποποίησης Αίτησης Ανασυσκευασίας	(E_REP_REQ_AMM)
-------	----------	---	-----------------

MESSAGE	1x	R
---HEADER	1x	R
---REPRESENTATIVE	1x	O
---GOODS ITEM	99x	R
-----PACKAGES	99x	R
-----DECLARATION CONTAINERS	1x	O
---CUSTOMS OFFICE	1x	R
---PERSON LODGING REQUEST	1x	R
---PREVIOUS DECLARATION	1x	R

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DA313	

## MESSAGE

Message sender	R	an..35	
Message recipient	R	an..35	
Date of preparation	R	n6	
Time of preparation	R	n4	
Priority	O	a1	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Correlation identifier	D	an..14	

## ---HEADER

Reference number	R	an..22	
Conveyance reference number	O	an..35	
Repacking amendment registration date and time	R	n12	
Repacking amendment submitted date and time	R	n12	
Repacking amendment date and time	R	n12	
Repacking Reason Type	R	an..3	
Repacking Reason Description	O	an..240	

## ---REPRESENTATIVE

Name	O	an..35	
Street and number	O	an..35	
Postal code	O	an..9	
City	O	an..35	
Country code	O	a2	
NAD LNG	R	a2	
ID Type	R	n1	NCL06
ID	R	an..21	

## ---GOODS ITEM

Item number	R	n..5	
Goods description	O	an..280	
Goods description LNG	O	a2	12
Gross mass	R	n..11,3	
Commodity code	O	an..10	
Referenced Declaration Item Number	R	n..5	
Description	O	an..280	
Comments	O	an..280	

## -----PACKAGES

Kind of packages	R	an..3	17
Number of packages	O	n..5	
Number of pieces	O	n..5	
Marks & numbers of packages (long)	O	an..140	
Marks & numbers of packages (long) LNG	O	a2	12

## -----DECLARATION CONTAINERS

Container number	R	an..17	
------------------	---	--------	--

## ---CUSTOMS OFFICE

Reference number	R	an8	ESD_GR _CL1127
------------------	---	-----	-------------------

## ---PERSON LODGING REQUEST

Name	O	an..35	
Street and number	O	an..35	
Postal code	O	an..9	
City	O	an..35	
Country code	O	a2	ESD_GR _CL1128
NAD LNG	O	a2	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DA313	

ID	R	an..21	
ID Type	R	n1	NCL06
<b>---PREVIOUS DECLARATION</b>			
Declaration Number	R	an..22	
Declaration Type	R	n..2	
Declaration Date	R	n12	



Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DA315	

## 5. Message Structure for: DA315

DA315	(DA315A)	Υποβολή Αίτησης Ανασυσκευασίας	(E_REP_REQ)
-------	----------	--------------------------------	-------------

MESSAGE	1x	R
---HEADER	1x	R
---REPRESENTATIVE	1x	O
---GOODS ITEM	99x	R
-----PACKAGES	99x	R
-----DECLARATION CONTAINERS	1x	O
---CUSTOMS OFFICE	1x	R
---PERSON LODGING REQUEST	1x	R
---PREVIOUS DECLARATION	1x	R

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DA315	

## MESSAGE

Message sender	R	an..35	
Message recipient	R	an..35	
Date of preparation	R	n6	
Time of preparation	R	n4	
Priority	O	a1	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Correlation identifier	D	an..14	

## ---HEADER

Reference number	R	an..22	
Conveyance reference number	O	an..35	
Repacking registration date and time	R	n12	
Repacking Submitted Date and Time	R	n12	
Repacking Reason Type	R	an..3	
Repacking Reason Description	O	an..240	

## ---REPRESENTATIVE

Name	O	an..35	
Street and number	O	an..35	
Postal code	O	an..9	
City	O	an..35	
Country code	O	a2	
NAD LNG	O	a2	
ID Type	R	n1	NCL06
ID	R	an..21	

## ---GOODS ITEM

Item number	R	n..5	
Goods description	O	an..280	
Goods description LNG	O	a2	12
Gross mass	R	n..11,3	
Commodity code	O	an..10	
Referenced Declaration Item Number	R	n..5	
Description	O	an..280	
Comments	O	an..280	

## -----PACKAGES

Kind of packages	R	an..3	17
Number of packages	O	n..5	
Number of pieces	O	n..5	
Marks & numbers of packages (long)	O	an..140	
Marks & numbers of packages (long) LNG	O	a2	12

## -----DECLARATION CONTAINERS

Container number	R	an..17	
------------------	---	--------	--

## ---CUSTOMS OFFICE

Reference number	R	an8	ESD_GR _CL1127
------------------	---	-----	-------------------

## ---PERSON LODGING REQUEST

Name	O	an..35	
Street and number	O	an..35	
Postal code	O	an..9	
City	O	an..35	
Country code	O	a2	ESD_GR _CL1128
NAD LNG	O	a2	
ID	R	an..21	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DA315	

ID Type	R	n1	NCL06
---PREVIOUS DECLARATION			
Declaration Number	R	an..22	
Declaration Type	R	n..2	
Declaration Date	R	n12	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DA316	

## 5. Message Structure for: DA316

DA316	(DA316A)	Απόρριψη Αίτησης Ανασυσκευασίας	(E_REP_REQ_REJ)
-------	----------	---------------------------------	-----------------

MESSAGE	1x	R
---HEADER	1x	R
---GOODS ITEM	99x	R
-----PACKAGES	99x	R
-----DECLARATION CONTAINERS	99x	O
---FUNCTIONAL ERROR	99x	R

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DA316	

## MESSAGE

Message sender	R	an..35	
Message recipient	R	an..35	
Date of preparation	R	n6	
Time of preparation	R	n4	
Priority	O	a1	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Correlation identifier	D	an..14	

## ---HEADER

Reference number	R	an..22	
Document/reference number	O	an..21	
Conveyance reference number	O	an..35	
Rejection date	R	n8	
Rejection time	R	n4	
Repacking place LNG	O	a2	
Repacking registration date and time	O	n12	
Repacking Submitted Date and Time	O	n12	
Repacking Reason Type	O	an..3	
Repacking Reason Description	O	an..240	

## ---GOODS ITEM

Item number	R	n..5	
Goods description	O	an..280	
Goods description LNG	O	a2	12
Gross mass	R	n..11,3	
Commodity code	O	an..10	
Referenced Declaration Item Number	R	n..5	
Description	O	an..280	
Comments	O	an..280	

## -----PACKAGES

Kind of packages	R	an..3	17
Number of packages	O	n..5	
Number of pieces	O	n..5	
Marks & numbers of packages (long)	O	an..140	
Marks & numbers of packages (long) LNG	O	a2	12

## -----DECLARATION CONTAINERS

Container number	R	an..17	
------------------	---	--------	--

## ---FUNCTIONAL ERROR

Error type	R	n2	49
Error pointer	R	an..210	
Error reason	O	an..6	
Original attribute value	O	an..140	
Error description	O	an..350	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DA328	

## 5. Message Structure for: DA328

DA328	(DA328A)	Αποδοχή Αίτησης Ανασυσκευασίας	(E_REP_REQ_ACC)
-------	----------	--------------------------------	-----------------

MESSAGE	1x	R
---HEADER	1x	R
---GOODS ITEM	99x	R
-----PACKAGES	99x	R
-----DECLARATION CONTAINERS	99x	O
---CUSTOMS OFFICE	1x	R

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DA328	

## MESSAGE

Message sender	R	an..35	
Message recipient	R	an..35	
Date of preparation	R	n6	
Time of preparation	R	n4	
Priority	O	a1	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Correlation identifier	D	an..14	

## ---HEADER

Reference number	R	an..22	
Document/reference number	R	an..21	
Conveyance reference number	O	an..35	
Accepting date	R	n6	
Accepting time	R	n4	
Repacking registration date and time	R	n12	
Repacking Submitted Date and Time	R	n12	
Repacking Reason Type	R	an..3	
Repacking Reason Description	O	an..240	

## ---GOODS ITEM

Item number	R	n..5	
Goods description	O	an..280	
Goods description LNG	O	a2	12
Gross mass	R	n..11,3	
Referenced Declaration Item Number	R	n..5	
Description	O	an..280	
Comments	O	an..280	
Commodity code	O	an..8	

## -----PACKAGES

Kind of packages	R	an..3	17
Number of packages	O	n..5	
Number of pieces	O	n..5	
Marks & numbers of packages (long)	O	an..140	
Marks & numbers of packages (long) LNG	O	a2	12

## -----DECLARATION CONTAINERS

Container number	R	an..17	
------------------	---	--------	--

## ---CUSTOMS OFFICE

Reference number	R	an8	ESD_GR _CL1127
------------------	---	-----	-------------------

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DA404	

## 5. Message Structure for: DA404

DA404	(DA404A)	ARN AMENDMENT ACCEPT	(E_ARN_AMM_ACC)
-------	----------	----------------------	-----------------

MESSAGE	1x	R
---HEADER	1x	R
---(ACTUAL OFFICE OF ENTRY) CUSTOMS OFFICE	1x	D
---(ENTRY CARRIER) TRADER	1x	D
---ARRIVAL OPERATION	1x	R



Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DA404	

## MESSAGE

Message sender	R	an..35	
Message recipient	R	an..35	
Date of preparation	R	n6	
Time of preparation	R	n4	
Priority	O	a1	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Correlation identifier	D	an..14	

## ---HEADER

Reference number	R	an..22	
Document/reference number	R	an..21	
Transport mode at border	R	n..2	18
Total number of items	R	n..5	
Total number of packages	D	n..7	
Total gross mass	O	n..11,3	
Identification of the means of transport	O	an..35	
Presentation Amendment registration date and time	R	n12	
Presentation Amendment Submitted Date and Time	R	n12	

## ---(ACTUAL OFFICE OF ENTRY) CUSTOMS OFFICE

Reference number	R	an8	
------------------	---	-----	--

## ---(ENTRY CARRIER) TRADER

Name	D	an..35	
Street and number	D	an..35	
Postal code	D	an..9	
City	D	an..35	
Country code	D	a2	8
NAD LNG	O	a2	12
TIN	R	an..17	

## ---ARRIVAL OPERATION

Arrival LRN	R	an..22	
MRN	R	an..21	
Declaration registration date and time	R	n12	
Arrival registration date and time	D	n12	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DA405	

## 5. Message Structure for: DA405

DA405	(DA405A)	ARN AMENDMENT REJECT	(E_ARN_AMM_REJ)
-------	----------	----------------------	-----------------

MESSAGE	1x	R
---HEADER	1x	R
---FUNCTIONAL ERROR	999x	R
---ARRIVAL OPERATION	1x	R

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DA405	

## MESSAGE

Message sender	R	an..35	
Message recipient	R	an..35	
Date of preparation	R	n6	
Time of preparation	R	n4	
Priority	O	a1	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Correlation identifier	D	an..14	

## ---HEADER

Reference number	R	an..22	
Document/reference number	R	an..21	
Total number of packages	R	n..7	
Total gross mass	R	n..11,3	
Document/reference number Communicated	R	n1	27
Amendment rejection motivation code	O	n1	45
Presentation Amendment registration date and time	R	n12	
Presentation Amendment Submitted Date and Time	R	n12	

## ---FUNCTIONAL ERROR

Error type	R	n2	49
Error pointer	R	an..210	
Error reason	O	an..6	
Original attribute value	O	an..140	
Error description	O	an..350	

## ---ARRIVAL OPERATION

Arrival MRN	R	an..21	
Arrival rejection date and time	R	n12	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DA413	

## 5. Message Structure for: DA413

DA413	(DA413A)	ARN AMENDMENT	(E_ARN_AMM)
-------	----------	---------------	-------------

MESSAGE	1x	R
---HEADER	1x	R
---(ACTUAL OFFICE OF ENTRY) CUSTOMS OFFICE	1x	R
---(ENTRY CARRIER) TRADER	1x	R
---ARRIVAL ITEM	99999x	R
-----TRANSPORT DOCUMENT DATA	1x	R
-----CUSTOMS DATA REFERENCE	99999x	R
-----CUSTOMS DATA REFERENCE DETAILS	999x	D
-----WAREHOUSE IDENTIFICATION	1x	D
---WAREHOUSE IDENTIFICATION	1x	O

<b>Message Specifications for IMPORT</b>	<b>ALIGNED TO DDNA KEL Draft Version</b>
<b>REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2</b>	
<b>Appendix Q2: Technical Message Structure</b>	
<b>5. Message Structure for: DA413</b>	

## MESSAGE

Message sender	R	an..35	
Message recipient	R	an..35	
Date of preparation	R	n6	
Time of preparation	R	n4	
Priority	O	a1	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Correlation identifier	D	an..14	

## ---HEADER

Transport mode at border	R	n..2	18
Total number of packages	O	n..7	
Total gross mass	O	n..11,3	
Identification of the means of transport	O	an..35	
Arrival LRN	R	an..22	
Date and Time of presentation	R	n12	
Total number of arrival items	R	n..5	
Date and time of scheduled arrival	R	n12	
Presentation Amendment registration date and time	R	n12	
Presentation Amendment Submitted Date and Time	R	n12	

## ---(ACTUAL OFFICE OF ENTRY) CUSTOMS OFFICE

Reference number	R	an8	
------------------	---	-----	--

## ---(ENTRY CARRIER) TRADER

Name	D	an..35	
Street and number	D	an..35	
Postal code	D	an..9	
City	D	an..35	
Country code	D	a2	8
NAD LNG	O	a2	12
TIN	R	an..17	

## ---ARRIVAL ITEM

Arrival item number	R	n..5	
---------------------	---	------	--

## -----TRANSPORT DOCUMENT DATA

Document type	R	an..4	
Transport document reference	R	an..35	
Transport Document Reference LNG	O	a2	12

## -----CUSTOMS DATA REFERENCE

MRN	R	an..21	
Country code of Office of first Entry declared	O	a2	

## -----CUSTOMS DATA REFERENCE DETAILS

MRN Item Number	R	n..5	
-----------------	---	------	--

## -----WAREHOUSE IDENTIFICATION

Warehouse type	R	a1	99
Authorizing country	R	a2	8
Warehouse identification	R	an..14	
Warehouse Keeper identification	D	an..21	
Warehouse approval identification	O	an..35	

## ---WAREHOUSE IDENTIFICATION

Warehouse type	R	a1	99
Authorizing country	R	a2	8
Warehouse identification	R	an..14	
Warehouse Keeper identification	D	an..21	
Warehouse approval identification	O	an..35	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DA413	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DB104	

## 5. Message Structure for: DB104

DB104	(DB104A)	Αποδοχή Τροποποίησης Αναγγελίας Άφιξης – Κατάπλου Πλοίου	(SHP_ARR_NOT_AME_ ACC)
-------	----------	---	---------------------------

MESSAGE	1x	R
--HEADER	1x	R
--CUSTOMS OFFICE	1x	R

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DB104	

MESSAGE

Message sender	R	an..35	
Message recipient	R	an..35	
Date of preparation	R	n6	
Time of preparation	R	n4	
Priority	O	a1	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Correlation identifier	D	an..14	

---HEADER

Reference number	R	an..22	
Document/reference number	R	an..21	
Document/reference number Communicated	R	n1	27
Arrival accepting date	R	n12	
Arrival accepting time	R	n12	

---CUSTOMS OFFICE

Reference number	R	an8	ESD_GR _CL1127
------------------	---	-----	-------------------



Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DB105	

5. Message Structure for: DB105

DB105	(DB105A)	Απόρριψη Τροποποίησης Αναγγελίας Αφίξης – Κατάπλου Πλοίου	(SHP_ARR_NOT_AME_ REJ)
-------	----------	--	---------------------------

MESSAGE	1x	R
---HEADER	1x	R
---FUNCTIONAL ERROR	999x	R

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DB105	

## MESSAGE

Message sender	R	an..35	
Message recipient	R	an..35	
Date of preparation	R	n6	
Time of preparation	R	n4	
Priority	O	a1	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Correlation identifier	D	an..14	

## ---HEADER

Reference number	R	an..22	
Document/reference number	R	an..21	
Rejection Reason	O	an..350	
Document/reference number Communicated	R	n1	27
Arrival amendment rejection date	R	n6	
Arrival amendment rejection time	R	n4	

## ---FUNCTIONAL ERROR

Error type	R	n2	49
Error pointer	R	an..210	
Error reason	O	an..6	
Original attribute value	O	an..140	
Error description	O	an..350	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DB113	

## 5. Message Structure for: DB113

DB113	(DB113A)	Τροποποίηση Αναγγελίας Αφίξης – Κατάπλου Πλοίου	(SHP_ARR_NOT_AME)
-------	----------	--	-------------------

MESSAGE	1x	R
--HEADER	1x	R
--CUSTOMS OFFICE	1x	R
--TRADER DETAILS	1x	R
--TRANSPORTATION VESSEL DETAILS	1x	R
---(DEPARTURE DETAILS) ARRIVAL	1x	R
--ARRIVAL FUELS DETAILS	1x	R
-----CONSUMPTION FUELS DETAILS	1x	O
--REFERENCED DECLARATION	1x	R
--CARGO DETAILS	1x	O

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DB113	

## MESSAGE

Message sender	R	an..35	
Message recipient	R	an..35	
Date of preparation	R	n6	
Time of preparation	R	n4	
Priority	O	a1	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Correlation identifier	D	an..14	

## ---HEADER

Reference number	R	an..22	
Document/reference number	R	an..21	
Document/reference number Communicated	O	n1	27
Arrival amendment registration date and time	R	n12	
Arrival amendment Submitted Date and Time	R	n12	
Arrival amendment date and time	R	n12	
notes	O	an..240	
Arrival	D	an1	
Departure	D	an1	

## ---CUSTOMS OFFICE

Reference number	R	an8	ESD_GR _CL1127
------------------	---	-----	-------------------

## ---TRADER DETAILS

Name	D	an..35	
Street and number	D	an..35	
Postal code	D	an..9	
City	D	an..35	
Country code	D	a2	ESD_GR _CL128
NAD LNG	O	a2	ESD_GR _CL129
ID Type	R	n3	NCL05
ID	R	an..21	

## ---TRANSPORTATION VESSEL DETAILS

Vessel Registration Type	R	n2	ESD_GR ER902 _CL118
Vessel Registration Number	R	an..30	
Vessel Name	R	an..25	
Vessel Country of Registration	O	an2	ESD_GR _CL130
Vessel Call Sign	O	an..30	
Vessel Voyage Number	O	an..30	

## ---(DEPARTURE DETAILS) ARRIVAL

Port of Arrival code	R	an..6	ESD_GR _CL125
Port of Destination code	R	an..6	ESD_GR _CL125
Expected Arrival Date	R	n8	
Expected Arrival Time	R	n4	
Position of the ship in the port	O	an50	

## ---ARRIVAL FUELS DETAILS

Fuel Oil (Internal)	R	n..10,2	
Diesel (Internal)	R	n..10,2	
Fuel Oil (External)	R	n..10,2	
Diesel (External)	R	n..10,2	

## -----CONSUMPTION FUELS DETAILS

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DB113	

Fuel Oil (During Trip)	O	n..10,2
Diesel (During Trip)	O	n..10,2
Fuel Oil (In Port)	O	n..10,2
Diesel (In Port)	O	n..10,2

---REFERENCED DECLARATION

Declaration Reference Number	R	an22
------------------------------	---	------

---CARGO DETAILS

Cargo on Arrival	R	an..50
Quantity on Arrival	R	an..50
Cargo on Departure	R	an..50
Quantity on Departure	R	an..50

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DB404	

## 5. Message Structure for: DB404

DB404	(DB404A)	Αποδοχή Τροποποίησης IMO Ship's Stores Declaration	(IMO_SHI_STO_AME_ACC)
-------	----------	--	-----------------------

MESSAGE	1x	R
--HEADER	1x	R
--CUSTOMS OFFICE	1x	R

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DB404	

MESSAGE

Message sender	R	an..35	
Message recipient	R	an..35	
Date of preparation	R	n6	
Time of preparation	R	n4	
Priority	O	a1	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Correlation identifier	D	an..14	

---HEADER

Reference number	R	an..22	
Document/reference number	R	an..21	
Document/reference number Communicated	R	n1	27
Ship Store amendment accepting date	R	n8	
Ship Store amendment accepting time	R	n4	

---CUSTOMS OFFICE

Reference number	R	an8	ESD_GR _CL1127
------------------	---	-----	-------------------

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DB504	

## 5. Message Structure for: DB504

DB504	(DB504A)	Αποδοχή Τροποποίησης IMO Crew's Effects Declaration	(IMO_CRE_EFF_AME_ACC)
-------	----------	---	-----------------------

MESSAGE	1x	R
--HEADER	1x	R
--CUSTOMS OFFICE	1x	R



Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DB504	

MESSAGE

Message sender	R	an..35	
Message recipient	R	an..35	
Date of preparation	R	n6	
Time of preparation	R	n4	
Priority	O	a1	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Correlation identifier	D	an..14	

---HEADER

Reference number	R	an..22	
Document/reference number	R	an..21	
Document/reference number Communicated	R	n1	27
Crew Effect amendment accepting date	R	n8	
Crew Effect amendment accepting time	R	n4	

---CUSTOMS OFFICE

Reference number	R	an8	ESD_GR _CL1127
------------------	---	-----	-------------------

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DB505	

## 5. Message Structure for: DB505

DB505	(DB505A)	Απόρριψη Τροποποίησης IMO Crew's Effects Declaration	(IMO_CRE_EFF_AME_R EJ)
-------	----------	--	------------------------

MESSAGE	1x	R
---HEADER	1x	R
---FUNCTIONAL ERROR	999x	R

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DB505	

## MESSAGE

Message sender	R	an..35	
Message recipient	R	an..35	
Date of preparation	R	n6	
Time of preparation	R	n4	
Priority	O	a1	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Correlation identifier	D	an..14	

## ---HEADER

Reference number	R	an..22	
Document/reference number	R	an..21	
Rejection Reason	O	an..350	
Document/reference number Communicated	R	n1	27
Crew Effect amendment rejection date	R	n6	
Crew Effect amendment rejection time	R	n4	

## ---FUNCTIONAL ERROR

Error type	R	n2	49
Error pointer	R	an..210	
Error reason	O	an..6	
Original attribute value	O	an..140	
Error description	O	an..350	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DB513	

### 5. Message Structure for: DB513

DB513	(DB513A)	Τροποποίηση IMO Crew’s Effects Declaration	(IMO_CRE_EFF_DEC_A ME)
-------	----------	--	---------------------------

MESSAGE		1x	R
--HEADER		1x	R
--CUSTOMS OFFICE		1x	R
--TRADER DETAILS		1x	R
--TRANSPORTATION VESSEL DETAILS		1x	R
-----CREW DETAILS		999x	R
-----EFFECTS DETAILS		999x	R
--SHIP AGENT DETAILS		1x	R

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DB513	

## MESSAGE

Message sender	R	an..35	
Message recipient	R	an..35	
Date of preparation	R	n6	
Time of preparation	R	n4	
Priority	O	a1	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Correlation identifier	D	an..14	

## ---HEADER

Reference number	R	an..22	
Document/reference number	R	an..21	
Crew Effect amendment registration date and time	R	n12	
Crew Effect amendment Submitted Date and Time	R	n12	
Crew Effect amendment date and time	R	n12	
Arrival	D	an1	
Departure	D	an1	

## ---CUSTOMS OFFICE

Reference number	R	an8	ESD_GR _CL1127
------------------	---	-----	-------------------

## ---TRADER DETAILS

Name	D	an..35	
Street and number	D	an..35	
Postal code	D	an..9	
City	D	an..35	
Country code	D	a2	ESD_GR _CL128
NAD LNG	O	a2	ESD_GR _CL129
ID Type	R	n3	NCL05
ID	R	an..21	

## ---TRANSPORTATION VESSEL DETAILS

Nationality of ship	R	an2	ESD_GR _CL128
Name of Ship	R	an..50	

## -----CREW DETAILS

Number	R	n..3	
Family name	R	an..20	
Given name	R	an..20	
Rank of rating	R	an..20	

## -----EFFECTS DETAILS

Name of effect	R	an..40	
Quantity	R	n..11,3	

## ---SHIP AGENT DETAILS

Ship Agent Name	R	an35	
Ship Agent Street and number	R	an35	
Ship Agent Postal Code	R	an9	
Ship Agent City	R	an35	
Ship Agent Country Code	R	an2	ESD_GR _CL130
Ship Agent NAD LNG	O	a2	ESD_GR _CL129
Ship Agent Id	R	an..21	
Ship Agent Id Type	R	n3	NCL05

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DB513	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC004	

5. Message Structure for: DC004

DC004	(DC004A)	Αποδοχή Τροποποίησης Αίτησης Καταστροφής	(GOO_DES_REQ_AMM_ACC)
-------	----------	--	-----------------------

MESSAGE	1x	R
--HEADER	1x	R
--CUSTOMS OFFICE	1x	R

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC004	

MESSAGE

Message sender	R	an..35	
Message recipient	R	an..35	
Date of preparation	R	n6	
Time of preparation	R	n4	
Priority	O	a1	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Correlation identifier	D	an..14	

---HEADER

Reference number	R	an..22	
Document/reference number	R	an..21	
Destruction Request amendment accepting date	R	n8	
Destruction Request amendment accepting time	R	n4	

---CUSTOMS OFFICE

Reference number	R	an8	ESD_GR _CL1127
------------------	---	-----	-------------------



Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC005	

5. Message Structure for: DC005

DC005	(DC005A)	Απόρριψη Τροποποίησης Αίτησης Καταστροφής	(GOO_DES_REQ_AMM_REJ)
-------	----------	---	-----------------------

MESSAGE	1x	R
---HEADER	1x	R
---FUNCTIONAL ERROR	999x	R

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC005	

## MESSAGE

Message sender	R	an..35	
Message recipient	R	an..35	
Date of preparation	R	n6	
Time of preparation	R	n4	
Priority	O	a1	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Correlation identifier	D	an..14	

## ---HEADER

Reference number	R	an..22	
Document/reference number	R	an..21	
Rejection Reason	O	an..350	
Destruction Request amendment rejection date	R	n6	
Destruction Request amendment rejection time	R	n4	

## ---FUNCTIONAL ERROR

Error type	R	n2	49
Error pointer	R	an..210	
Error reason	O	an..6	
Original attribute value	O	an..140	
Error description	O	an..350	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC013	

## 5. Message Structure for: DC013

DC013	(DC013A)	Τροποποίηση Αίτησης Καταστροφής	(GOO_DES_REQ_AME)
-------	----------	---------------------------------	-------------------

MESSAGE	1x	R
---HEADER	1x	R
---REPRESENTATIVE	1x	O
---CUSTOMS OFFICE	1x	R
---REFERENCED DECLARATION	1x	R
-----GOODS ITEM	999x	R
-----PACKAGES	99x	R
-----WAREHOUSE	1x	O
---PERSON LODGING REQUEST	1x	R
---SUBMITTING CUSTOMS OFFICE	1x	O

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC013	

## MESSAGE

Message sender	R	an..35	
Message recipient	R	an..35	
Date of preparation	R	n6	
Time of preparation	R	n4	
Priority	O	a1	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Correlation identifier	D	an..14	

## ---HEADER

Reference number	R	an..22	
Document/reference number	R	an..21	
Destruction Request amendment registration date and time	R	n12	
Destruction Request amendment submitted Date and Time	R	n12	
Destruction Request amendment date and time	R	n12	

## ---REPRESENTATIVE

Name	D	an..35	
Street and number	D	an..35	
Postal code	D	an..9	
City	D	an..35	
Country code	D	a2	
NAD LNG	O	a2	
ID Type	R	n1	NCL06
ID	R	an..21	

## ---CUSTOMS OFFICE

Reference number	R	an8	ESD_GR _CL1127
------------------	---	-----	-------------------

## ---REFERENCED DECLARATION

Declaration Number	R	an..22	
Declaration Type	R	an..15	IE_GR CL10502
Customs Office	O	an8	
Declaration date	O	n8	
Total Lines	O	n..8	

## -----GOODS ITEM

Item number	R	n..5	
Goods description	O	an..280	
Goods description LNG	O	a2	
Gross mass	O	n..11,3	
Referenced Declaration Item Number	R	n..5	
TARIC Code	R	n..10	

## -----PACKAGES

Marks & numbers of packages (long)	O	an..140	
Marks & numbers of packages (long) LNG	O	a2	
Kind of packages	R	an..3	17
Number of packages	D	n..5	
Number of pieces	D	n..5	

## -----WAREHOUSE

Warehouse type	R	n1	
Warehouse identification	D	an..19	
Warehouse section	D	an..35	
Warehouse approval identification	O	an..35	

## ---PERSON LODGING REQUEST

Name	D	an..35	
------	---	--------	--

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC013	

Street and number	D	an..35	
Postal code	D	an..9	
City	D	an..35	
Country code	D	a2	ESD_GR _CL128
NAD LNG	O	a2	
ID	R	an..21	
ID Type	R	n1	NCL06
---SUBMITTING CUSTOMS OFFICE			
Customs office name	D	an..35	
Customs Office Section	D	an..35	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC015	

## 5. Message Structure for: DC015

DC015	(DC015A)	Αίτηση Καταστροφής	(GOO_DES_REQ)
-------	----------	--------------------	---------------

MESSAGE	1x	R
---HEADER	1x	R
---REPRESENTATIVE	1x	R
---CUSTOMS OFFICE	1x	R
---REFERENCED DECLARATION	1x	R
-----GOODS ITEM	999x	R
-----PACKAGES	99x	R
-----WAREHOUSE	1x	O
---PERSON LODGING REQUEST	1x	R
---SUBMITTING CUSTOMS OFFICE	1x	O

<b>Message Specifications for IMPORT</b>	<b>ALIGNED TO DDNA KEL Draft Version</b>
<b>REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2</b>	
<b>Appendix Q2: Technical Message Structure</b>	
<b>5. Message Structure for: DC015</b>	

## MESSAGE

Message sender	R	an..35	
Message recipient	R	an..35	
Date of preparation	R	n6	
Time of preparation	R	n4	
Priority	O	a1	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Correlation identifier	D	an..14	

## ---HEADER

Reference number	R	an..22	
Document/reference number	O	an..21	
Destruction Request registration date and time	R	n12	
Destruction Request Submitted Date and Time	R	n12	

## ---REPRESENTATIVE

Name	D	an..35	
Street and number	D	an..35	
Postal code	D	an..9	
City	D	an..35	
Country code	D	a2	
NAD LNG	O	a2	
ID Type	R	n1	NCL06
ID	R	an..21	

## ---CUSTOMS OFFICE

Reference number	R	an8	ESD_GR _CL1127
------------------	---	-----	-------------------

## ---REFERENCED DECLARATION

Declaration Number	R	an..22	
Declaration Type	R	an..15	IE_GR CL10502
Customs Office	R	an8	
Declaration date	R	n8	
Total Lines	R	n..8	

## -----GOODS ITEM

Item number	R	n..5	
Goods description	O	an..280	
Goods description LNG	O	a2	
Gross mass	O	n..11,3	
Referenced Declaration Item Number	R	n..5	
TARIC Code	O	n..10	

## -----PACKAGES

Marks & numbers of packages (long)	O	an..140	
Marks & numbers of packages (long) LNG	O	a2	
Kind of packages	R	an..3	17
Number of packages	D	n..5	
Number of pieces	D	n..5	

## -----WAREHOUSE

Warehouse type	R	n1	
Warehouse identification	D	an..19	
Warehouse section	D	an..35	
Warehouse approval identification	O	an..35	

## ---PERSON LODGING REQUEST

Name	D	an..35	
Street and number	D	an..35	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC015	

Postal code	D	an..9	
City	D	an..35	
Country code	D	a2	ESD_GR _CL128
NAD LNG	O	a2	
ID	R	an..21	
ID Type	R	n1	NCL06
---SUBMITTING CUSTOMS OFFICE			
Customs office name	D	an..35	
Customs Office Section	D	an..35	



Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC016	

5. Message Structure for: DC016

DC016	(DC016A)	Απόρριψη Αίτησης Καταστροφής	(GOO_DES_REQ_REJ)
-------	----------	------------------------------	-------------------

MESSAGE	1x	R
---HEADER	1x	R
---FUNCTIONAL ERROR	999x	R

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC016	

## MESSAGE

Message sender	R	an..35	
Message recipient	R	an..35	
Date of preparation	R	n6	
Time of preparation	R	n4	
Priority	O	a1	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Correlation identifier	D	an..14	

## ---HEADER

Reference number	R	an..22	
Document/reference number	O	an..21	
Rejection Reason	O	an..350	
Document/reference number Communicated	O	n1	27
Destruction Request rejection date	R	n6	
Destruction Request rejection time	R	n4	

## ---FUNCTIONAL ERROR

Error type	R	n2	49
Error pointer	R	an..210	
Error reason	O	an..6	
Original attribute value	O	an..140	
Error description	O	an..350	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC028	

5. Message Structure for: DC028

DC028	(DC028A)	Αποδοχή Αίτησης Καταστροφής	(GOO_DES_REQ_ACC)
-------	----------	-----------------------------	-------------------

MESSAGE	1x	R
---HEADER	1x	R
---CUSTOMS OFFICE	1x	R

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC028	

MESSAGE

Message sender	R	an..35	
Message recipient	R	an..35	
Date of preparation	R	n6	
Time of preparation	R	n4	
Priority	O	a1	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Correlation identifier	D	an..14	

---HEADER

Reference number	R	an..22	
Document/reference number	R	an..21	
Document/reference number Communicated	O	n1	27
Destruction Request accepting date	R	n6	
Destruction Request accepting time	R	n4	

---CUSTOMS OFFICE

Reference number	R	an8	ESD_GR _CL1127
------------------	---	-----	-------------------

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC104	

5. Message Structure for: DC104

DC104	(DC104A)	Αποδοχή Τροποποίησης Αίτησης Εγκατάλειψης	(GOO_ABA_REQ_AME_ACC)
-------	----------	---	-----------------------

MESSAGE	1x	R
--HEADER	1x	R
--CUSTOMS OFFICE	1x	R

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC104	

MESSAGE

Message sender	R	an..35	
Message recipient	R	an..35	
Date of preparation	R	n6	
Time of preparation	R	n4	
Priority	O	a1	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Correlation identifier	D	an..14	

---HEADER

Reference number	R	an..22	
Document/reference number	R	an..21	
Document/reference number Communicated	O	n1	27
Abandonment Request amendment accepting date	R	n8	
Abandonment Request amendment accepting time	R	n4	

---CUSTOMS OFFICE

Reference number	R	an8	ESD_GR _CL1127
------------------	---	-----	-------------------

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC105	

5. Message Structure for: DC105

DC105	(DC105A)	Απόρριψη Τροποποίησης Αίτησης Εγκατάλειψης	(GOO_ABA_REQ_AME_REJ)
-------	----------	--	-----------------------

MESSAGE	1x	R
---HEADER	1x	R
---FUNCTIONAL ERROR	999x	R

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC105	

## MESSAGE

Message sender	R	an..35	
Message recipient	R	an..35	
Date of preparation	R	n6	
Time of preparation	R	n4	
Priority	O	a1	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Correlation identifier	D	an..14	

## ---HEADER

Reference number	R	an..22	
Document/reference number	R	an..21	
Rejection Reason	O	an..350	
Document/reference number Communicated	O	n1	27
Abandonment Request amendment rejection date	R	n6	
Abandonment Request amendment rejection time	R	n4	

## ---FUNCTIONAL ERROR

Error type	R	n2	49
Error pointer	R	an..210	
Error reason	O	an..6	
Original attribute value	O	an..140	
Error description	O	an..350	



Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC113	

## 5. Message Structure for: DC113

DC113	(DC113A)	Τροποποίηση Αίτησης Εγκατάλειψης	(GOO_ABA_REQ_AME)
-------	----------	----------------------------------	-------------------

MESSAGE	1x	R
---HEADER	1x	R
---REPRESENTATIVE	1x	O
---CUSTOMS OFFICE	1x	R
---REFERENCED DECLARATION	1x	R
-----GOODS ITEM	999x	R
-----PACKAGES	99x	R
-----WAREHOUSE	1x	O
-----REFERENCED DECLARATION PACKAGES	99x	O
---PERSON LODGING REQUEST	1x	R
---SUBMITTING CUSTOMS OFFICE	1x	O

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC113	

## MESSAGE

Message sender	R	an..35	
Message recipient	R	an..35	
Date of preparation	R	n6	
Time of preparation	R	n4	
Priority	O	a1	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Correlation identifier	D	an..14	

## ---HEADER

Reference number	R	an..22	
Document/reference number	R	an..21	
Document/reference number Communicated	O	n1	27
Abandonment Request amendment registration date and time	O	n12	
Abandonment Request amendment submitted Date and Time	R	n12	
Abandonment Request amendment date and time	R	n12	

## ---REPRESENTATIVE

Name	D	an..35	
Street and number	D	an..35	
Postal code	D	an..9	
City	D	an..35	
Country code	D	a2	
NAD LNG	O	a2	
ID Type	R	n1	NCL06
ID	R	an..21	

## ---CUSTOMS OFFICE

Reference number	R	an8	ESD_GR _CL1127
------------------	---	-----	-------------------

## ---REFERENCED DECLARATION

Declaration Number	R	an..22	
Declaration Type	R	an..15	IE_GR CL10502
Customs Office	O	an8	
Declaration date	O	n8	
Total Lines	O	n..8	
Status	O	an..35	

## -----GOODS ITEM

Item number	R	n..5	
Goods description	O	an..280	
Goods description LNG	O	a2	
Gross mass	O	n..11,3	
Referenced Declaration Item Number	R	n..5	
General Line Description	O	an..210	
TARIC Code	O	n..10	

## -----PACKAGES

Marks & numbers of packages (long)	O	an..140	
Marks & numbers of packages (long) LNG	O	a2	
Kind of packages	R	an..3	17
Number of packages	D	n..5	
Number of pieces	D	n..5	

## -----WAREHOUSE

Warehouse type	R	n1	
Warehouse identification	D	an..19	
Warehouse section	D	an..35	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC113	

Warehouse approval identification

Oan..35

-----REFERENCED DECLARATION PACKAGES

Kind of packages

Ran..317

Number of packages

Dn..5

Number of pieces

Dn..5

Marks & numbers of packages (long)

Oan..140

Marks & numbers of packages LNG

Oa2

---PERSON LODGING REQUEST

Name

Dan..35

Street and number

Dan..35

Postal code

Dan..9

City

Dan..35

Country code

D a2 ESD\_GR  
\_CL128

NAD LNG

O a2

ID

R an..21

ID Type

R n1 NCL06

---SUBMITTING CUSTOMS OFFICE

Customs office name

D an..35

Customs Office Section

D an..35

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC115	

## 5. Message Structure for: DC115

DC115	(DC115A)	Αίτηση Εγκατάλειψης	(GOO_ABA_REQ)
-------	----------	---------------------	---------------

MESSAGE	1x	R
---HEADER	1x	R
---REPRESENTATIVE	1x	O
---CUSTOMS OFFICE	1x	R
---REFERENCED DECLARATION	1x	R
-----GOODS ITEM	999x	R
-----PACKAGES	99x	R
-----WAREHOUSE	1x	O
-----REFERENCED DECLARATION PACKAGES	99x	O
---PERSON LODGING REQUEST	1x	R
---SUBMITTING CUSTOMS OFFICE	1x	O

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC115	

## MESSAGE

Message sender	R	an..35	
Message recipient	R	an..35	
Date of preparation	R	n6	
Time of preparation	R	n4	
Priority	O	a1	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Correlation identifier	D	an..14	

## ---HEADER

Reference number	R	an..22	
Document/reference number	O	an..21	
Abandonment Request registration date and time	O	n12	
Abandonment Request Submitted Date and Time	R	n12	

## ---REPRESENTATIVE

Name	D	an..35	
Street and number	D	an..35	
Postal code	D	an..9	
City	D	an..35	
Country code	D	a2	
NAD LNG	O	a2	
ID Type	R	n1	NCL06
ID	R	an..21	

## ---CUSTOMS OFFICE

Reference number	R	an8	ESD_GR _CL1127
------------------	---	-----	-------------------

## ---REFERENCED DECLARATION

Declaration Number	R	an..22	
Declaration Type	R	an..15	IE_GR CL10502
Customs Office	O	an8	
Declaration date	O	n8	
Total Lines	O	n..8	
Status	O	an..35	

## -----GOODS ITEM

Item number	R	n..5	
Goods description	O	an..280	
Goods description LNG	O	a2	
Gross mass	O	n..11,3	
Referenced Declaration Item Number	R	n..5	
General Line Description	O	an..210	
TARIC Code	O	n..10	

## -----PACKAGES

Marks & numbers of packages (long)	O	an..140	
Marks & numbers of packages (long) LNG	O	a2	
Kind of packages	R	an..3	17
Number of packages	D	n..5	
Number of pieces	D	n..5	

## -----WAREHOUSE

Warehouse type	R	n1	
Warehouse identification	D	an..19	
Warehouse section	D	an..35	
Warehouse approval identification	O	an..35	

## -----REFERENCED DECLARATION PACKAGES

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC115	

Kind of packages	R	an..3	17
Number of packages	D	n..5	
Number of pieces	D	n..5	
Marks & numbers of packages (long)	O	an..140	
Marks & numbers of packages LNG	O	a2	
<b>---PERSON LODGING REQUEST</b>			
Name	D	an..35	
Street and number	D	an..35	
Postal code	D	an..9	
City	D	an..35	
Country code	D	a2	ESD_GR _CL128
NAD LNG	O	a2	
ID	R	an..21	
ID Type	R	n1	NCL06
<b>---SUBMITTING CUSTOMS OFFICE</b>			
Customs office name	D	an..35	
Customs Office Section	D	an..35	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC116	

## 5. Message Structure for: DC116

DC116	(DC116A)	Απόρριψη Αίτησης Εγκατάλειψης	(GOO_ABA_REQ_REJ)
-------	----------	-------------------------------	-------------------

MESSAGE	1x	R
---HEADER	1x	R
---FUNCTIONAL ERROR	999x	R

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC116	

## MESSAGE

Message sender	R	an..35	
Message recipient	R	an..35	
Date of preparation	R	n6	
Time of preparation	R	n4	
Priority	O	a1	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Correlation identifier	D	an..14	

## ---HEADER

Reference number	R	an..22	
Document/reference number	R	an..21	
Rejection Reason	O	an..350	
Document/reference number Communicated	O	n1	27
Abandonment Request rejection date	R	n6	
Abandonment Request rejection time	R	n4	

## ---FUNCTIONAL ERROR

Error type	R	n2	49
Error pointer	R	an..210	
Error reason	O	an..6	
Original attribute value	O	an..140	
Error description	O	an..350	



Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC128	

## 5. Message Structure for: DC128

DC128	(DC128A)	Αποδοχή Αίτησης Εγκατάλειψης	(GOO_ABA_REQ_ACC)
-------	----------	------------------------------	-------------------

MESSAGE	1x	R
---HEADER	1x	R
---CUSTOMS OFFICE	1x	R

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC128	

MESSAGE

Message sender	R	an..35	
Message recipient	R	an..35	
Date of preparation	R	n6	
Time of preparation	R	n4	
Priority	O	a1	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Correlation identifier	D	an..14	

---HEADER

Reference number	R	an..22	
Document/reference number	R	an..21	
Document/reference number Communicated	O	n1	27
Abandonment Request accepting date	R	n8	
Abandonment Request accepting time	R	n4	

---CUSTOMS OFFICE

Reference number	R	an8	ESD_GR _CL1127
------------------	---	-----	-------------------

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC515	

## 5. Message Structure for: DC515

DC515	(DC515A)	Υποβολή Αίτησης Προσκόμισης Πρόσθετων Στοιχείων από Οικονομικό Φορέα	(REQ_ADD_DAT_SUB)
-------	----------	---	-------------------

MESSAGE		1x	R
--HEADER		1x	R
--CUSTOMS OFFICE		1x	R
--TRADER DETAILS		1x	R
--REFERENCED DOCUMENT / PROCEDURE		1x	R
-----REFERENCED ITEM		9999x	D
-----ADDITIONAL DOCUMENTATION		99x	R
--CUSTOMS OFFICER CONTACT INFO		1x	O

<b>Message Specifications for IMPORT</b>	<b>ALIGNED TO DDNA KEL Draft Version</b>
<b>REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2</b>	
<b>Appendix Q2: Technical Message Structure</b>	
<b>5. Message Structure for: DC515</b>	

## MESSAGE

Message sender	R	an..35	
Message recipient	R	an..35	
Date of preparation	R	n6	
Time of preparation	R	n4	
Priority	O	a1	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Correlation identifier	D	an..14	

## ---HEADER

Reference number	R	an..22	
Document/reference number	R	an..21	
Document/reference number Communicated	R	n1	27
Request for Additional Data	O	an..350	
Request for Additional Data LNG	O	a2	
Additional Documents registration date and time	R	n12	
Additional Documents Submitted Date and Time	R	n12	
Additional Documents date and time	R	n12	

## ---CUSTOMS OFFICE

Reference number	R	an8	ESD_GR _CL1127
------------------	---	-----	-------------------

## ---TRADER DETAILS

Name	D	an..35	
Street and number	D	an..35	
Postal code	D	an..9	
City	D	an..35	
Country code	D	a2	ESD_GR _CL128
NAD LNG	O	a2	ESD_GR _CL129
TIN	R	an..17	

## ---REFERENCED DOCUMENT / PROCEDURE

Document / Procedure Type	R	an..4	
Document / Procedure Reference Number	R	an..21	
Document / Procedure Customs Office	D	an8	
Document / Procedure Registration Date	D	n8	

## -----REFERENCED ITEM

Item number	R	n..5	
-------------	---	------	--

## -----ADDITIONAL DOCUMENTATION

Requested Document Type	R	an..4	
Requested Document Electronic Kind	R	a2	
Requested Document Reference Number	O	an..35	
Requested Document Reference Number LNG	O	a2	
Requested Documentation Text	O	an..350	
Requested Documentation LNG	O	a2	

## ---CUSTOMS OFFICER CONTACT INFO

Name	R	an..35	
Telephone	D	an..35	
Fax	D	a2	
NAD LNG	O	a2	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC516	

5. Message Structure for: DC516

DC516	(DC516A)	Απόρριψη Αίτησης Προσκόμισης Πρόσθετων Στοιχείων από Οικονομικό Φορέα	(REQ_ADD_DAT_SUB_ REJ)
-------	----------	--	---------------------------

MESSAGE	1x	R
---HEADER	1x	R
---FUNCTIONAL ERROR	999x	R

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC516	

## MESSAGE

Message sender	R	an..35	
Message recipient	R	an..35	
Date of preparation	R	n6	
Time of preparation	R	n4	
Priority	O	a1	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Correlation identifier	D	an..14	

## ---HEADER

Reference number	R	an..22	
Document/reference number	R	an..21	
Document/reference number Communicated	R	n1	27
Additional Documents rejection date	R	n6	
Additional Documents rejection time	R	n4	
Additional Data Rejection Text	O	an..350	
Additional Data Rejection LNG	O	a2	

## ---FUNCTIONAL ERROR

Error type	R	n2	49
Error pointer	R	an..210	
Error reason	O	an..6	
Original attribute value	O	an..140	
Error description	O	an..350	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC528	

## 5. Message Structure for: DC528

DC528	(DC528A)	Αποδοχή Αίτησης Προσκόμισης Πρόσθετων Στοιχείων από Οικονομικό Φορέα	(REQ_ADD_DAT_SUB_ ACC)
-------	----------	---	---------------------------

MESSAGE	1x	R
---HEADER	1x	R
---CUSTOMS OFFICE	1x	R

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC528	

MESSAGE

Message sender	R	an..35	
Message recipient	R	an..35	
Date of preparation	R	n6	
Time of preparation	R	n4	
Priority	O	a1	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Correlation identifier	D	an..14	

---HEADER

Reference number	R	an..22	
Document/reference number	R	an..21	
Document/reference number Communicated	R	n1	27
Additional Documents accepting date	R	n8	
Additional Documents accepting time	R	n4	

---CUSTOMS OFFICE

Reference number	R	an8	ESD_GR _CL1127
------------------	---	-----	-------------------



Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC591	

## 5. Message Structure for: DC591

DC591	(DC591A)	Αίτημα Προσκόμισης Πρόσθετων Στοιχείων από Οικονομικό Φορέα	(REQ_ADD_DAT)
-------	----------	--	---------------

MESSAGE	1x	R
--HEADER	1x	R
--CUSTOMS OFFICE	1x	R
--TRADER DETAILS	1x	R
--REFERENCED DOCUMENT / PROCEDURE	1x	R
-----REFERENCED ITEM	9999x	D
-----ADDITIONAL DOCUMENTATION	99x	R
--CUSTOMS OFFICER CONTACT INFO	1x	O

<b>Message Specifications for IMPORT</b>	<b>ALIGNED TO DDNA KEL Draft Version</b>
<b>REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2</b>	
<b>Appendix Q2: Technical Message Structure</b>	
<b>5. Message Structure for: DC591</b>	

## MESSAGE

Message sender	R	an..35	
Message recipient	R	an..35	
Date of preparation	R	n6	
Time of preparation	R	n4	
Priority	O	a1	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Correlation identifier	D	an..14	

## ---HEADER

Reference number	R	an..22	
Document/reference number	R	an..21	
Document/reference number Communicated	R	n1	27
Requested Documents registration date and time	R	n12	
Requested Documents Submitted Date and Time	R	n12	
Requested Documents date and time	R	n12	
Request for Additional Data	R	an..350	
Request for Additional Data LNG	R	a2	

## ---CUSTOMS OFFICE

Reference number	R	an8	ESD_GR _CL1127
------------------	---	-----	-------------------

## ---TRADER DETAILS

Name	D	an..35	
Street and number	D	an..35	
Postal code	D	an..9	
City	D	an..35	
Country code	D	a2	ESD_GR _CL128
NAD LNG	O	a2	ESD_GR _CL129
TIN	R	an..17	

## ---REFERENCED DOCUMENT / PROCEDURE

Document / Procedure Type	R	an..4	
Document / Procedure Reference Number	R	an..21	
Document / Procedure Customs Office	D	an8	
Document / Procedure Registration Date	D	n8	

## -----REFERENCED ITEM

Item number	R	n..5	
-------------	---	------	--

## -----ADDITIONAL DOCUMENTATION

Requested Document Type	R	an..4	
Requested Document Electronic Kind	R	a2	
Requested Document Reference Number	O	an..35	
Requested Document Reference Number LNG	O	a2	
Requested Documentation Text	O	an..350	
Requested Documentation LNG	O	a2	

## ---CUSTOMS OFFICER CONTACT INFO

Name	R	an..35	
Telephone	D	an..35	
Fax	D	a2	
NAD LNG	O	a2	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC604	

5. Message Structure for: DC604

DC604	(DC604A)	Αποδοχή Τροποποίησης Αίτησης Δειγματοληψίας	(SAM_REQ_AME_ACC)
-------	----------	---	-------------------

MESSAGE	1x	R
---HEADER	1x	R
---CUSTOMS OFFICE	1x	R

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC604	

MESSAGE

Message sender	R	an..35	
Message recipient	R	an..35	
Date of preparation	R	n6	
Time of preparation	R	n4	
Priority	O	a1	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Correlation identifier	D	an..14	

---HEADER

Reference number	R	an..22	
Document/reference number	R	an..21	
Document/reference number Communicated	R	n1	27
Sampling Request Amendment accepting date	R	n8	
Sampling Request Amendment accepting time	R	n4	

---CUSTOMS OFFICE

Reference number	R	an8	ESD_GR _CL1127
------------------	---	-----	-------------------

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC605	

5. Message Structure for: DC605

DC605	(DC605A)	Απόρριψη Τροποποίησης Αίτησης Δειγματοληψίας	(SAM_REQ_AME_REJ)
-------	----------	--	-------------------

MESSAGE	1x	R
---HEADER	1x	R
---FUNCTIONAL ERROR	999x	R

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC605	

## MESSAGE

Message sender	R	an..35	
Message recipient	R	an..35	
Date of preparation	R	n6	
Time of preparation	R	n4	
Priority	O	a1	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Correlation identifier	D	an..14	

## ---HEADER

Reference number	R	an..22	
Document/reference number	R	an..21	
Document/reference number Communicated	R	n1	27
Sampling Request Amendment rejection date	R	n8	
Sampling Request Amendment rejection time	R	n4	

## ---FUNCTIONAL ERROR

Error type	R	n2	49
Error pointer	R	an..210	
Error reason	O	an..6	
Original attribute value	O	an..140	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC613	

## 5. Message Structure for: DC613

DC613	(DC613A)	Αίτηση Τροποποίησης Δειγματοληψίας	(SAM_REQ_AME)
-------	----------	------------------------------------	---------------

MESSAGE	1x	R
---HEADER	1x	R
---(CONSIGNOR) TRADER	1x	R
---(CONSIGNEE) TRADER	1x	R
---CUSTOMS OFFICE	1x	R
---REFERENCED DECLARATION	1x	R
-----GOODS ITEM	999x	D
-----PACKAGES	99x	R
-----CONTAINERS	99x	O
-----SEALS ID	9999x	O

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC613	

## MESSAGE

Message sender	R	an..35	
Message recipient	R	an..35	
Date of preparation	R	n6	
Time of preparation	R	n4	
Priority	O	a1	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Correlation identifier	D	an..14	

## ---HEADER

Reference number	R	an..22	
Document/reference number	R	an..21	
Document/reference number Communicated	R	n1	27
Sampling Request Amendment registration date and time	R	n12	
Sampling Request Amendment Submitted Date and Time	R	n12	
Sampling Request Amendment date and time	R	n12	

## ---(CONSIGNOR) TRADER

Name	D	an..35	
Street and number	D	an..35	
Postal code	D	an..9	
City	D	an..35	
Country code	D	a2	8
NAD LNG	O	a2	12
TIN	R	an..17	

## ---(CONSIGNEE) TRADER

Name	D	an..35	
Street and number	D	an..35	
Postal code	D	an..9	
City	D	an..35	
Country code	D	a2	8
NAD LNG	O	a2	12
TIN	R	an..17	

## ---CUSTOMS OFFICE

Reference number	R	an8	ESD_GR _CL1127
------------------	---	-----	-------------------

## ---REFERENCED DECLARATION

Declaration Number	R	an..22	
Declaration Type	R	an..15	IE_GR CL10502
Customs Office	R	an8	
Declaration date	R	n8	
Total Declaration (Y=Yes, N=No)	R	an1	

## -----GOODS ITEM

Item number	R	n..5	
TARIC Code	R	an10	
Goods description	O	an..280	
Goods description LNG	O	a2	
Gross mass	D	n..11,3	
Commercial Reference Number	D	an..70	
Place of loading	D	an..35	R670
Place of loading LNG	O	a2	
Place of unloading	D	an..35	R670
Place of unloading LNG	O	a2	

## -----PACKAGES



Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC613	

Marks & numbers of packages (long)	D	an..140	
Marks & numbers of packages (long) LNG	O	a2	
Kind of packages	R	an..3	17
Number of packages	D	n..5	
Number of pieces	D	n..5	
<b>-----CONTAINERS</b>			
Container number	R	an..17	
<b>-----SEALS ID</b>			
Seals identity	R	an..20	
Seals identity LNG	O	a2	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC615	

## 5. Message Structure for: DC615

DC615	(DC615A)	Αίτηση Δειγματοληψίας	(SAM_REQ)
-------	----------	-----------------------	-----------

MESSAGE	1x	R
---HEADER	1x	R
---(CONSIGNOR) TRADER	1x	R
---(CONSIGNEE) TRADER	1x	R
---CUSTOMS OFFICE	1x	R
---REFERENCED DECLARATION	1x	R
-----GOODS ITEM	999x	D
-----PACKAGES	99x	R
-----CONTAINERS	99x	O
-----SEALS ID	9999x	O

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC615	

## MESSAGE

Message sender	R	an..35	
Message recipient	R	an..35	
Date of preparation	R	n6	
Time of preparation	R	n4	
Priority	O	a1	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Correlation identifier	D	an..14	

## ---HEADER

Reference number	R	an..22	
Document/reference number	R	an..21	
Document/reference number Communicated	R	n1	27
Sampling Request registration date and time	R	n12	
Sampling Request Submitted Date and Time	R	n12	
Sampling Request date and time	R	n12	

## ---(CONSIGNOR) TRADER

Name	D	an..35	
Street and number	D	an..35	
Postal code	D	an..9	
City	D	an..35	
Country code	D	a2	8
NAD LNG	O	a2	12
TIN	R	an..17	

## ---(CONSIGNEE) TRADER

Name	D	an..35	
Street and number	D	an..35	
Postal code	D	an..9	
City	D	an..35	
Country code	D	a2	8
NAD LNG	O	a2	12
TIN	R	an..17	

## ---CUSTOMS OFFICE

Reference number	R	an8	ESD_GR _CL1127
------------------	---	-----	-------------------

## ---REFERENCED DECLARATION

Declaration Number	R	an..22	
Declaration Type	R	an..15	IE_GR CL10502
Customs Office	R	an8	
Declaration date	R	n8	
Total Declaration (Y=Yes, N=No)	R	an1	

## -----GOODS ITEM

Item number	R	n..5	
TARIC Code	R	an10	
Goods description	O	an..280	
Goods description LNG	O	a2	
Gross mass	D	n..11,3	
Commercial Reference Number	D	an..70	
Place of loading	D	an..35	R670
Place of loading LNG	O	a2	
Place of unloading	D	an..35	R670
Place of unloading LNG	O	a2	

## -----PACKAGES

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC615	

Marks & numbers of packages (long)	D	an..140	
Marks & numbers of packages (long) LNG	O	a2	
Kind of packages	R	an..3	17
Number of packages	D	n..5	
Number of pieces	D	n..5	
-----CONTAINERS			
Container number	R	an..17	
-----SEALS ID			
Seals identity	R	an..20	
Seals identity LNG	O	a2	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC616	

5. Message Structure for: DC616

DC616	(DC616A)	Απόρριψη Αίτησης Δειγματοληψίας	(SAM_REQ_REJ)
-------	----------	---------------------------------	---------------

MESSAGE	1x	R
---HEADER	1x	R
---FUNCTIONAL ERROR	999x	R

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC616	

## MESSAGE

Message sender	R	an..35	
Message recipient	R	an..35	
Date of preparation	R	n6	
Time of preparation	R	n4	
Priority	O	a1	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Correlation identifier	D	an..14	

## ---HEADER

Reference number	R	an..22	
Document/reference number	R	an..21	
Document/reference number Communicated	R	n1	27
Sampling Request rejection date	R	n8	
Sampling Request rejection time	R	n4	

## ---FUNCTIONAL ERROR

Error type	R	n2	49
Error pointer	R	an..210	
Error reason	O	an..6	
Original attribute value	O	an..140	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC628	

## 5. Message Structure for: DC628

DC628	(DC628A)	Αποδοχή Αίτησης Δειγματοληψίας	(SAM_REQ_ACC)
-------	----------	--------------------------------	---------------

MESSAGE	1x	R
---HEADER	1x	R
---CUSTOMS OFFICE	1x	R

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC628	

MESSAGE

Message sender	R	an..35	
Message recipient	R	an..35	
Date of preparation	R	n6	
Time of preparation	R	n4	
Priority	O	a1	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Correlation identifier	D	an..14	

---HEADER

Reference number	R	an..22	
Document/reference number	R	an..21	
Document/reference number Communicated	R	n1	27
Sampling Request accepting date	R	n8	
Sampling Request accepting time	R	n4	

---CUSTOMS OFFICE

Reference number	R	an8	ESD_GR _CL1127
------------------	---	-----	-------------------



Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC704	

## 5. Message Structure for: DC704

DC704	(DC704A)	Αποδοχή Τροποποίησης Βεβαίωσης Τελωνειακού Χαρακτήρα Εμπορευμάτων	(DC704)
MESSAGE		1x	R
--HEADER		1x	R
--CUSTOMS OFFICE		1x	R
--TRADER DETAILS PERSON		1x	R
--REFERENCED DECLARATION		1x	R
-----GOODS ITEM		999x	O
-----PACKAGES		9x	R
-----SEALS ID		99x	O
-----PRODUCED DOCUMENTS/CERTIFICATES		99x	D
--TEMPORARY STORAGE		1x	O
--PERSON LODGING REQUEST		1x	O
			EC003

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC704	

## MESSAGE

Message sender	R	an..35	
Message recipient	R	an..35	
Date of preparation	R	n6	
Time of preparation	R	n4	
Priority	O	a1	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Correlation identifier	D	an..14	TR9181

## ---HEADER

Transport mode at border	R	n..2	18	
Total number of items	D	n..5		TR0811
Total number of packages	D	n..7		N002
Total gross mass	D	n..11,3		N004 TR0021
Arrival date	R	n8		
Amendment acceptance date and time	R	n12		
Date and Time of amendment	R	n12		
Comments	O	an..280		
Identity of means of transport	R	an..27		
Nationality of means of transport	D	a2		
Document / reference number	R	an..22		
Place of provenance code	R	an..5		
Manual Registration number	O	an..21		
Manual Registration Date	D	n8		EC002

## ---CUSTOMS OFFICE

Reference number	R	an8	ESD_GR _CL1127
------------------	---	-----	-------------------

## ---TRADER DETAILS PERSON

Name	D	an..35	C501
Street and number	D	an..35	C501
Postal code	D	an..9	C501
City	D	an..35	C501
Country code	D	a2	ESD_GR C501 _CL128
ID Type	R	n1	NCL06
ID	R	an..21	

## ---REFERENCED DECLARATION

Declaration Type	R	an..15	IE_GR CL10502
Document/reference number	R	an..21	

## -----GOODS ITEM

Item number	R	n..5	
TARIC Code	O	an10	
Goods description	R	an..280	
Gross mass	O	n..11,3	
Place of loading	R	an..35	R670
Certificate Community Goods item	R	n..3	
Comments	O	an..280	

## -----PACKAGES

Marks & numbers of packages (long)	D	an..140	C062
Kind of packages	R	an..3	17
Number of packages	D	n..5	C062 R021
Number of pieces	D	n..5	C062

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC704	

-----SEALS ID

Seals identity	R	an..20	
----------------	---	--------	--

-----PRODUCED DOCUMENTS/CERTIFICATES

Document type	R	an..4	13
Document reference	R	an..35	

---TEMPORARY STORAGE

Warehouse type	R	n1	
Warehouse Keeper identification	O	an..21	
Warehouse identification	R	an..19	
Warehouse Sector	O	an..35	
Warehouse approval identification	O	an..35	

---PERSON LODGING REQUEST

Name	D	an..35	C501
Street and number	D	an..35	C501
Postal code	D	an..9	C501
City	D	an..35	C501
Country code	D	a2	ESD_GR C501 _CL128
ID	R	an..21	
ID Type	R	n1	NCL06

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC705	

## 5. Message Structure for: DC705

DC705	(DC705A)	Απόρριψη Τροποποίησης Βεβαίωσης Τελωνειακού Χαρακτήρα Εμπορευμάτων	(DC705)
-------	----------	--	---------

MESSAGE	1x	R
---HEADER	1x	R
---FUNCTIONAL ERROR	999x	O
---CUSTOMS OFFICE	1x	R
---TRADER DETAILS PERSON	1x	R
---PERSON LODGING REQUEST	1x	O

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC705	

## MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	27	
Message identification	R	an..14		
Message type	R	an..6	60	
Correlation identifier	D	an..14		TR9181

## ---HEADER

Date and Time of amendment	R	n12		
Amendment rejection date and time	R	n12		
Amendment rejection motivation code	O	n1	45	
Amendment rejection motivation text	D	an..350		C310
Amendment rejection motivation text LNG	O	a2	12	
Document / reference number	R	an..22		

## ---FUNCTIONAL ERROR

Error type	R	n2	49	
Error pointer	R	an..210		
Error reason	O	an..6		
Original attribute value	O	an..140		

## ---CUSTOMS OFFICE

Reference number	R	an8	ESD_GR _CL127	
------------------	---	-----	------------------	--

## ---TRADER DETAILS PERSON

Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	ESD_GR _CL128	C501
ID Type	R	n1	NCL06	
ID	R	an..21		

## ---PERSON LODGING REQUEST

Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	ESD_GR _CL128	C501
ID	R	an..21		
ID Type	R	n1	NCL06	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC709	

## 5. Message Structure for: DC709

DC709	(DC709A)	Απόφαση Ακύρωσης Αίτησης Βεβαίωσης Τελωνειακού Χαρακτήρα Εμπορευμάτων	(DC709)
-------	----------	--	---------

MESSAGE	1x	R
---HEADER	1x	R
---CUSTOMS OFFICE	1x	R
---TRADER DETAILS PERSON	1x	R
---PERSON LODGING REQUEST	1x	O

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC709	

## MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	27	
Message identification	R	an..14		
Message type	R	an..6	60	
Correlation identifier	D	an..14		TR9181

## ---HEADER

Cancellation decision	R	n1	27	
Date of cancellation request	R	n8		
Date of cancellation decision	R	n8		
Cancellation justification	O	an..350		
Comments	O	an..280		
Document / reference number	R	an..22		

## ---CUSTOMS OFFICE

Reference number	R	an8	ESD_GR _CL1127	
------------------	---	-----	-------------------	--

## ---TRADER DETAILS PERSON

Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	ESD_GR _CL128	C501
ID Type	R	n1	NCL06	
ID	R	an..21		

## ---PERSON LODGING REQUEST

Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	ESD_GR _CL128	C501
ID	R	an..21		
ID Type	R	n1	NCL06	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC713	

## 5. Message Structure for: DC713

DC713	(DC713A)	Αίτηση Τροποποίησης Βεβαίωσης Τελωνειακού Χαρακτήρα Εμπορευμάτων	(DC713)
MESSAGE		1x	R
--HEADER		1x	R
--CUSTOMS OFFICE		1x	R
--TRADER DETAILS PERSON		1x	R
--REFERENCED DECLARATION		1x	R
-----GOODS ITEM		999x	O
-----PACKAGES		9x	R
-----SEALS ID		99x	O
-----PRODUCED DOCUMENTS/CERTIFICATES		99x	D
--TEMPORARY STORAGE		1x	O
--PERSON LODGING REQUEST		1x	O
			EC003



Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC713	

## MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	27	
Message identification	R	an..14		
Message type	R	an..6	60	
Correlation identifier	D	an..14		TR9181

## ---HEADER

Transport mode at border	R	n..2	18	
Total number of items	D	n..5		TR0811
Total number of packages	D	n..7		N002
Total gross mass	D	n..11,3		N004 TR0021
Arrival date	R	n8		
Comments	O	an..280		
Identity of means of transport	R	an..27		
Nationality of means of transport	D	a2		
Document / reference number	R	an..22		
Place of provenance code	R	an..5		
Manual Registration number	O	an..21		
Manual Registration Date	D	n8		EC002

## ---CUSTOMS OFFICE

Reference number	R	an8	ESD_GR _CL1127	
------------------	---	-----	-------------------	--

## ---TRADER DETAILS PERSON

Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	ESD_GR _CL128	C501
ID Type	R	n1	NCL06	
ID	R	an..21		

## ---REFERENCED DECLARATION

Declaration Type	R	an..15	IE_GR CL10502	
Document/reference number	R	an..21		

## -----GOODS ITEM

Item number	R	n..5		
TARIC Code	O	an10		
Goods description	R	an..280		
Gross mass	O	n..11,3		
Place of loading	R	an..35		R670
Certificate Community Goods item	R	n..3		
Comments	O	an..280		

## -----PACKAGES

Marks & numbers of packages (long)	D	an..140		C062
Kind of packages	R	an..3	17	
Number of packages	D	n..5		C062 R021
Number of pieces	D	n..5		C062

## -----SEALS ID

Seals identity	R	an..20		
----------------	---	--------	--	--

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC713	

## -----PRODUCED DOCUMENTS/CERTIFICATES

Document type	R	an..4	13
Document reference	R	an..35	

## ---TEMPORARY STORAGE

Warehouse type	R	n1	
Warehouse Keeper identification	O	an..21	
Warehouse identification	R	an..19	
Warehouse Sector	O	an..35	
Warehouse approval identification	O	an..35	

## ---PERSON LODGING REQUEST

Name	D	an..35	C501
Street and number	D	an..35	C501
Postal code	D	an..9	C501
City	D	an..35	C501
Country code	D	a2	ESD_GR C501 _CL128
ID	R	an..21	
ID Type	R	n1	NCL06

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC714	

## 5. Message Structure for: DC714

DC714	(DC714A)	Αίτηση Ακύρωσης Βεβαίωσης Τελωνειακού Χαρακτήρα Εμπορευμάτων	(DC714)
-------	----------	--	---------

MESSAGE	1x	R
---HEADER	1x	R
---CUSTOMS OFFICE	1x	R
---TRADER DETAILS PERSON	1x	R
---PERSON LODGING REQUEST	1x	O

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC714	

## MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	27	
Message identification	R	an..14		
Message type	R	an..6	60	
Correlation identifier	D	an..14		TR9181

## ---HEADER

Date of cancellation request	R	n8		
Cancellation reason	R	an..350		
Comments	O	an..280		
Document / reference number	R	an..22		

## ---CUSTOMS OFFICE

Reference number	R	an8	ESD_GR _CL1127	
------------------	---	-----	-------------------	--

## ---TRADER DETAILS PERSON

Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	ESD_GR _CL128	C501
ID Type	R	n1	NCL06	
ID	R	an..21		

## ---PERSON LODGING REQUEST

Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	ESD_GR _CL128	C501
ID	R	an..21		
ID Type	R	n1	NCL06	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC715	

## 5. Message Structure for: DC715

DC715	(DC715A)	Αίτηση Βεβαίωσης Τελωνειακού Χαρακτήρα Εμπορευμάτων	(DC715)
MESSAGE		1x	R
--HEADER		1x	R
--CUSTOMS OFFICE		1x	R
--TRADER DETAILS PERSON		1x	R
--REFERENCED DECLARATION		1x	R
-----GOODS ITEM		999x	O
-----PACKAGES		9x	R
-----SEALS ID		99x	O
-----PRODUCED DOCUMENTS/CERTIFICATES		99x	D
--TEMPORARY STORAGE		1x	O
--PERSON LODGING REQUEST		1x	O
			EC003

<b>Message Specifications for IMPORT</b>	<b>ALIGNED TO DDNA KEL Draft Version</b>
<b>REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2</b>	
<b>Appendix Q2: Technical Message Structure</b>	
<b>5. Message Structure for: DC715</b>	

## MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	27	
Message identification	R	an..14		
Message type	R	an..6	60	
Correlation identifier	D	an..14		TR9181

## ---HEADER

Reference number	R	an..22		
Transport mode at border	R	n..2	18	
Total number of items	D	n..5		TR0811
Total number of packages	D	n..7		N002
Total gross mass	D	n..11,3		N004 TR0021
Arrival date	R	n8		
Comments	O	an..280		
Identity of means of transport	R	an..27		
Nationality of means of transport	D	a2		
Place of provenance code	R	an..5		
Manual Registration number	O	an..21		
Manual Registration Date	D	n8		EC002

## ---CUSTOMS OFFICE

Reference number	R	an8	ESD_GR _CL1127
------------------	---	-----	-------------------

## ---TRADER DETAILS PERSON

Name	D	an..35	C501
Street and number	D	an..35	C501
Postal code	D	an..9	C501
City	D	an..35	C501
Country code	D	a2	ESD_GR C501 _CL128
ID Type	R	n1	NCL06
ID	R	an..21	

## ---REFERENCED DECLARATION

Declaration Type	R	an..15	IE_GR CL10502
Document/reference number	R	an..21	

## -----GOODS ITEM

Item number	R	n..5	
TARIC Code	O	an10	
Goods description	R	an..280	
Gross mass	O	n..11,3	
Place of loading	R	an..35	R670
Certificate Community Goods item	R	n..3	
Comments	O	an..280	

## -----PACKAGES

Marks & numbers of packages (long)	D	an..140	C062
Kind of packages	R	an..3	17
Number of packages	D	n..5	C062 R021
Number of pieces	D	n..5	C062

## -----SEALS ID

Seals identity	R	an..20	
----------------	---	--------	--

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC715	

## -----PRODUCED DOCUMENTS/CERTIFICATES

Document type	R	an..4	13
Document reference	R	an..35	

## ---TEMPORARY STORAGE

Warehouse type	R	n1	
Warehouse Keeper identification	O	an..21	
Warehouse identification	R	an..19	
Warehouse Sector	O	an..35	
Warehouse approval identification	O	an..35	

## ---PERSON LODGING REQUEST

Name	D	an..35	C501
Street and number	D	an..35	C501
Postal code	D	an..9	C501
City	D	an..35	C501
Country code	D	a2	ESD_GR C501 _CL128
ID	R	an..21	
ID Type	R	n1	NCL06

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC716	

5. Message Structure for: DC716

DC716	(DC716A)	Απόρριψη Αίτησης Βεβαίωσης Τελωνειακού Χαρακτήρα Εμπορευμάτων	(DC716)
-------	----------	---	---------

MESSAGE	1x	R	
---HEADER	1x	R	
---FUNCTIONAL ERROR	999x	D	R123



Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC716	

MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	27	
Message identification	R	an..14		
Message type	R	an..6	60	
Correlation identifier	D	an..14		TR9181

---HEADER

Reference number	R	an..22		
Declaration rejection date and time	R	n12		
Declaration rejection reason	O	an..350		
Declaration rejection reason LNG	O	a2	12	

---FUNCTIONAL ERROR

Error type	R	n2	49	
Error pointer	R	an..210		
Error reason	O	an..6		
Original attribute value	O	an..140		

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC728	

## 5. Message Structure for: DC728

DC728	(DC728A)	Αποδοχή Αίτησης Βεβαίωσης Τελωνειακού Χαρακτήρα Εμπορευμάτων	(DC728)
-------	----------	--	---------

MESSAGE		1x	R	
--HEADER		1x	R	
--CUSTOMS OFFICE		1x	R	
--TRADER DETAILS PERSON		1x	R	
--REFERENCED DECLARATION		1x	R	
-----GOODS ITEM		999x	O	
-----PACKAGES		9x	R	
-----SEALS ID		99x	O	
-----PRODUCED DOCUMENTS/CERTIFICATES		99x	D	EC003
--TEMPORARY STORAGE		1x	O	
--PERSON LODGING REQUEST		1x	O	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC728	

## MESSAGE

Message sender	R	an..35	
Message recipient	R	an..35	
Date of preparation	R	n6	
Time of preparation	R	n4	
Priority	O	a1	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Correlation identifier	D	an..14	TR9181

## ---HEADER

Reference number	R	an..22	
Total number of items	D	n..5	TR0811
Total number of packages	D	n..7	N002
Total gross mass	D	n..11,3	N004 TR0021
Arrival date	R	n8	
Declaration date and time	R	n12	
Comments	O	an..280	
Document / reference number	R	an..22	
Place of provenance code	R	an..5	
Manual Registration number	O	an..21	
Manual Registration Date	D	n8	EC002

## ---CUSTOMS OFFICE

Reference number	R	an8	ESD_GR _CL1127
------------------	---	-----	-------------------

## ---TRADER DETAILS PERSON

Name	D	an..35	C501
Street and number	D	an..35	C501
Postal code	D	an..9	C501
City	D	an..35	C501
Country code	D	a2	ESD_GR C501 _CL128
ID Type	R	n1	NCL06
ID	R	an..21	

## ---REFERENCED DECLARATION

Declaration Type	R	an..15	IE_GR CL10502
Document/reference number	R	an..21	

## -----GOODS ITEM

Item number	R	n..5	
TARIC Code	O	an10	
Goods description	R	an..280	
Gross mass	O	n..11,3	
Place of loading	R	an..35	R670
Certificate Community Goods item	R	n..3	
Comments	O	an..280	

## -----PACKAGES

Marks & numbers of packages (long)	D	an..140	C062
Kind of packages	R	an..3	17
Number of packages	D	n..5	C062 R021
Number of pieces	D	n..5	C062

## -----SEALS ID

Seals identity	R	an..20	
----------------	---	--------	--

## -----PRODUCED DOCUMENTS/CERTIFICATES

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC728	

Document type	R	an..4	13	
Document reference	R	an..35		
---TEMPORARY STORAGE				
Warehouse type	R	n1		
Warehouse Keeper identification	O	an..21		
Warehouse identification	R	an..19		
Warehouse Sector	O	an..35		
Warehouse approval identification	O	an..35		
---PERSON LODGING REQUEST				
Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	ESD_GR _CL128	C501
ID	R	an..21		
ID Type	R	n1	NCL06	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC780	

## 5. Message Structure for: DC780

DC780	(DC780A)	Ενημέρωση κατάστασης Αίτησης Βεβαίωσης Τελωνειακού Χαρακτήρα Εμπορευμάτων	(DC780)
-------	----------	--	---------

MESSAGE	1x	R
--HEADER	1x	R
--CUSTOMS OFFICE	1x	R

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC780	

MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	27	
Message identification	R	an..14		
Message type	R	an..6	60	
Correlation identifier	D	an..14		TR9181

---HEADER

BTX Status	R	n1	NCL04	
Decision Date	D	n8		C600
Cancellation reason	D	an..350		C600
Comments	O	an..280		
Document / reference number	R	an..22		

---CUSTOMS OFFICE

Reference number	R	an8	ESD_GR _CL1127	
------------------	---	-----	-------------------	--

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC804	

## 5. Message Structure for: DC804

DC804	(DC804A)	Αποδοχή Τροποποίησης Βεβαίωσης Τελωνειακού Χαρακτήρα Εμπορευμάτων ΕΖ/ΑΕ	(DC804)
-------	----------	---	---------

MESSAGE		1x	R	
--HEADER		1x	R	
--REPRESENTATIVE		1x	O	
--GOODS ITEM		999x	R	
-----PRODUCED DOCUMENTS/CERTIFICATES		99x	D	EC003
-----PACKAGES		9x	R	
-----SEALS ID		99x	O	
--CUSTOMS OFFICE		1x	R	
--TRADER DETAILS PERSON		1x	R	
--PERSON LODGING REQUEST		1x	R	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC804	

## MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	27	
Message identification	R	an..14		
Message type	R	an..6	60	
Correlation identifier	D	an..14		TR9181

## ---HEADER

Amendment acceptance date and time	R	n12		
Date and Time of amendment	R	n12		
Declaration date and time	R	n12		
Declared Customs Status of Goods	D	n1	NCL01	EC010
Certificate of Customs	R	n1	27	EC011
Exit Licence	R	n1	27	EC011
Exit Mode from EZ	O	n..2	18	
Existence of a Container	R	n1	27	
BTX/Licence Exit Number	R	an..35		
BTX/Licence Exit Issuance Date	R	n8		
Comments	O	an..280		
Document / reference number	R	an..22		
Manual Registration number	O	an..21		
Manual Registration Date	D	n8		EC002

## ---REPRESENTATIVE

Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2		C501
ID Type	R	n1	NCL06	
ID	R	an..21		

## ---GOODS ITEM

Item number	R	n..5		
Goods description	R	an..280		
Gross mass	R	n..11,3		
AKLA	R	an..50		
Year AKLA	R	n4		
TARIC Code	O	n..10		
Union Certificate Number / Entry Form	D	an..35		EC010
Container Number	D	an..50		EC012
Container Size	D	n1	NCL02	EC012
Comments	O	an..280		

## -----PRODUCED DOCUMENTS/CERTIFICATES

Document type	R	an..4	13	
Document reference	R	an..35		

## -----PACKAGES

Kind of packages	R	an..3	17	
Number of packages	D	n..5		C060 R021
Number of pieces	D	n..5		C060
Marks & numbers of packages (long)	D	an..140		C060

## -----SEALS ID

Seals identity	R	an..20		
----------------	---	--------	--	--



Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC804	

---CUSTOMS OFFICE

Reference number	R	an8	ESD_GR _CL127
------------------	---	-----	------------------

---TRADER DETAILS PERSON

Name	D	an..35	C501
Street and number	D	an..35	C501
Postal code	D	an..9	C501
City	D	an..35	C501
Country code	D	a2	ESD_GR _CL128 C501
ID Type	R	n1	NCL06
ID	R	an..21	

---PERSON LODGING REQUEST

Name	D	an..35	C501
Street and number	D	an..35	C501
Postal code	D	an..9	C501
City	D	an..35	C501
Country code	D	a2	ESD_GR _CL128 C501
ID	R	an..21	
ID Type	R	n1	NCL06

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC805	

## 5. Message Structure for: DC805

DC805	(DC805A)	Απόρριψη Τροποποίησης Βεβαίωσης Τελωνειακού Χαρακτήρα Εμπορευμάτων EZ/AE	(DC805)
-------	----------	--	---------

MESSAGE	1x	R
--HEADER	1x	R
--REPRESENTATIVE	1x	O
--FUNCTIONAL ERROR	999x	O
--CUSTOMS OFFICE	1x	R
--TRADER DETAILS PERSON	1x	R
--PERSON LODGING REQUEST	1x	R

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC805	

## MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	27	
Message identification	R	an..14		
Message type	R	an..6	60	
Correlation identifier	D	an..14		TR9181

## ---HEADER

Date and Time of amendment	R	n12		
Amendment rejection date and time	R	n12		
Amendment rejection motivation code	O	n1	45	
Amendment rejection motivation text	D	an..350		C310
Amendment rejection motivation text LNG	O	a2	12	
Document / reference number	R	an..22		

## ---REPRESENTATIVE

Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2		C501
ID Type	R	n1	NCL06	
ID	R	an..21		

## ---FUNCTIONAL ERROR

Error type	R	n2	49	
Error pointer	R	an..210		
Error reason	O	an..6		
Original attribute value	O	an..140		

## ---CUSTOMS OFFICE

Reference number	R	an8	ESD_GR _CL1127	
------------------	---	-----	-------------------	--

## ---TRADER DETAILS PERSON

Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	ESD_GR _CL128	C501
ID Type	R	n1	NCL06	
ID	R	an..21		

## ---PERSON LODGING REQUEST

Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	ESD_GR _CL128	C501
ID	R	an..21		
ID Type	R	n1	NCL06	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC809	

## 5. Message Structure for: DC809

DC809	(DC809A)	Απόφαση Αίτησης Ακύρωσης Βεβαίωσης Τελωνειακού Χαρακτήρα Εμπορευμάτων EZ/AE	(DC809)
-------	----------	--	---------

MESSAGE		1x	R
--HEADER		1x	R
--REPRESENTATIVE		1x	O
--CUSTOMS OFFICE		1x	R
--TRADER DETAILS PERSON		1x	R
--PERSON LODGING REQUEST		1x	R

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC809	

## MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	27	
Message identification	R	an..14		
Message type	R	an..6	60	
Correlation identifier	D	an..14		TR9181

## ---HEADER

Cancellation decision	R	n1	27	
Date of cancellation request	R	n8		
Date of cancellation decision	R	n8		
Cancellation justification	O	an..350		
Comments	O	an..280		
Document / reference number	R	an..22		

## ---REPRESENTATIVE

Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2		C501
ID Type	R	n1	NCL06	
ID	R	an..21		

## ---CUSTOMS OFFICE

Reference number	R	an8	ESD_GR _CL1127	
------------------	---	-----	-------------------	--

## ---TRADER DETAILS PERSON

Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	ESD_GR _CL1128	C501
ID Type	R	n1	NCL06	
ID	R	an..21		

## ---PERSON LODGING REQUEST

Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	ESD_GR _CL1128	C501
ID	R	an..21		
ID Type	R	n1	NCL06	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC813	

## 5. Message Structure for: DC813

DC813	(DC813A)	Αίτηση Τροποποίησης Βεβαίωσης Τελωνειακού Χαρακτήρα Εμπορευμάτων ΕΖ/ΑΕ	(DC813)
-------	----------	--	---------

MESSAGE		1x	R	
--HEADER		1x	R	
--REPRESENTATIVE		1x	O	
--GOODS ITEM		999x	R	
-----PRODUCED DOCUMENTS/CERTIFICATES		99x	D	EC003
-----PACKAGES		9x	R	
-----SEALS ID		99x	O	
--CUSTOMS OFFICE		1x	R	
--TRADER DETAILS PERSON		1x	R	
--PERSON LODGING REQUEST		1x	R	

<b>Message Specifications for IMPORT</b>	<b>ALIGNED TO DDNA KEL Draft Version</b>
<b>REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2</b>	
<b>Appendix Q2: Technical Message Structure</b>	
<b>5. Message Structure for: DC813</b>	

## MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	27	
Message identification	R	an..14		
Message type	R	an..6	60	
Correlation identifier	D	an..14		TR9181

## ---HEADER

Declared Customs Status of Goods	D	n1	NCL01	EC010
Certificate of Customs	R	n1	27	EC011
Exit Licence	R	n1	27	EC011
Exit Mode from EZ	O	n..2	18	
Existence of a Container	R	n1	27	
BTX/Licence Exit Number	R	an..35		
BTX/Licence Exit Issuance Date	R	n8		
Comments	O	an..280		
Document / reference number	R	an..22		
Manual Registration number	O	an..21		
Manual Registration Date	D	n8		EC002

## ---REPRESENTATIVE

Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2		C501
ID Type	R	n1	NCL06	
ID	R	an..21		

## ---GOODS ITEM

Item number	R	n..5		
Goods description	R	an..280		
Gross mass	R	n..11,3		
AKLA	R	an..50		
Year AKLA	R	n4		
TARIC Code	O	n..10		
Union Certificate Number / Entry Form	D	an..35		EC010
Container Number	D	an..50		EC012
Container Size	D	n1	NCL02	EC012
Comments	O	an..280		

## -----PRODUCED DOCUMENTS/CERTIFICATES

Document type	R	an..4	13	
Document reference	R	an..35		

## -----PACKAGES

Kind of packages	R	an..3	17	
Number of packages	D	n..5		C060 R021
Number of pieces	D	n..5		C060
Marks & numbers of packages (long)	D	an..140		C060

## -----SEALS ID

Seals identity	R	an..20		
----------------	---	--------	--	--

## ---CUSTOMS OFFICE

Reference number	R	an8	ESD_GR _CL1127	
------------------	---	-----	-------------------	--

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC813	

---TRADER DETAILS PERSON

Name	D	an..35	C501
Street and number	D	an..35	C501
Postal code	D	an..9	C501
City	D	an..35	C501
Country code	D	a2	ESD_GR C501 _CL128
ID Type	R	n1	NCL06
ID	R	an..21	

---PERSON LODGING REQUEST

Name	D	an..35	C501
Street and number	D	an..35	C501
Postal code	D	an..9	C501
City	D	an..35	C501
Country code	D	a2	ESD_GR C501 _CL128
ID	R	an..21	
ID Type	R	n1	NCL06



Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC814	

5. Message Structure for: DC814

DC814	(DC814A)	Αίτηση Ακύρωσης Βεβαίωσης Τελωνειακού Χαρακτήρα Εμπορευμάτων ΕΖ/ΑΕ	(DC814)
-------	----------	--	---------

MESSAGE		1x	R
--HEADER		1x	R
--REPRESENTATIVE		1x	O
--CUSTOMS OFFICE		1x	R
--TRADER DETAILS PERSON		1x	R
--PERSON LODGING REQUEST		1x	R

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC814	

## MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	27	
Message identification	R	an..14		
Message type	R	an..6	60	
Correlation identifier	D	an..14		TR9181

## ---HEADER

Date of cancellation request	R	n8		
Cancellation reason	R	an..350		
Comments	O	an..280		
Document / reference number	R	an..22		

## ---REPRESENTATIVE

Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2		C501
ID Type	R	n1	NCL06	
ID	R	an..21		

## ---CUSTOMS OFFICE

Reference number	R	an8	ESD_GR _CL127	
------------------	---	-----	------------------	--

## ---TRADER DETAILS PERSON

Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	ESD_GR _CL128	C501
ID Type	R	n1	NCL06	
ID	R	an..21		

## ---PERSON LODGING REQUEST

Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	ESD_GR _CL128	C501
ID	R	an..21		
ID Type	R	n1	NCL06	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC815	

## 5. Message Structure for: DC815

DC815	(DC815A)	Αίτηση Βεβαίωσης Τελωνειακού Χαρακτήρα Εμπορευμάτων ΕΖ/ΑΕ	(DC815)
-------	----------	--	---------

MESSAGE		1x	R	
--HEADER		1x	R	
--REPRESENTATIVE		1x	O	
--GOODS ITEM		999x	R	
-----PRODUCED DOCUMENTS/CERTIFICATES		99x	D	EC003
-----PACKAGES		9x	R	
-----SEALS ID		99x	O	
--CUSTOMS OFFICE		1x	R	
--TRADER DETAILS PERSON		1x	R	
--PERSON LODGING REQUEST		1x	R	

<b>Message Specifications for IMPORT</b>	<b>ALIGNED TO DDNA KEL Draft Version</b>
<b>REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2</b>	
<b>Appendix Q2: Technical Message Structure</b>	
<b>5. Message Structure for: DC815</b>	

## MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	27	
Message identification	R	an..14		
Message type	R	an..6	60	
Correlation identifier	D	an..14		TR9181

## ---HEADER

Reference number	R	an..22		
Declared Customs Status of Goods	D	n1	NCL01	EC010
Certificate of Customs	R	n1	27	EC011
Exit Licence	R	n1	27	EC011
Exit Mode from EZ	O	n..2	18	
Existence of a Container	R	n1	27	
BTX/Licence Exit Number	R	an..35		
BTX/Licence Exit Issuance Date	R	n8		
Comments	O	an..280		
Manual Registration number	O	an..21		
Manual Registration Date	D	n8		EC002

## ---REPRESENTATIVE

Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2		C501
ID Type	R	n1	NCL06	
ID	R	an..21		

## ---GOODS ITEM

Item number	R	n..5		
Goods description	R	an..280		
Gross mass	R	n..11,3		
AKLA	R	an..50		
Year AKLA	R	n4		
TARIC Code	O	n..10		
Union Certificate Number / Entry Form	D	an..35		EC010
Container Number	D	an..50		EC012
Container Size	D	n1	NCL02	EC012
Comments	O	an..280		

## -----PRODUCED DOCUMENTS/CERTIFICATES

Document type	R	an..4	13	
Document reference	R	an..35		

## -----PACKAGES

Kind of packages	R	an..3	17	
Number of packages	D	n..5		C060 R021
Number of pieces	D	n..5		C060
Marks & numbers of packages (long)	D	an..140		C060

## -----SEALS ID

Seals identity	R	an..20		
----------------	---	--------	--	--

## ---CUSTOMS OFFICE

Reference number	R	an8	ESD_GR _CL1127	
------------------	---	-----	-------------------	--

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC815	

---TRADER DETAILS PERSON

Name	D	an..35	C501
Street and number	D	an..35	C501
Postal code	D	an..9	C501
City	D	an..35	C501
Country code	D	a2	ESD_GR C501 _CL128
ID Type	R	n1	NCL06
ID	R	an..21	

---PERSON LODGING REQUEST

Name	D	an..35	C501
Street and number	D	an..35	C501
Postal code	D	an..9	C501
City	D	an..35	C501
Country code	D	a2	ESD_GR C501 _CL128
ID	R	an..21	
ID Type	R	n1	NCL06

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC816	

5. Message Structure for: DC816

DC816	(DC816A)	Απόρριψη Αίτησης Βεβαίωσης Τελωνειακού Χαρακτήρα Εμπορευμάτων ΕΖ/ΑΕ	(DC816)
-------	----------	---	---------

MESSAGE		1x	R	
---HEADER		1x	R	
---FUNCTIONAL ERROR		999x	D	R123

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC816	

MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	27	
Message identification	R	an..14		
Message type	R	an..6	60	
Correlation identifier	D	an..14		TR9181

---HEADER

Reference number	R	an..22		
Declaration rejection date and time	R	n12		
Declaration rejection reason	O	an..350		
Declaration rejection reason LNG	O	a2	12	

---FUNCTIONAL ERROR

Error type	R	n2	49	
Error pointer	R	an..210		
Error reason	O	an..6		
Original attribute value	O	an..140		

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC828	

## 5. Message Structure for: DC828

DC828	(DC828A)	Αποδοχή Αίτησης Βεβαίωσης Τελωνειακού Χαρακτήρα Εμπορευμάτων ΕΖ/ΑΕ	(DC828)
MESSAGE		1x	R
--HEADER		1x	R
--REPRESENTATIVE		1x	O
--GOODS ITEM		999x	R
-----PRODUCED DOCUMENTS/CERTIFICATES		99x	D EC003
-----PACKAGES		9x	R
-----SEALS ID		99x	O
--CUSTOMS OFFICE		1x	R
--TRADER DETAILS PERSON		1x	R
--PERSON LODGING REQUEST		1x	R



<b>Message Specifications for IMPORT</b>	<b>ALIGNED TO DDNA KEL Draft Version</b>
<b>REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2</b>	
<b>Appendix Q2: Technical Message Structure</b>	
<b>5. Message Structure for: DC828</b>	

## MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	27	
Message identification	R	an..14		
Message type	R	an..6	60	
Correlation identifier	D	an..14		TR9181

## ---HEADER

Reference number	R	an..22		
Declaration date and time	R	n12		
Declared Customs Status of Goods	D	n1	NCL01	EC010
Certificate of Customs	R	n1	27	EC011
Exit Licence	R	n1	27	EC011
Exit Mode from EZ	O	n..2	18	
Existence of a Container	R	n1	27	
BTX/Licence Exit Number	R	an..35		
BTX/Licence Exit Issuance Date	R	n8		
Comments	O	an..280		
Document / reference number	R	an..22		
Manual Registration number	O	an..21		
Manual Registration Date	D	n8		EC002

## ---REPRESENTATIVE

Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2		C501
ID Type	R	n1	NCL06	
ID	R	an..21		

## ---GOODS ITEM

Item number	R	n..5		
Goods description	R	an..280		
Gross mass	R	n..11,3		
AKLA	R	an..50		
Year AKLA	R	n4		
TARIC Code	O	n..10		
Union Certificate Number / Entry Form	D	an..35		EC010
Container Number	D	an..50		EC012
Container Size	D	n1	NCL02	EC012
Comments	O	an..280		

## -----PRODUCED DOCUMENTS/CERTIFICATES

Document type	R	an..4	13	
Document reference	R	an..35		

## -----PACKAGES

Kind of packages	R	an..3	17	
Number of packages	D	n..5		C060 R021
Number of pieces	D	n..5		C060
Marks & numbers of packages (long)	D	an..140		C060

## -----SEALS ID

Seals identity	R	an..20		
----------------	---	--------	--	--

## ---CUSTOMS OFFICE

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC828	

Reference number	R	an8	ESD_GR _CL1127	
---TRADER DETAILS PERSON				
Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	ESD_GR _CL128	C501
ID Type	R	n1	NCL06	
ID	R	an..21		
---PERSON LODGING REQUEST				
Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	ESD_GR _CL128	C501
ID	R	an..21		
ID Type	R	n1	NCL06	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC880	

## 5. Message Structure for: DC880

DC880	(DC880A)	Ενημέρωση κατάστασης Αίτησης Βεβαίωσης Τελωνειακού Χαρακτήρα Εμπορευμάτων ΕΖ/ΑΕ	(DC880)
-------	----------	--	---------

MESSAGE	1x	R
---HEADER	1x	R
---CUSTOMS OFFICE	1x	R

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DC880	

MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	27	
Message identification	R	an..14		
Message type	R	an..6	60	
Correlation identifier	D	an..14		TR9181

---HEADER

BTX EZ/AE Status	R	n1	NCL03	
Decision Date	R	n8		
Cancellation reason	D	an..350		EC013
Comments	O	an..280		
Document / reference number	R	an..22		

---CUSTOMS OFFICE

Reference number	R	an8	ESD_GR _CL1127	
------------------	---	-----	-------------------	--

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DE004	

## 5. Message Structure for: DE004

DE004	(DE004A)	Αποδοχή Τροποποίησης Αίτησης Δηλωτικού	(DEC_REQ_AME_ACC)
-------	----------	--	-------------------

MESSAGE	1x	R
---HEADER	1x	R
---CUSTOMS OFFICE	1x	R

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DE004	

MESSAGE

Message sender	R	an..35	
Message recipient	R	an..35	
Date of preparation	R	n6	
Time of preparation	R	n4	
Priority	O	a1	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Correlation identifier	D	an..14	

---HEADER

Reference number	R	an..22	
Document/reference number	R	an..21	
Document/reference number Communicated	O	n1	27
Declaration Request amendment accepting date	R	n8	
Declaration Request amendment accepting time	R	n4	

---CUSTOMS OFFICE

Reference number	R	an8	ESD_GR _CL1127
------------------	---	-----	-------------------

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DE005	

5. Message Structure for: DE005

DE005	(DE005A)	Απόρριψη Τροποποίησης Αίτησης Δηλωτικού	(DEC_REQ_AME_REJ)
-------	----------	---	-------------------

MESSAGE	1x	R
---HEADER	1x	R
---FUNCTIONAL ERROR	999x	R

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DE005	

## MESSAGE

Message sender	R	an..35	
Message recipient	R	an..35	
Date of preparation	R	n6	
Time of preparation	R	n4	
Priority	O	a1	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Correlation identifier	D	an..14	

## ---HEADER

Reference number	R	an..22	
Document/reference number	R	an..21	
Rejection Reason	O	an..350	
Document/reference number Communicated	O	n1	27
Declaration Request rejection date	R	n8	
Declaration Request rejection time	R	n4	

## ---FUNCTIONAL ERROR

Error type	R	n2	49
Error pointer	R	an..210	
Error reason	O	an..6	
Original attribute value	O	an..140	
Error description	O	an..350	



Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DE013	

## 5. Message Structure for: DE013

DE013	(DE013A)	Τροποποίηση Αίτησης Δηλωτικού	(DEC_REQ_AME)
-------	----------	-------------------------------	---------------

MESSAGE	1x	R
---HEADER	1x	R
---REPRESENTATIVE	1x	O
---GOODS ITEM	99x	R
-----CONTAINERS	99x	O
-----PACKAGES	99x	R
-----TEMPORARY STORAGE	1x	D
---CUSTOMS OFFICE	1x	R
---PRODUCED DOCUMENTS/CERTIFICATES	99x	O
---TEMPORARY STORAGE	1x	R
---PERSON LODGING REQUEST	1x	R
---SUBMITTING CUSTOMS OFFICE	1x	D

<b>Message Specifications for IMPORT</b>	<b>ALIGNED TO DDNA KEL Draft Version</b>
<b>REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2</b>	
<b>Appendix Q2: Technical Message Structure</b>	
<b>5. Message Structure for: DE013</b>	

## MESSAGE

Message sender	R	an..35	
Message recipient	R	an..35	
Date of preparation	R	n6	
Time of preparation	R	n4	
Priority	O	a1	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Correlation identifier	D	an..14	

## ---HEADER

Reference number	R	an..22	
Document/reference number	O	an..21	
Total number of items	R	n..5	
Total number of packages	R	n..7	
Total gross mass	R	n..11,3	
Declaration Request amendment registration date and time	R	n12	
Declaration Request amendment submitted Date and Time	R	n12	
Declaration Request amendment date and time	R	n12	
Comments	O	an..280	
End Unclaimed date	O	n8	

## ---REPRESENTATIVE

Name	D	an..35	
Street and number	D	an..35	
Postal code	D	an..9	
City	D	an..35	
Country code	D	a2	
NAD LNG	O	a2	
ID Type	R	n1	NCL06
ID	R	an..21	

## ---GOODS ITEM

Item number	R	n..5	
Goods description	R	an..280	
Goods description LNG	O	a2	12
Gross mass	R	n..11,3	
TARIC Code	O	n..10	
Comments	O	an..280	
Sensitive goods	O	n1	

## -----CONTAINERS

Container number	R	an..17	N001
------------------	---	--------	------

## -----PACKAGES

Kind of packages	R	an..3	17
Number of packages	D	n..5	
Number of pieces	D	n..5	
Marks & numbers of packages (long)	D	an..140	
Marks & numbers of packages (long) LNG	O	a2	12

## -----TEMPORARY STORAGE

Warehouse type	R	n1	
Warehouse identification	R	an..19	
Warehouse Keeper identification	O	an..21	
Warehouse Sector	O	an..35	
Warehouse approval identification	O	an..35	

## ---CUSTOMS OFFICE

Reference number	R	an8	ESD_GR _CL1127
------------------	---	-----	-------------------

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DE013	

## ---PRODUCED DOCUMENTS/CERTIFICATES

Document type	R	an..4	13
Document reference	R	an..35	

## ---TEMPORARY STORAGE

Warehouse type	R	n1	
Warehouse Keeper identification	O	an..21	
Warehouse identification	R	an..19	
Warehouse Sector	O	an..35	
Warehouse approval identification	O	an..35	

## ---PERSON LODGING REQUEST

Name	D	an..35	
Street and number	D	an..35	
Postal code	D	an..9	
City	D	an..35	
Country code	D	a2	ESD_GR _CL128
NAD LNG	O	a2	
ID	R	an..21	
ID Type	R	n1	NCL06

## ---SUBMITTING CUSTOMS OFFICE

Customs Office Section	D	an..35	
------------------------	---	--------	--

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DE015	

## 5. Message Structure for: DE015

DE015	(DE015A)	Αίτηση Δηλωτικού	(DEC_REQ)
-------	----------	------------------	-----------

MESSAGE	1x	R
---HEADER	1x	R
---REPRESENTATIVE	1x	O
---GOODS ITEM	99x	R
-----CONTAINERS	99x	O
-----PACKAGES	99x	R
-----TEMPORARY STORAGE	1x	D
---CUSTOMS OFFICE	1x	R
---PRODUCED DOCUMENTS/CERTIFICATES	99x	O
---TEMPORARY STORAGE	1x	R
---PERSON LODGING REQUEST	1x	R
---SUBMITTING CUSTOMS OFFICE	1x	D

<b>Message Specifications for IMPORT</b>	<b>ALIGNED TO DDNA KEL Draft Version</b>
<b>REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2</b>	
<b>Appendix Q2: Technical Message Structure</b>	
<b>5. Message Structure for: DE015</b>	

## MESSAGE

Message sender	R	an..35	
Message recipient	R	an..35	
Date of preparation	R	n6	
Time of preparation	R	n4	
Priority	O	a1	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Correlation identifier	D	an..14	

## ---HEADER

Reference number	R	an..22	
Document/reference number	O	an..21	
Total number of items	R	n..5	
Total number of packages	R	n..7	
Total gross mass	R	n..11,3	
Declaration Request registration date and time	R	n12	
Declaration Request submitted Date and Time	R	n12	
Comments	O	an..280	
End Unclaimed date	O	n8	

## ---REPRESENTATIVE

Name	D	an..35	
Street and number	D	an..35	
Postal code	D	an..9	
City	D	an..35	
Country code	D	a2	
NAD LNG	O	a2	
ID Type	R	n1	NCL06
ID	R	an..21	

## ---GOODS ITEM

Item number	R	n..5	
Goods description	R	an..280	
Goods description LNG	O	a2	12
Gross mass	R	n..11,3	
TARIC Code	O	n..10	
Comments	O	an..280	
Sensitive goods	O	n1	

## -----CONTAINERS

Container number	R	an..17	N001
------------------	---	--------	------

## -----PACKAGES

Kind of packages	R	an..3	17
Number of packages	D	n..5	
Number of pieces	D	n..5	
Marks & numbers of packages (long)	D	an..140	
Marks & numbers of packages (long) LNG	O	a2	12

## -----TEMPORARY STORAGE

Warehouse type	R	n1	
Warehouse identification	R	an..19	
Warehouse Keeper identification	O	an..21	
Warehouse Sector	O	an..35	
Warehouse approval identification	O	an..35	

## ---CUSTOMS OFFICE

Reference number	R	an8	ESD_GR _CL1127
------------------	---	-----	-------------------

## ---PRODUCED DOCUMENTS/CERTIFICATES

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DE015	

Document type	R	an..4	13
Document reference	R	an..35	
<b>---TEMPORARY STORAGE</b>			
Warehouse type	R	n1	
Warehouse Keeper identification	O	an..21	
Warehouse identification	R	an..19	
Warehouse Sector	O	an..35	
Warehouse approval identification	O	an..35	
<b>---PERSON LODGING REQUEST</b>			
Name	D	an..35	
Street and number	D	an..35	
Postal code	D	an..9	
City	D	an..35	
Country code	D	a2	ESD_GR _CL128
NAD LNG	O	a2	
ID	R	an..21	
ID Type	R	n1	NCL06
<b>---SUBMITTING CUSTOMS OFFICE</b>			
Customs Office Section	D	an..35	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DE016	

5. Message Structure for: DE016

DE016	(DE016A)	Απόρριψη Αίτησης Δηλωτικού	(DEC_REQ_REJ)
-------	----------	----------------------------	---------------

MESSAGE	1x	R
---HEADER	1x	R
---FUNCTIONAL ERROR	999x	R

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DE016	

## MESSAGE

Message sender	R	an..35	
Message recipient	R	an..35	
Date of preparation	R	n6	
Time of preparation	R	n4	
Priority	O	a1	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Correlation identifier	D	an..14	

## ---HEADER

Reference number	R	an..22	
Document/reference number	O	an..21	
Rejection Reason	O	an..350	
Document/reference number Communicated	O	n1	27
Declaration Request rejection date	R	n8	
Declaration Request rejection time	R	n4	

## ---FUNCTIONAL ERROR

Error type	R	n2	49
Error pointer	R	an..210	
Error reason	O	an..6	
Original attribute value	O	an..140	
Error description	O	an..350	



Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DE028	

5. Message Structure for: DE028

DE028	(DE028A)	Αποδοχή Αίτησης Δηλωτικού	(DEC_REQ_ACC)
-------	----------	---------------------------	---------------

MESSAGE	1x	R
---HEADER	1x	R
---CUSTOMS OFFICE	1x	R

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DE028	

MESSAGE

Message sender	R	an..35	
Message recipient	R	an..35	
Date of preparation	R	n6	
Time of preparation	R	n4	
Priority	O	a1	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Correlation identifier	D	an..14	

---HEADER

Reference number	R	an..22	
Document/reference number	O	an..21	
Document/reference number Communicated	O	n1	27
Declaration Request accepting date	R	n8	
Declaration Request accepting time	R	n4	

---CUSTOMS OFFICE

Reference number	R	an8	ESD_GR _CL1127
------------------	---	-----	-------------------

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DX304	

## 5. Message Structure for: DX304

DX304	(DX304A)	Αποδοχή Τροποποίησης Δηλωτικού	(DX304)
-------	----------	--------------------------------	---------

MESSAGE	1x	R	
---HEADER	1x	R	
---GOODS ITEM	999x	O	R134
-----PRODUCED DOCUMENTS/CERTIFICATES	99x	O	R147
-----CONTAINERS	99x	O	
----- (MEANS OF TRANSPORT AT BORDER) IDENTITY	999x	D	C019
---(REPRESENTATIVE) TRADER	1x	D	C552
---(LODGING SUMMARY DECLARATION) PERSON	1x	D	C552
---(FIRST ENTRY) CUSTOMS OFFICE	1x	R	R814
---(ENTRY CARRIER) TRADER	1x	O	R134

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DX304	

## MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Correlation identifier	D	an..14		TR9181

## ---HEADER

Transport mode at border	O	n..2	18	R134 R826
Identity of means of transport crossing border	O	an..27		C017 C514 R134
Identity of means of transport crossing border LNG	O	a2	12	TR0099
Nationality of means of transport crossing border	D	a2	8	C024 R134
Commercial Reference Number	O	an..70		R134
Conveyance reference number	O	an..35		C518 R134 R843
Amendment acceptance date and time	R	n12		R660 R662
Date and Time of amendment	R	n12		R660
Document Reference Number	R	an..21		

## ---GOODS ITEM

Item number	R	n..5		R005 R007
Commercial Reference Number	O	an..70		

## -----PRODUCED DOCUMENTS/CERTIFICATES

Document type	R	an..4	13	R136
Document reference	R	an..35		
Document reference LNG	O	a2	12	TR0099

## -----CONTAINERS

Container number	R	an..17		
------------------	---	--------	--	--

## -----((MEANS OF TRANSPORT AT BORDER) IDENTITY

Nationality	D	a2	8	C020
Identity of means of transport crossing border	R	an..27		C514
Identity of means of transport crossing border LNG	O	a2	12	TR0099

## ---((REPRESENTATIVE) TRADER

Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	8	C501
NAD LNG	O	a2	12	TR0099
TIN	R	an..17		R837

## ---((LODGING SUMMARY DECLARATION) PERSON

Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	8	C501
NAD LNG	O	a2	12	TR0099
TIN	R	an..17		R837

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DX304	

---(FIRST ENTRY) CUSTOMS OFFICE

Reference number	R	an8		
Expected date and time of arrival	O	an12		R134 R660 R666

---(ENTRY CARRIER) TRADER

ID type	R	an..2	IE_GR_ CL10032	N003
Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	8	C501
NAD LNG	O	a2	12	TR0099
ID	R	an..25		

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DX305	

## 5. Message Structure for: DX305

DX305	(DX305A)	Απόρριψη Τροποποίησης Δηλωτικού	(DX305)
-------	----------	---------------------------------	---------

MESSAGE	1x	R	
---HEADER	1x	R	
---FUNCTIONAL ERROR	999x	O	R123
---(REPRESENTATIVE) TRADER	1x	D	C552
---(LODGING SUMMARY DECLARATION) PERSON	1x	D	C552
---(FIRST ENTRY) CUSTOMS OFFICE	1x	R	R814

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DX305	

## MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Correlation identifier	D	an..14		TR9181

## ---HEADER

Document/reference number	R	an..21		
Date and Time of amendment	R	n12		R660
Amendment rejection date and time	R	n12		R660
Amendment rejection motivation code	O	n1	45	
Amendment rejection motivation text	D	an..350		C310
Amendment rejection motivation text LNG	O	a2	12	TR0099

## ---FUNCTIONAL ERROR

Error type	R	n2	49	R098
Error pointer	R	an..210		R098
Error reason	O	an..6		R098
Original attribute value	O	an..140		R098
Error description	O	an..350		

## ---(REPRESENTATIVE) TRADER

Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	8	C501
NAD LNG	O	a2	12	TR0099
TIN	R	an..17		R837

## ---(LODGING SUMMARY DECLARATION) PERSON

Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	8	C501
NAD LNG	O	a2	12	TR0099
TIN	R	an..17		R837

## ---(FIRST ENTRY) CUSTOMS OFFICE

Reference number	R	an8		
------------------	---	-----	--	--

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DX313	

## 5. Message Structure for: DX313

DX313	(DX313A)	Δηλωτικό Εισαγωγής - Μεταβολή Συνοπτικής Διασάφησης Προσωρινής Εναπόθεσης	(DX313)
MESSAGE		1x	R
--HEADER		1x	R
---(CONSIGNOR) TRADER		1x	D C511
---(CONSIGNEE) TRADER		1x	D C583 R805
---NOTIFY PARTY		1x	D C583
---GOODS ITEM		9999x	O
-----PRODUCED DOCUMENTS/CERTIFICATES		99x	D
-----SPECIAL MENTIONS		99x	D
------(CONSIGNOR) TRADER		1x	D C511
------(CODE) COMMODITY		1x	O
------(CONSIGNEE) TRADER		1x	D C583
-----CONTAINERS		99x	O
-----PACKAGES		99x	R
-----SEALS ID		99x	O
-----NOTIFY PARTY		1x	D C583
-----MEANS OF TRANSPORT		1x	O
-----CUSTOMS DATA REFERENCE		1x	D
-----CUSTOMS DATA REFERENCE DETAILS		99x	R
-----PREVIOUS DOCUMENTS		99x	O
-----TEMPORARY STORAGE		1x	D
---(LODGING SUMMARY DECLARATION) PERSON		1x	R
---TRANSPORT DOCUMENT DATA		99x	O
---SEALS ID		99x	O
---(ENTRY CARRIER) TRADER		1x	R R806
---CUSTOMS OFFICE		1x	R
---TEMPORARY STORAGE		1x	O
---MEANS OF TRANSPORT		1x	R
---CONTACT PERSON		1x	R



Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DX313	

## MESSAGE

Message sender	R	an..35	
Message recipient	R	an..35	
Date of preparation	R	n6	
Time of preparation	R	n4	
Priority	O	a1	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Correlation identifier	D	an..14	

## ---HEADER

Document/reference number	R	an..21	
Transport mode at border	R	n..2	18
Total number of items	R	n..5	
Total number of packages	R	n..7	C582 N002
Total gross mass	R	n..11,3	
Place of loading	D	an..35	R670
Place of loading LNG	O	a2	12 TR0099
Place of unloading	D	an..35	R670
Place of unloading LNG	O	a2	12 TR0099
Amendment acceptance date and time	R	n12	
Declaration date and time	R	n12	
Arrival date and time	R	n12	
Country of provenance code	R	a2	8
Total Number Of Community Goods	O	n..5	
Total Number Of Community Packages	O	n..7	

## ---(CONSIGNOR) TRADER

Name	D	an..35	C501
Street and number	D	an..35	C501
Postal code	D	an..9	C501
City	D	an..35	C501
Country code	D	a2	8 C501
NAD LNG	D	a2	12 TR0099
TIN	D	an..17	

## ---(CONSIGNEE) TRADER

Name	D	an..35	C501
Street and number	D	an..35	C501
Postal code	D	an..9	C501
City	D	an..35	C501
Country code	D	a2	8 C501
NAD LNG	D	a2	12 TR0099
TIN	D	an..17	

## ---NOTIFY PARTY

Name	D	an..35	C501
Street and number	D	an..35	C501
Postal code	D	an..9	C501
City	D	an..35	C501
Country code	D	a2	8 C501
NAD LNG	D	a2	12 TR0099
TIN	D	an..17	

## ---GOODS ITEM

Item number	O	n..5	R005
Goods description	D	an..280	
Gross mass	R	n..11,3	
Place of loading	D	an..35	R670

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DX313	

Place of loading LNG	O	a2	12	TR0099
Place of unloading	D	an..35		R670
Place of unloading LNG	O	a2	12	TR0099
Customs status	R	an..5		
<b>-----PRODUCED DOCUMENTS/CERTIFICATES</b>				
Document type	R	an..4	13	C565
Document reference	R	an..35		
Document reference LNG	O	a2	12	TR0099
<b>-----SPECIAL MENTIONS</b>				
Additional information coded	R	an..5	39	R080
<b>-----((CONSIGNOR) TRADER</b>				
Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	8	C501
NAD LNG	D	a2	12	TR0099
TIN	D	an..17		
<b>-----((CODE) COMMODITY</b>				
Combined Nomenclature	R	an..8		R881
<b>-----((CONSIGNEE) TRADER</b>				
Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	8	C501
NAD LNG	D	a2	12	TR0099
TIN	D	an..17		
<b>-----CONTAINERS</b>				
Container number	R	an..17		N001
<b>-----PACKAGES</b>				
Kind of packages	R	an..3	17	
Number of packages	D	n..5		C062 R021
Number of pieces	D	n..5		C062
Marks & numbers of packages (long)	D	an..140		
Marks & numbers of packages (long) LNG	O	a2	12	
<b>-----SEALS ID</b>				
Seals identity	R	an..20		
Seals identity LNG	R	a2	12	
<b>-----NOTIFY PARTY</b>				
Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	8	C501
NAD LNG	D	a2	12	TR0099
TIN	D	an..17		
<b>-----MEANS OF TRANSPORT</b>				
Identity of means of transport	O	an..27		
Identity of means of transport LNG	O	a2		TR0099
Nationality of means of transport	D	a2		
<b>-----CUSTOMS DATA REFERENCE</b>				
MRN	R	an..21		

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DX313	

## -----CUSTOMS DATA REFERENCE DETAILS

MRN Item Number	R	n..5	
-----------------	---	------	--

## -----PREVIOUS DOCUMENTS

Previous Document type	R	an..4	13
------------------------	---	-------	----

Previous document reference	R	an..35	
-----------------------------	---	--------	--

## -----TEMPORARY STORAGE

Warehouse type	R	n1	
----------------	---	----	--

Warehouse identification	R	an..19	
--------------------------	---	--------	--

Warehouse Keeper identification	O	an..21	
---------------------------------	---	--------	--

Warehouse Sector	O	an..35	
------------------	---	--------	--

Warehouse approval identification	O	an..35	
-----------------------------------	---	--------	--

## ---(LODGING SUMMARY DECLARATION) PERSON

Name	O	an..35	
------	---	--------	--

Street and number	O	an..35	
-------------------	---	--------	--

Postal code	O	an..9	
-------------	---	-------	--

City	O	an..35	
------	---	--------	--

Country code	O	a2	8
--------------	---	----	---

NAD LNG	O	a2	12
---------	---	----	----

TIN	R	an..17	
-----	---	--------	--

## ---TRANSPORT DOCUMENT DATA

Transport document reference	R	an..35	
------------------------------	---	--------	--

Document type	R	an..4	13
---------------	---	-------	----

## ---SEALS ID

Seals identity	R	an..35	
----------------	---	--------	--

Seals identity LNG	O	a2	12
--------------------	---	----	----

## ---(ENTRY CARRIER) TRADER

ID type	R	an..2	IE_GR CL10032	N003
---------	---	-------	------------------	------

Name	D	an..35		C501
------	---	--------	--	------

Street and number	D	an..35		C501
-------------------	---	--------	--	------

Postal code	D	an..9		C501
-------------	---	-------	--	------

City	D	an..35		C501
------	---	--------	--	------

Country code	D	a2	8	C501
--------------	---	----	---	------

NAD LNG	D	a2	12	TR0099
---------	---	----	----	--------

ID	R	an..25		
----	---	--------	--	--

## ---CUSTOMS OFFICE

Reference number	R	an8	ESD_GR _CL1127	
------------------	---	-----	-------------------	--

## ---TEMPORARY STORAGE

Warehouse type	R	n1	
----------------	---	----	--

Warehouse Keeper identification	O	an..21	
---------------------------------	---	--------	--

Warehouse identification	R	an..19	
--------------------------	---	--------	--

Warehouse Sector	O	an..35	
------------------	---	--------	--

Warehouse approval identification	O	an..35	
-----------------------------------	---	--------	--

## ---MEANS OF TRANSPORT

Identity of means of transport	D	an..27	
--------------------------------	---	--------	--

Identity of means of transport LNG	O	a2	12	TR0099
------------------------------------	---	----	----	--------

Nationality of means of transport	D	a2	8	
-----------------------------------	---	----	---	--

Conveyance reference number	D	an..35	
-----------------------------	---	--------	--

## ---CONTACT PERSON

Contact person	R	an..35	
----------------	---	--------	--

Contact Person Telephone	R	an..35	
--------------------------	---	--------	--

Contact Person Email	O	an..35	
----------------------	---	--------	--

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DX313	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DX315	

## 5. Message Structure for: DX315

DX315	(DX315A)	Δηλωτικό Εισαγωγής - Συνοπτική Διασάφηση Προσωρινής Εναπόθεσης	(DX315)
MESSAGE		1x	R
--HEADER		1x	R
---(CONSIGNOR) TRADER		1x	D C511
---(CONSIGNEE) TRADER		1x	D C583 R805
---NOTIFY PARTY		1x	D C583
---GOODS ITEM		9999x	O
-----PRODUCED DOCUMENTS/CERTIFICATES		99x	D
-----SPECIAL MENTIONS		99x	D
------(CONSIGNOR) TRADER		1x	D C511
------(CODE) COMMODITY		1x	O
------(CONSIGNEE) TRADER		1x	D C583
-----CONTAINERS		99x	O
-----PACKAGES		99x	D
-----SEALS ID		99x	O
-----NOTIFY PARTY		1x	D C583
-----MEANS OF TRANSPORT		1x	O
-----CUSTOMS DATA REFERENCE		1x	D
-----CUSTOMS DATA REFERENCE DETAILS		99x	R
-----PREVIOUS DOCUMENTS		99x	O
-----TEMPORARY STORAGE		1x	D
---(LODGING SUMMARY DECLARATION) PERSON		1x	R
---TRANSPORT DOCUMENT DATA		99x	O
---SEALS ID		99x	O
---(ENTRY CARRIER) TRADER		1x	R R806
---CUSTOMS OFFICE		1x	R
---TEMPORARY STORAGE		1x	O
---MEANS OF TRANSPORT		1x	R
---CONTACT PERSON		1x	R

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DX315	

## MESSAGE

Message sender	R	an..35	
Message recipient	R	an..35	
Date of preparation	R	n6	
Time of preparation	R	n4	
Priority	O	a1	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Correlation identifier	D	an..14	

## ---HEADER

Reference number	R	an..22	
Transport mode at border	R	n..2	18
Total number of items	R	n..5	
Total number of packages	R	n..7	C582 N002
Total gross mass	R	n..11,3	
Place of loading	D	an..35	R670
Place of loading LNG	O	a2	12 TR0099
Place of unloading	D	an..35	R670
Place of unloading LNG	O	a2	12 TR0099
Declaration date and time	R	n12	
Arrival date and time	R	n12	
Country of provenance code	R	a2	8
Total Number Of Community Goods	O	n..5	
Total Number Of Community Packages	O	n..7	

## ---(CONSIGNOR) TRADER

Name	D	an..35	C501
Street and number	D	an..35	C501
Postal code	D	an..9	C501
City	D	an..35	C501
Country code	D	a2	8 C501
NAD LNG	D	a2	12 TR0099
TIN	D	an..17	

## ---(CONSIGNEE) TRADER

Name	D	an..35	C501
Street and number	D	an..35	C501
Postal code	D	an..9	C501
City	D	an..35	C501
Country code	D	a2	8 C501
NAD LNG	D	a2	12 TR0099
TIN	D	an..17	

## ---NOTIFY PARTY

Name	D	an..35	C501
Street and number	D	an..35	C501
Postal code	D	an..9	C501
City	D	an..35	C501
Country code	D	a2	8 C501
NAD LNG	D	a2	12 TR0099
TIN	D	an..17	

## ---GOODS ITEM

Item number	O	n..5	R005
Goods description	D	an..280	
Gross mass	R	n..11,3	
Place of loading	D	an..35	R670
Place of loading LNG	O	a2	12 TR0099

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DX315	

Place of unloading	D	an..35		R670
Place of unloading LNG	O	a2	12	TR0099
Customs status	R	an..5		
<b>-----PRODUCED DOCUMENTS/CERTIFICATES</b>				
Document type	R	an..4	13	C565
Document reference	R	an..35		
Document reference LNG	O	a2	12	TR0099
<b>-----SPECIAL MENTIONS</b>				
Additional information coded	R	an..5	39	R080
<b>-----((CONSIGNOR) TRADER</b>				
Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	8	C501
NAD LNG	O	a2	12	TR0099
TIN	D	an..17		
<b>-----((CODE) COMMODITY</b>				
Combined Nomenclature	R	an..8		R881
<b>-----((CONSIGNEE) TRADER</b>				
Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	8	C501
NAD LNG	D	a2	12	TR0099
TIN	D	an..17		
<b>-----CONTAINERS</b>				
Container number	R	an..17		N001
<b>-----PACKAGES</b>				
Kind of packages	R	an..3	17	
Number of packages	D	n..5		C062 R021
Number of pieces	D	n..5		C062
Marks & numbers of packages (long)	D	an..140		
Marks & numbers of packages (long) LNG	O	a2	12	
<b>-----SEALS ID</b>				
Seals identity	R	an..20		
Seals identity LNG	R	a2	12	
<b>-----NOTIFY PARTY</b>				
Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	8	C501
NAD LNG	D	a2	12	TR0099
TIN	D	an..17		
<b>-----MEANS OF TRANSPORT</b>				
Identity of means of transport	O	an..27		
Identity of means of transport LNG	O	a2		TR0099
Nationality of means of transport	D	a2		
<b>-----CUSTOMS DATA REFERENCE</b>				
MRN	R	an..21		
<b>-----CUSTOMS DATA REFERENCE DETAILS</b>				

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DX315	

MRN Item Number	R	n..5		
<b>-----PREVIOUS DOCUMENTS</b>				
Previous Document type	R	an..4	13	
Previous document reference	R	an..35		
<b>-----TEMPORARY STORAGE</b>				
Warehouse type	R	n1		
Warehouse identification	R	an..19		
Warehouse Keeper identification	O	an..21		
Warehouse Sector	O	an..35		
Warehouse approval identification	O	an..35		
<b>---(LODGING SUMMARY DECLARATION) PERSON</b>				
Name	O	an..35		
Street and number	O	an..35		
Postal code	O	an..9		
City	O	an..35		
Country code	O	a2	8	
NAD LNG	O	a2	12	
TIN	R	an..17		
<b>---TRANSPORT DOCUMENT DATA</b>				
Transport document reference	R	an..35		
Document type	R	an..4	13	
<b>---SEALS ID</b>				
Seals identity	R	an..35		
Seals identity LNG	O	a2	12	
<b>---(ENTRY CARRIER) TRADER</b>				
ID type	R	an..2	IE_GR CL10032	N003
Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	8	C501
NAD LNG	D	a2	12	TR0099
ID	R	an..25		
<b>---CUSTOMS OFFICE</b>				
Reference number	R	an8	ESD_GR _CL1127	
<b>---TEMPORARY STORAGE</b>				
Warehouse type	R	n1		
Warehouse Keeper identification	O	an..21		
Warehouse identification	R	an..19		
Warehouse Sector	O	an..35		
Warehouse approval identification	O	an..35		
<b>---MEANS OF TRANSPORT</b>				
Identity of means of transport	D	an..27		
Identity of means of transport LNG	O	a2	12	TR0099
Nationality of means of transport	D	a2	8	
Conveyance reference number	D	an..35		
<b>---CONTACT PERSON</b>				
Contact person	R	an..35		
Contact Person Telephone	R	an..35		
Contact Person Email	O	an..35		



Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DX315	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DX316	

5. Message Structure for: DX316

DX316	(DX316A)	Απόρριψη Δηλωτικού	(DX316)
MESSAGE		1x	R
---HEADER		1x	R
---FUNCTIONAL ERROR		999x	D R123

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DX316	

MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Correlation identifier	D	an..14		TR9181

---HEADER

Reference number	R	an..22		R891
Declaration rejection date and time	R	n12		
Declaration rejection reason	O	an..350		
Declaration rejection reason LNG	O	a2	12	TR0099

---FUNCTIONAL ERROR

Error type	R	n2	49	R098
Error pointer	R	an..210		R098
Error reason	O	an..6		R098
Original attribute value	O	an..140		R098
Error description	O	an..350		

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DX322	

## 5. Message Structure for: DX322

DX322	(DX322A)	Απόρριψη Εισόδου Εμπορευμάτων Δηλωτικού	(DX322)
-------	----------	---	---------

MESSAGE	1x	R	
---HEADER	1x	R	
---CONTROL RESULT	1x	R	
---GOODS ITEM	999x	O	R812
-----PRODUCED DOCUMENTS/CERTIFICATES	99x	O	
-----CONTAINERS	99x	O	
----- (MEANS OF TRANSPORT AT BORDER) IDENTITY	999x	O	
---(ACTUAL OFFICE OF ENTRY) CUSTOMS OFFICE	1x	R	
---(ENTRY CARRIER) TRADER	1x	R	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DX322	

## MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Correlation identifier	D	an..14		TR9181

## ---HEADER

Commercial Reference Number	O	an..70		R818
Conveyance reference number	O	an..35		R818 R843
Entry Rejection Motivation code	R	an..2	27	
Entry Rejection Motivation	D	an..350		
Entry Rejection Motivation LNG	O	a2	12	TR0099
MRN	R	an..21		
Arrival LRN	R	an..22		R891

## ---CONTROL RESULT

Control date	R	n8		
--------------	---	----	--	--

## ---GOODS ITEM

Item number	R	n..5		
Commercial Reference Number	O	an..70		R818
Entry Rejection Motivation	D	an..350		
Entry Rejection Motivation LNG	O	a2	12	TR0099
Entry Rejection Motivation code	R	an..2	27	

## -----PRODUCED DOCUMENTS/CERTIFICATES

Document type	R	an..4	13	
Document reference	R	an..35		
Document reference LNG	O	a2	12	

## -----CONTAINERS

Container number	R	an..17		
------------------	---	--------	--	--

## ----- (MEANS OF TRANSPORT AT BORDER) IDENTITY

Identity of means of transport crossing border	R	an..27		C514
Identity of means of transport crossing border LNG	O	a2	12	
Nationality crossing border	R	a2		

## --- (ACTUAL OFFICE OF ENTRY) CUSTOMS OFFICE

Reference number	R	an8		
------------------	---	-----	--	--

## --- (ENTRY CARRIER) TRADER

ID type	R	an..2	IE_GR CL10032	N003
Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	8	C501
NAD LNG	O	a2	12	TR0099
ID	R	an..25		

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DX328	

## 5. Message Structure for: DX328

DX328	(DX328A)	Αποδοχή Υποβολής Δηλωτικού	(DX328)
-------	----------	----------------------------	---------

MESSAGE	1x	R	
---HEADER	1x	R	
---GOODS ITEM	999x	O	R134
-----PRODUCED DOCUMENTS/CERTIFICATES	99x	O	R147
-----CONTAINERS	99x	O	
----- (MEANS OF TRANSPORT AT BORDER) IDENTITY	999x	D	C019
---(LODGEMENT) CUSTOMS OFFICE	1x	O	
---(LODGING SUMMARY DECLARATION) PERSON	1x	R	
---(FIRST ENTRY) CUSTOMS OFFICE	1x	R	
---(ENTRY CARRIER) TRADER	1x	O	R134

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DX328	

## MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Correlation identifier	D	an..14		TR9181

## ---HEADER

Reference number	R	an..22		R891
Document/reference number	R	an..21		
Transport mode at border	O	n..2	18	R134 R826
Nationality	D	a2	8	C024 R134
Identity of means of transport crossing border	O	an..27		C017 C514 R134
Identity of means of transport crossing border LNG	O	a2	12	TR0099
Commercial Reference Number	O	an..70		R134
Conveyance reference number	O	an..35		C518 R134 R843
Declaration registration date and time	R	n12		R660 R661

## ---GOODS ITEM

Item number	R	n..5		R005 R007
Commercial Reference Number	O	an..70		

## -----PRODUCED DOCUMENTS/CERTIFICATES

Document type	R	an..4	13	R136
Document reference	R	an..35		
Document reference LNG	O	a2	12	TR0099

## -----CONTAINERS

Container number	R	an..17		
------------------	---	--------	--	--

## ----- (MEANS OF TRANSPORT AT BORDER) IDENTITY

Nationality	D	a2	8	C020
Identity of means of transport crossing border	R	an..27		C514
Identity of means of transport crossing border LNG	O	a2	12	TR0099

## ---(LODGEMENT) CUSTOMS OFFICE

Reference number	R	an8		
------------------	---	-----	--	--

## ---(LODGING SUMMARY DECLARATION) PERSON

Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	8	C501
NAD LNG	O	a2	12	TR0099
TIN	R	an..17		R837

## ---(FIRST ENTRY) CUSTOMS OFFICE

Reference number	R	an8		
Expected date and time of arrival	O	an12		R134 R660 R666

## ---(ENTRY CARRIER) TRADER

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DX328	

ID type	R	an..2	IE_GR_ N003 CL10032
Name	D	an..35	C501
Street and number	D	an..35	C501
Postal code	D	an..9	C501
City	D	an..35	C501
Country code	D	a2	8 C501
NAD LNG	O	a2	12 TR0099
ID	R	an..25	



Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DX329	

## 5. Message Structure for: DX329

DX329	(DX329A)	Δεδομένα Εισόδου Δηλωτικού	(DX329)
MESSAGE		1x	R
---HEADER		1x	R
---(CONSIGNOR) TRADER		1x	D C511
---(CONSIGNEE) TRADER		1x	D C583 R805
---CONTROL RESULT		1x	O
---NOTIFY PARTY		1x	D C583
---GOODS ITEM		999x	R
-----PRODUCED DOCUMENTS/CERTIFICATES		99x	D C564 C567
-----SPECIAL MENTIONS		99x	O
----- (CONSIGNOR) TRADER		1x	D C511
----- (CODE) COMMODITY		1x	D C585
----- (CONSIGNEE) TRADER		1x	D C583
-----CONTAINERS		99x	O
----- (MEANS OF TRANSPORT AT BORDER) IDENTITY		999x	D C019
-----PACKAGES		99x	D C577
-----NOTIFY PARTY		1x	D C583
---(REPRESENTATIVE) TRADER		1x	O R896
---(LODGING SUMMARY DECLARATION) PERSON		1x	O
---SEALS ID		9999x	O
---(ACTUAL OFFICE OF ENTRY) CUSTOMS OFFICE		1x	R
---(FIRST ENTRY) CUSTOMS OFFICE		1x	O
---(ENTRY CARRIER) TRADER		1x	O R806

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DX329	

## MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Correlation identifier	D	an..14		TR9181

## ---HEADER

Transport mode at border	R	n..2	18	C513
Identity of means of transport crossing border	D	an..27		C017 C514
Identity of means of transport crossing border LNG	O	a2	12	TR0099
Nationality of means of transport crossing border	O	a2	8	
Total number of items	R	n..5		
Total number of packages	D	n..7		C582
Total gross mass	O	n..11,3		
Declaration date	R	n8		
Declaration place	R	an..35		
Declaration place LNG	O	a2	12	TR0099
Commercial Reference Number	D	an..70		C567
Conveyance reference number	O	an..35		R843
Place of loading	D	an..35		C574 R670
Place of loading LNG	O	a2	12	TR0099
Place of unloading	O	an..35		R670
Place of unloading LNG	O	a2	12	TR0099
LRN	R	an..22		R891

## ---(CONSIGNOR) TRADER

Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	8	C501
NAD LNG	O	a2	12	TR0099
TIN	O	an..17		R835

## ---(CONSIGNEE) TRADER

Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	8	C501
NAD LNG	O	a2	12	TR0099
TIN	D	an..17		C502 R835

## ---CONTROL RESULT

Control date	R	n8		
--------------	---	----	--	--

## ---NOTIFY PARTY

Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	8	C501
NAD LNG	O	a2	12	TR0099

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DX329	

TIN	O	an..17		R835
<b>---GOODS ITEM</b>				
Item number	R	n..5		R005 R007
Goods description	O	an..280		
Goods description LNG	O	a2	12	TR0099
Gross mass	D	n..11,3		C592
Transport charges/ Method of Payment	D	a1	116	C576
Commercial Reference Number	D	an..70		C567
UN dangerous goods code	O	an4	101	R823
Place of loading	D	an..35		C574 R670
Place of loading LNG	O	a2	12	TR0099
Place of unloading	D	an..35		C579 R670
Place of unloading LNG	O	a2	12	TR0099
Customs status	O	an..5		R815
<b>-----PRODUCED DOCUMENTS/CERTIFICATES</b>				
Document type	R	an..4	13	C565
Document reference	R	an..35		C566
Document reference LNG	O	a2	12	TR0099
<b>-----SPECIAL MENTIONS</b>				
Additional information coded	R	an..5	39	R080
<b>----- (CONSIGNOR) TRADER</b>				
Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	8	C501
NAD LNG	O	a2	12	
TIN	O	an..17		R835
<b>----- (CODE) COMMODITY</b>				
Combined Nomenclature	R	an..8		R881
<b>----- (CONSIGNEE) TRADER</b>				
Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	8	C501
NAD LNG	O	a2	12	
TIN	D	an..17		C502 R835
<b>-----CONTAINERS</b>				
Container number	R	an..17		
<b>----- (MEANS OF TRANSPORT AT BORDER) IDENTITY</b>				
Identity of means of transport crossing border	R	an..27		C514
Identity of means of transport crossing border LNG	O	a2	12	TR0099
Nationality crossing border	R	a2		
<b>-----PACKAGES</b>				
Marks & numbers of packages	D	an..42		C062
Marks & numbers of packages LNG	O	a2	12	TR0099
Kind of packages	R	an..3	17	
Number of packages	D	n..5		C062 R021
Number of pieces	D	n..5		C062
<b>-----NOTIFY PARTY</b>				

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DX329	

Name	D	an..35	C501
Street and number	D	an..35	C501
Postal code	D	an..9	C501
City	D	an..35	C501
Country code	D	a2	8 C501
NAD LNG	O	a2	12
TIN	O	an..17	R835
<b>---(REPRESENTATIVE) TRADER</b>			
Name	D	an..35	C501
Street and number	D	an..35	C501
Postal code	D	an..9	C501
City	D	an..35	C501
Country code	D	a2	8 C501
NAD LNG	O	a2	12 TR0099
TIN	R	an..17	R837
<b>---(LODGING SUMMARY DECLARATION) PERSON</b>			
Name	D	an..35	C501
Street and number	D	an..35	C501
Postal code	D	an..9	C501
City	D	an..35	C501
Country code	D	a2	8 C501
NAD LNG	O	a2	12 TR0099
TIN	R	an..17	R837
<b>---SEALS ID</b>			
Seals identity	R	an..35	
Seals identity LNG	O	a2	12 TR0099
<b>---(ACTUAL OFFICE OF ENTRY) CUSTOMS OFFICE</b>			
Reference number	R	an8	
<b>---(FIRST ENTRY) CUSTOMS OFFICE</b>			
Reference number	R	an8	
Expected date and time of arrival	R	an12	R660 R666
<b>---(ENTRY CARRIER) TRADER</b>			
ID type	R	an..2	IE_GR CL10032 N003
Name	D	an..35	C501
Street and number	D	an..35	C501
Postal code	D	an..9	C501
City	D	an..35	C501
Country code	D	a2	8 C501
NAD LNG	O	a2	12 TR0099
ID	R	an..25	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DX330	

## 5. Message Structure for: DX330

DX330	(DX330A)	Απελευθέρωση Εισόδου Δηλωτικού	(DX330)
-------	----------	--------------------------------	---------

MESSAGE	1x	R
---HEADER	1x	R
---CONTROL RESULT	1x	O
---GOODS ITEM	999x	O
-----CONTAINERS	99x	O
-----SEALS ID	9999x	O
---(CARRIER) TRADER	1x	R
---(ACTUAL OFFICE OF ENTRY) CUSTOMS OFFICE	1x	R

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DX330	

## MESSAGE

Message sender	R	an..35	
Message recipient	R	an..35	
Date of preparation	R	n6	
Time of preparation	R	n4	
Priority	O	a1	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Correlation identifier	D	an..14	

## ---HEADER

MRN	R	an..21	
Arrival LRN	R	an..22	
Date and Time of presentation	R	n12	

## ---CONTROL RESULT

Control date	R	n8	
--------------	---	----	--

## ---GOODS ITEM

Item number	R	n..5	
Commercial Reference Number	O	an..70	

## -----CONTAINERS

Container number	R	an..17	
------------------	---	--------	--

## -----SEALS ID

Seals identity	R	an..20	
Seals identity LNG	O	a2	12

## ---(CARRIER) TRADER

Name	D	an..35	C501
Street and number	D	an..35	C501
Postal code	D	an..9	C501
City	D	an..35	C501
Country code	D	a2	8 C501
NAD LNG	O	a2	12
TIN	R	an..17	R837

## ---(ACTUAL OFFICE OF ENTRY) CUSTOMS OFFICE

Reference number	R	an8	
------------------	---	-----	--

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DX361	

## 5. Message Structure for: DX361

DX361	(DX361A)	Ειδοποίηση Απόφασης Ελέγχου Εμπορευμάτων Δηλωτικού	(DX361)
-------	----------	---	---------

MESSAGE	1x	R	
--HEADER	1x	R	
--GOODS ITEM	999x	O	R812
-----PRODUCED DOCUMENTS/CERTIFICATES	99x	D	
-----CONTAINERS	99x	O	
----- (MEANS OF TRANSPORT AT BORDER) IDENTITY	999x	O	
---(CARRIER) TRADER	1x	R	
---(ACTUAL OFFICE OF ENTRY) CUSTOMS OFFICE	1x	R	
---CUSTOMS INTERVENTION	999x	D	C571

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: DX361	

## MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Correlation identifier	D	an..14		TR9181

## ---HEADER

Total number of items	R	n..5		R811
MRN	R	an..21		
Arrival LRN	R	an..22		R891

## ---GOODS ITEM

Item number	R	n..5		R810
Commercial Reference Number	O	an..70		R818

## -----PRODUCED DOCUMENTS/CERTIFICATES

Document type	R	an..4	13	
Document reference	R	an..35		
Document reference LNG	O	a2	12	

## -----CONTAINERS

Container number	R	an..17		
------------------	---	--------	--	--

## -----((MEANS OF TRANSPORT AT BORDER) IDENTITY

Identity of means of transport crossing border	R	an..27		
Identity of means of transport crossing border LNG	O	a2	12	
Nationality crossing border	R	a2		

## ---((CARRIER) TRADER

Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	8	C501
NAD LNG	O	a2	12	TR0099
TIN	R	an..17		R837

## ---((ACTUAL OFFICE OF ENTRY) CUSTOMS OFFICE

Reference number	R	an8		
------------------	---	-----	--	--

## ---CUSTOMS INTERVENTION

Item Number concerned	O	n..5		R888
Customs Intervention code	R	an..4	108	
Customs Intervention text	O	an..350		
Customs Intervention LNG	O	a2	12	TR0099



Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE030	

## 5. Message Structure for: IE030

IE030	(CD030C)	NOTIFICATION OF CUSTOMS OFFICES MODIFICATION TO COMMON DOMAIN	(C_COL_COM)
-------	----------	--	-------------

MESSAGE	1x	R
--CUSTOMS OFFICE INFORMATION	9999x	O
-----ACTION	1x	R
------(DEDICATED) TRADER	99x	O
-----CUSTOMS OFFICE SPECIFIC NOTES	99x	O
-----CUSTOMS OFFICE LSD	9x	R
-----CUSTOMS OFFICE TIMETABLE	9x	O
-----CUSTOMS OFFICE TIMETABLE LINE	9x	R
-----CUSTOMS OFFICE ROLE / TRAFFIC COMPETENCE	99x	R
--COUNTRY/REGION	99x	O
-----ACTION	1x	R
-----COUNTRY/REGION LSD	9x	R
-----COUNTRY/REGION HOLIDAYS	99x	O
-----COUNTRY/REGION HOLIDAYS LSD	9x	R
--COUNTRY HOLIDAYS	99x	O
-----ACTION	1x	R
-----COUNTRY HOLIDAYS DATA	99x	R
-----COUNTRY HOLIDAYS DATA LSD	9x	R

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE030	

## MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Correlation identifier	D	an..14		TR9181

## ---CUSTOMS OFFICE INFORMATION

Reference number	R	an8		
Reference number main office	O	an8		
Reference number higher authority	O	an8		
Reference number take-over	D	an8		
Reference number Competent Authority of Enquiry	O	an8		
Reference number Competent Authority of Recovery	O	an8		
Country code	R	a2		
UN/LOCODE id	O	a3		
Region code	O	an..3		
NCTS entry date	O	n8		
Nearest office	D	an..175		
Nearest office LNG	O	a2	12	TR0099
Postal code	R	an..9		
Phone number	O	an..35		
Fax Number	O	an..35		
Telex number	O	an..35		
E-mail address	O	an..70		
Geo info code	O	an..6	15	
Trader dedicated	R	n1	27	

## -----ACTION

Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Action identification	R	an..20		

## ------(DEDICATED) TRADER

Name	R	an..35		
Language code	R	a2	12	
TIN	O	an..17		

## -----CUSTOMS OFFICE SPECIFIC NOTES

Specific notes code	R	an..6	67	
---------------------	---	-------	----	--

## -----CUSTOMS OFFICE LSD

Language code	R	a2	12	
Customs office usual name	R	an..35		
Customs office usual name LNG	O	a2	12	TR0099
Street and number	R	an..35		
Street and number LNG	O	a2	12	TR0099
City	R	an..35		
City LNG	O	a2	12	TR0099
Prefix-suffix level	O	an1	53	
Prefix-suffix flag	R	n1	27	
Prefix-suffix name	O	an..35		
Prefix-suffix name LNG	O	a2	12	TR0099
Space to add	R	n1	27	

## -----CUSTOMS OFFICE TIMETABLE

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE030	

Season code	R	n1		
Season name	O	an..35		
Season name LNG	O	a2	12	TR0099
Season start date	R	n8		
Season end date	R	n8		

#### -----CUSTOMS OFFICE TIMETABLE LINE

Day in the week (begin day)	R	n1	105	
Opening hours time first period from	R	n4		
Opening hours time first period to	R	n4		
Day in the week (end day)	R	n1	105	
Opening hours time second period from	O	n4		
Opening hours time second period to	O	n4		

#### -----CUSTOMS OFFICE ROLE / TRAFFIC COMPETENCE

Role	R	an..3	56	
Traffic type	R	an..3	20	

#### ---COUNTRY/REGION

Country code	R	a2		
Country/region code	R	an..3		

#### -----ACTION

Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Action identification	R	an..20		

#### -----COUNTRY/REGION LSD

Language code	R	a2	12	
Country/region name	R	an..35		
Country/region name LNG	O	a2	12	TR0099

#### -----COUNTRY/REGION HOLIDAYS

Variable holiday date	R	n1	27	
Day	R	an2		
Month	R	an2	26	
Year	D	n4		

#### -----COUNTRY/REGION HOLIDAYS LSD

Language code	R	a2	12	
Public holiday name	R	an..35		
Public holiday name LNG	O	a2	12	TR0099

#### ---COUNTRY HOLIDAYS

Country code	R	a2		
Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Action identification	R	an..20		

#### -----COUNTRY HOLIDAYS DATA

Variable holiday date	R	n1	27	
Day	R	an2		
Month	R	an2	26	
Year	D	n4		

#### -----COUNTRY HOLIDAYS DATA LSD

Language code	R	a2	12	
Public holiday name	R	an..35		
Public holiday name LNG	O	a2	12	TR0099

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE030	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE031	

## 5. Message Structure for: IE031

IE031	(CD031C)	NOTIFICATION OF CUSTOMS OFFICES MODIFICATION TO NATIONAL DOMAIN	(C_COL_NAT)
-------	----------	--	-------------

MESSAGE	1x	R
--CUSTOMS OFFICE INFORMATION	9999x	O
-----ACTION	1x	R
------(DEDICATED) TRADER	99x	O
-----CUSTOMS OFFICE SPECIFIC NOTES	99x	O
-----CUSTOMS OFFICE LSD	9x	R
-----CUSTOMS OFFICE TIMETABLE	9x	O
-----CUSTOMS OFFICE TIMETABLE LINE	9x	R
-----CUSTOMS OFFICE ROLE / TRAFFIC COMPETENCE	99x	R
--COUNTRY/REGION	99x	O
-----ACTION	1x	R
-----COUNTRY/REGION LSD	9x	R
-----COUNTRY/REGION HOLIDAYS	99x	O
-----COUNTRY/REGION HOLIDAYS LSD	9x	R
--COUNTRY HOLIDAYS	99x	O
-----ACTION	1x	R
-----COUNTRY HOLIDAYS DATA	99x	R
-----COUNTRY HOLIDAYS DATA LSD	9x	R

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE031	

## MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Correlation identifier	D	an..14		TR9181

## ---CUSTOMS OFFICE INFORMATION

Reference number	R	an8		
Reference number main office	O	an8		
Reference number higher authority	O	an8		
Reference number take-over	D	an8		
Reference number Competent Authority of Enquiry	O	an8		
Reference number Competent Authority of Recovery	O	an8		
Country code	R	a2		
UN/LOCODE id	O	a3		
Region code	O	an..3		
NCTS entry date	O	n8		
Nearest office	D	an..175		
Nearest office LNG	O	a2	12	TR0099
Postal code	R	an..9		
Phone number	O	an..35		
Fax Number	O	an..35		
Telex number	O	an..35		
E-mail address	O	an..70		
Geo info code	O	an..6	15	
Trader dedicated	R	n1	27	

## -----ACTION

Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Action identification	R	an..20		

## ----- (DEDICATED) TRADER

Name	R	an..35		
Language code	R	a2	12	
TIN	O	an..17		

## -----CUSTOMS OFFICE SPECIFIC NOTES

Specific notes code	R	an..6	67	
---------------------	---	-------	----	--

## -----CUSTOMS OFFICE LSD

Language code	R	a2	12	
Customs office usual name	R	an..35		
Customs office usual name LNG	O	a2	12	TR0099
Street and number	R	an..35		
Street and number LNG	O	a2	12	TR0099
City	R	an..35		
City LNG	O	a2	12	TR0099
Prefix-suffix level	O	an1	53	
Prefix-suffix flag	R	n1	27	
Prefix-suffix name	O	an..35		
Prefix-suffix name LNG	O	a2	12	TR0099
Space to add	R	n1	27	

## -----CUSTOMS OFFICE TIMETABLE

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE031	

Season code	R	n1		
Season name	O	an..35		
Season name LNG	O	a2	12	TR0099
Season start date	R	n8		
Season end date	R	n8		

#### -----CUSTOMS OFFICE TIMETABLE LINE

Day in the week (begin day)	R	n1	105	
Opening hours time first period from	R	n4		
Opening hours time first period to	R	n4		
Day in the week (end day)	R	n1	105	
Opening hours time second period from	O	n4		
Opening hours time second period to	O	n4		

#### -----CUSTOMS OFFICE ROLE / TRAFFIC COMPETENCE

Role	R	an..3	56	
Traffic type	R	an..3	20	

#### ---COUNTRY/REGION

Country code	R	a2		
Country/region code	R	an..3		

#### -----ACTION

Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Action identification	R	an..20		

#### -----COUNTRY/REGION LSD

Language code	R	a2	12	
Country/region name	R	an..35		
Country/region name LNG	O	a2	12	TR0099

#### -----COUNTRY/REGION HOLIDAYS

Variable holiday date	R	n1	27	
Day	R	an2		
Month	R	an2	26	
Year	D	n4		

#### -----COUNTRY/REGION HOLIDAYS LSD

Language code	R	a2	12	
Public holiday name	R	an..35		
Public holiday name LNG	O	a2	12	TR0099

#### ---COUNTRY HOLIDAYS

Country code	R	a2		
Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Action identification	R	an..20		

#### -----COUNTRY HOLIDAYS DATA

Variable holiday date	R	n1	27	
Day	R	an2		
Month	R	an2	26	
Year	D	n4		

#### -----COUNTRY HOLIDAYS DATA LSD

Language code	R	a2	12	
Public holiday name	R	an..35		
Public holiday name LNG	O	a2	12	TR0099

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE031	



Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE032	

## 5. Message Structure for: IE032

IE032	(CD032C)	NOTIFICATION OF COMMON REFERENCE DATA MODIFICATION TO ND	(C_REF_MOD)
MESSAGE		1x	R
--RESULTS OF CONTROL		99x	O
-----LANGUAGE SPECIFIC DATA		99x	R
-----ACTION		1x	R
--AMENDMENT REJECTION MOTIVATION		9x	O
-----LANGUAGE SPECIFIC DATA		99x	R
-----ACTION		1x	R
--AAR/AER REJECTION REASON		99x	O
-----LANGUAGE SPECIFIC DATA		99x	R
-----ACTION		1x	R
--ATR REJECTION REASON		99x	O
-----LANGUAGE SPECIFIC DATA		99x	R
-----ACTION		1x	R
--CONTROL RESULT CODE		99x	O
-----ACTION		1x	R
-----LANGUAGE SPECIFIC DATA		99x	R
--COUNTRY		999x	O
-----ACTION		1x	R
-----LANGUAGE SPECIFIC DATA		99x	R
--COUNTRY REGIME		9x	O
-----ACTION		1x	R
-----LANGUAGE SPECIFIC DATA		99x	R
--CUSTOMS OFFICE GEO INFO		99x	O
-----ACTION		1x	R
-----LANGUAGE SPECIFIC DATA		99x	R
--CURRENCY CODE		99x	O
-----ACTION		1x	R
-----LANGUAGE SPECIFIC DATA		99x	R
--DISCREPANCIES SOLVED NOTIFICATION		99x	O
-----LANGUAGE SPECIFIC DATA		99x	R
-----ACTION		1x	R
--DIVERSION REJECTION REASON		99x	O
-----LANGUAGE SPECIFIC DATA		99x	R
-----ACTION		1x	R
--DOCUMENT TYPE		999x	O
-----ACTION		1x	R
-----LANGUAGE SPECIFIC DATA		99x	R
--GUARANTEE TYPE		99x	O
-----ACTION		1x	R
-----LANGUAGE SPECIFIC DATA		99x	R
--GUARANTEE MONITORING		99x	O
-----ACTION		1x	R
-----LANGUAGE SPECIFIC DATA		99x	R
--INVALID GUARANTEE REASON		99x	O
-----ACTION		1x	R
-----LANGUAGE SPECIFIC DATA		99x	R
--LANGUAGE CODE		999x	O
-----ACTION		1x	R
-----LANGUAGE SPECIFIC DATA		99x	R
--PACKAGING CODE		999x	O
-----ACTION		1x	R
-----LANGUAGE SPECIFIC DATA		99x	R

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE032	

--ROLE	99x	O
----ACTION	1x	R
----LANGUAGE SPECIFIC DATA	99x	R
--SENSITIVE GOODS CODE	99x	O
----ACTION	1x	R
----LANGUAGE SPECIFIC DATA	99x	R
--SPECIAL MENTION CODE	99x	O
----ACTION	1x	R
----LANGUAGE SPECIFIC DATA	99x	R
--STATISTICS TYPE	99x	O
----ACTION	1x	R
----LANGUAGE SPECIFIC DATA	99x	R
--TRAFFIC TYPE	99x	O
----ACTION	1x	R
----LANGUAGE SPECIFIC DATA	99x	R
--CUSTOMS OPERATION STATE TYPE	99x	O
----ACTION	1x	R
----LANGUAGE SPECIFIC DATA	99x	R
--UNIT OF MEASURE	99x	O
----ACTION	1x	R
----LANGUAGE SPECIFIC DATA	99x	R
--UN/LOCODE	9999x	O
----ACTION	1x	R
--TRANSPORT MODE	99x	O
----ACTION	1x	R
----LANGUAGE SPECIFIC DATA	99x	R
--QUERY ON GUARANTEE TYPE	99x	O
----ACTION	1x	R
----LANGUAGE SPECIFIC DATA	99x	R
--SPECIFIC NOTES CODE	99x	O
----ACTION	1x	R
----LANGUAGE SPECIFIC DATA	99x	R
--COMPLEMENTARY CODE	99x	O
----LANGUAGE SPECIFIC DATA	99x	R
----ACTION	1x	R
--EXPORT QUERY REASON CODE	99x	O
----LANGUAGE SPECIFIC DATA	99x	R
----ACTION	1x	R
--INCOTERM CODE	99x	O
----LANGUAGE SPECIFIC DATA	99x	R
----ACTION	1x	R
--NATURE OF TRANSACTION CODE	99x	O
----LANGUAGE SPECIFIC DATA	99x	R
----ACTION	1x	R
--PROCEDURE REQUESTED	99x	O
----LANGUAGE SPECIFIC DATA	99x	R
----ACTION	1x	R
--PREVIOUS PROCEDURE	99x	O
----LANGUAGE SPECIFIC DATA	99x	R
----ACTION	1x	R
--REPRESENTATIVE STATUS CODE	99x	O
----LANGUAGE SPECIFIC DATA	99x	R
----ACTION	1x	R
--RISK ANALYSIS RESULT CODE	99x	O
----ACTION	1x	R
----LANGUAGE SPECIFIC DATA	99x	R
--SPECIFIC CIRCUMSTANCE INDICATOR	99x	O

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE032	

-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
--SUMMARY DECLARATION REJECTION REASON CODE	99x	O	
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
--TYPE OF TAX	99x	O	
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
--WAREHOUSE TYPE	99x	O	
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
--UN DANGEROUS GOODS CODE	999x	O	
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
--COMMUNITY NATIONAL PROCEDURE	99x	O	
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
--PREVIOUS DOCUMENT CATEGORY	99x	O	
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
--METHOD OF PAYMENT	99x	O	
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
--TRANSPORT CHARGES METHOD OF PAYMENT	99x	O	
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
--DECLARATION TYPE	99x	O	
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
--DECLARATION TYPE (BOX 1.2)	99x	O	
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
--INFORMATION	99x	O	
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
--PREVIOUS DOCUMENT TYPE	99x	O	
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
--REQUESTED INFORMATION	99x	O	
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
--ITEM NUMBER REJECTION REASON CODE	99x	O	
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
--CUSTOMS INTERVENTION	99x	O	
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
--INFORMATION TYPE	99x	O	
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
--RESPONSE CODE	99x	O	
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
--EORI-AEO VAT MS COUNTRY CODE	999x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
--ECONOMIC SECTOR OF ACTIVITY	999x	O	TR1005

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE032	

-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
--TYPE OF PERSON	99x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
--AEO CERTIFICATE TYPE	99x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
--EORI-AEO ERROR	99x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
--CRITERIA	99x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
--CUSTOMS PROCEDURE	99x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
--REJECTION REASON	99x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
--SUSPENSION REASON	99x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
--REVOCATION REASON	99x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
--INITIATOR	99x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
--ACTIVITY	99x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
--PROCESS	99x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
--TIMER	99x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
--STATE	99x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
--EXTENSION REASON	99x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
--CRITERION RESULT	99x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
--REASSESSMENT REASON	99x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE032	

## MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Correlation identifier	D	an..14		TR9181

## ---RESULTS OF CONTROL

Control indicator	R	an2	41	
-------------------	---	-----	----	--

## -----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

## -----ACTION

Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		

## ---AMENDMENT REJECTION MOTIVATION

Amendment rejection motivation code	R	n1	45	
-------------------------------------	---	----	----	--

## -----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

## -----ACTION

Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		

## ---AAR/AER REJECTION REASON

AAR/AER rejection reason code	R	n..2	43	
-------------------------------	---	------	----	--

## -----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

## -----ACTION

Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		

## ---ATR REJECTION REASON

ATR rejection reason code	R	n..2	44	
---------------------------	---	------	----	--

## -----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
---------------	---	----	----	--

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE032	

Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>-----ACTION</b>				
Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		
<b>---CONTROL RESULT CODE</b>				
Control result code	R	an2	47	
<b>-----ACTION</b>				
Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>---COUNTRY</b>				
Country code	R	a2	8	
TCC entry date	R	n8		
NCTS entry date	R	n8		
Geo-nomenclature code	O	n3	16	
Country regime code	R	an3	11	
<b>-----ACTION</b>				
Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>---COUNTRY REGIME</b>				
Country regime code	R	an3	11	
<b>-----ACTION</b>				
Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>---CUSTOMS OFFICE GEO INFO</b>				
Geo info code	R	an..6	15	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE032	

#### -----ACTION

Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		

#### -----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

#### ---CURRENCY CODE

Currency	R	an3	48	
Rate value	R	n..8,6		

#### -----ACTION

Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		

#### -----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

#### ---DISCREPANCIES SOLVED NOTIFICATION

Discrepancies solved notification code	R	an..2	69	
--	---	-------	----	--

#### -----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

#### -----ACTION

Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		

#### ---DIVERSION REJECTION REASON

Diversion rejection reason code	R	n..2	46	
---------------------------------	---	------	----	--

#### -----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

#### -----ACTION

Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		

#### ---DOCUMENT TYPE

Document type	R	an..4	13	
---------------	---	-------	----	--

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE032	

Transport document	R	n1	27	
<b>-----ACTION</b>				
Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..350		
Language specific data LNG	O	a2	12	TR0099
<b>---GUARANTEE TYPE</b>				
Guarantee type	R	an1	51	
<b>-----ACTION</b>				
Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>---GUARANTEE MONITORING</b>				
Guarantee monitoring code	R	n1	50	
<b>-----ACTION</b>				
Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>---INVALID GUARANTEE REASON</b>				
Invalid guarantee reason code	R	an..3	52	
<b>-----ACTION</b>				
Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>---LANGUAGE CODE</b>				
Language code	R	a2	12	



Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE032	

#### -----ACTION

Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		

#### -----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

#### ---PACKAGING CODE

Kind of packages	R	an..3	17	
------------------	---	-------	----	--

#### -----ACTION

Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		

#### -----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

#### ---ROLE

Role	R	an..3	56	
------	---	-------	----	--

#### -----ACTION

Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		

#### -----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

#### ---SENSITIVE GOODS CODE

Commodity code (taric code)	R	an..6	62	
Sensitive goods code	O	n..2	64	
Reference quantity	O	n..6		
Unit of measure code	O	an..3	59	
EEC territory limitation	R	n1	27	

#### -----ACTION

Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		

#### -----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

<b>Message Specifications for IMPORT</b>	<b>ALIGNED TO DDNA KEL Draft Version</b>
<b>REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2</b>	
<b>Appendix Q2: Technical Message Structure</b>	
<b>5. Message Structure for: IE032</b>	

## ---SPECIAL MENTION CODE

Additional information coded	R	an..5	39	
------------------------------	---	-------	----	--

### -----ACTION

Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		

### -----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

## ---STATISTICS TYPE

Statistics type	R	an..4		
-----------------	---	-------	--	--

### -----ACTION

Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		

### -----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

## ---TRAFFIC TYPE

Traffic type	R	an..3	20	
--------------	---	-------	----	--

### -----ACTION

Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		

### -----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

## ---CUSTOMS OPERATION STATE TYPE

Customs Operation State Types	R	an..3	58	
-------------------------------	---	-------	----	--

### -----ACTION

Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		

### -----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

## ---UNIT OF MEASURE

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE032	

Unit of measure code	R	an..3	59	
<b>-----ACTION</b>				
Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>---UN/LOCODE</b>				
Country code	R	a2	8	
UN/LOCODE id	R	a3		
UN/LOCODE name	R	an..29		
<b>-----ACTION</b>				
Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		
<b>---TRANSPORT MODE</b>				
Transport mode	R	n..2	18	
<b>-----ACTION</b>				
Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>---QUERY ON GUARANTEE TYPE</b>				
Query identifier	R	n1	54	
<b>-----ACTION</b>				
Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>---SPECIFIC NOTES CODE</b>				
Specific notes code	R	an..6	67	
<b>-----ACTION</b>				
Operation	R	a1	24	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE032	

Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..350		
Language specific data LNG	O	a2	12	TR0099
<b>---COMPLEMENTARY CODE</b>				
Complementary code	R	n1	86	
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>-----ACTION</b>				
Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		
<b>---EXPORT QUERY REASON CODE</b>				
Export_Query Reason Code	R	an..3	89	
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>-----ACTION</b>				
Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		
<b>---INCOTERM CODE</b>				
Incoterm Code	R	a3	90	
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>-----ACTION</b>				
Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		
<b>---NATURE OF TRANSACTION CODE</b>				
Nature of transaction code	R	n..2	91	
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..350		

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE032	

Language specific data LNG	O	a2	12	TR0099
<b>-----ACTION</b>				
Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		
<b>---PROCEDURE REQUESTED</b>				
Procedure requested	R	an2	92	
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..350		
Language specific data LNG	O	a2	12	TR0099
<b>-----ACTION</b>				
Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		
<b>---PREVIOUS PROCEDURE</b>				
Previous Procedure	R	an2	93	
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..350		
Language specific data LNG	O	a2	12	TR0099
<b>-----ACTION</b>				
Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		
<b>---REPRESENTATIVE STATUS CODE</b>				
Representative status code	R	n1	94	
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>-----ACTION</b>				
Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		
<b>---RISK ANALYSIS RESULT CODE</b>				
Risk Analysis result code	R	an1	95	
<b>-----ACTION</b>				
Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE032	

Legal references	O	an..70	
Responsible data manager	O	an..35	
Action identification	R	an..20	
<b>-----LANGUAGE SPECIFIC DATA</b>			
Language code	R	a2	12
Description	R	an..140	
Language specific data LNG	O	a2	12 TR0099
<b>---SPECIFIC CIRCUMSTANCE INDICATOR</b>			
Specific Circumstance Indicator	R	a1	96
<b>-----LANGUAGE SPECIFIC DATA</b>			
Language code	R	a2	12
Description	R	an..140	
Language specific data LNG	O	a2	12 TR0099
<b>-----ACTION</b>			
Operation	R	a1	24
Validity date	D	n8	
Modification subtype	D	n1	
Legal references	O	an..70	
Responsible data manager	O	an..35	
Action identification	R	an..20	
<b>---SUMMARY DECLARATION REJECTION REASON CODE</b>			
Summary Declaration rejection reason code	R	n..2	97
<b>-----ACTION</b>			
Operation	R	a1	24
Validity date	D	n8	
Modification subtype	D	n1	
Legal references	O	an..70	
Responsible data manager	O	an..35	
Action identification	R	an..20	
<b>-----LANGUAGE SPECIFIC DATA</b>			
Language code	R	a2	12
Description	R	an..140	
Language specific data LNG	O	a2	12 TR0099
<b>---TYPE OF TAX</b>			
Type of tax	R	an3	98
<b>-----LANGUAGE SPECIFIC DATA</b>			
Language code	R	a2	12
Description	R	an..140	
Language specific data LNG	O	a2	12 TR0099
<b>-----ACTION</b>			
Operation	R	a1	24
Validity date	D	n8	
Modification subtype	D	n1	
Legal references	O	an..70	
Responsible data manager	O	an..35	
Action identification	R	an..20	
<b>---WAREHOUSE TYPE</b>			
Warehouse type	R	a1	99
<b>-----ACTION</b>			
Operation	R	a1	24
Validity date	D	n8	
Modification subtype	D	n1	
Legal references	O	an..70	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE032	

Responsible data manager	O	an..35	
Action identification	R	an..20	
<b>-----LANGUAGE SPECIFIC DATA</b>			
Language code	R	a2	12
Description	R	an..140	
Language specific data LNG	O	a2	12 TR0099
<b>---UN DANGEROUS GOODS CODE</b>			
UN dangerous goods code	R	an4	101
<b>-----LANGUAGE SPECIFIC DATA</b>			
Language code	R	a2	12
Description	R	an..350	
Language specific data LNG	O	a2	12 TR0099
<b>-----ACTION</b>			
Operation	R	a1	24
Validity date	D	n8	
Modification subtype	D	n1	
Legal references	O	an..70	
Responsible data manager	O	an..35	
Action identification	R	an..20	
<b>---COMMUNITY NATIONAL PROCEDURE</b>			
Community / National Procedure	R	an3	102
<b>-----LANGUAGE SPECIFIC DATA</b>			
Language code	R	a2	12
Description	R	an..350	
Language specific data LNG	O	a2	12 TR0099
<b>-----ACTION</b>			
Operation	R	a1	24
Validity date	D	n8	
Modification subtype	D	n1	
Legal references	O	an..70	
Responsible data manager	O	an..35	
Action identification	R	an..20	
<b>---PREVIOUS DOCUMENT CATEGORY</b>			
Previous Document Category	R	a1	103
<b>-----LANGUAGE SPECIFIC DATA</b>			
Language code	R	a2	12
Description	R	an..140	
Language specific data LNG	O	a2	12 TR0099
<b>-----ACTION</b>			
Operation	R	a1	24
Validity date	D	n8	
Modification subtype	D	n1	
Legal references	O	an..70	
Responsible data manager	O	an..35	
Action identification	R	an..20	
<b>---METHOD OF PAYMENT</b>			
Method of payment	R	a1	104
<b>-----ACTION</b>			
Operation	R	a1	24
Validity date	D	n8	
Modification subtype	D	n1	
Legal references	O	an..70	
Responsible data manager	O	an..35	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE032	

Action identification	R	an..20	
<b>-----LANGUAGE SPECIFIC DATA</b>			
Language code	R	a2	12
Description	R	an..140	
Language specific data LNG	O	a2	12 TR0099
<b>---TRANSPORT CHARGES METHOD OF PAYMENT</b>			
Transport charges/ Method of Payment	R	a1	116
<b>-----ACTION</b>			
Operation	R	a1	24
Validity date	D	n8	
Modification subtype	D	n1	
Legal references	O	an..70	
Responsible data manager	O	an..35	
Action identification	R	an..20	
<b>-----LANGUAGE SPECIFIC DATA</b>			
Language code	R	a2	12
Description	R	an..140	
Language specific data LNG	O	a2	12 TR0099
<b>---DECLARATION TYPE</b>			
Type of declaration	R	an..9	31
<b>-----ACTION</b>			
Operation	R	a1	24
Validity date	D	n8	
Modification subtype	D	n1	
Legal references	O	an..70	
Responsible data manager	O	an..35	
Action identification	R	an..20	
<b>-----LANGUAGE SPECIFIC DATA</b>			
Language code	R	a2	12
Description	R	an..140	
Language specific data LNG	O	a2	12 TR0099
<b>---DECLARATION TYPE (BOX 1.2)</b>			
Type of declaration (Box 1.2)	R	a1	87
<b>-----ACTION</b>			
Operation	R	a1	24
Validity date	D	n8	
Modification subtype	D	n1	
Legal references	O	an..70	
Responsible data manager	O	an..35	
Action identification	R	an..20	
<b>-----LANGUAGE SPECIFIC DATA</b>			
Language code	R	a2	12
Description	R	an..140	
Language specific data LNG	O	a2	12 TR0099
<b>---INFORMATION</b>			
Information Code	R	n2	119
<b>-----ACTION</b>			
Operation	R	a1	24
Validity date	D	n8	
Modification subtype	D	n1	
Legal references	O	an..70	
Responsible data manager	O	an..35	
Action identification	R	an..20	



Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE032	

#### -----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

#### ---PREVIOUS DOCUMENT TYPE

Previous document type	R	an..6	14	
------------------------	---	-------	----	--

#### -----ACTION

Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		

#### -----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

#### ---REQUESTED INFORMATION

Requested Information Code	R	n1	118	
----------------------------	---	----	-----	--

#### -----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

#### -----ACTION

Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		

#### ---ITEM NUMBER REJECTION REASON CODE

Item number rejection reason code	R	n..2	106	
-----------------------------------	---	------	-----	--

#### -----ACTION

Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		

#### -----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

#### ---CUSTOMS INTERVENTION

Customs Intervention code	R	an..4	108	
---------------------------	---	-------	-----	--

#### -----ACTION

Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		

#### -----LANGUAGE SPECIFIC DATA

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE032	

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>---INFORMATION TYPE</b>				
Information type	R	n..2	109	
<b>-----ACTION</b>				
Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>---RESPONSE CODE</b>				
Response Code	R	n..2	29	
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>-----ACTION</b>				
Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		
<b>---EORI-AEO VAT MS COUNTRY CODE</b>				
VAT MS country code	R	a2	113	
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..350		
Language specific data LNG	O	a2	12	TR0099
<b>-----ACTION</b>				
Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		
<b>---ECONOMIC SECTOR OF ACTIVITY</b>				
Economic sector of activity code	R	an..4	114	
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..350		
Language specific data LNG	O	a2	12	TR0099
<b>-----ACTION</b>				
Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE032	

Responsible data manager	O	an..35	
Action identification	R	an..20	
<b>---TYPE OF PERSON</b>			
Type of person code	R	n1	115
<b>-----LANGUAGE SPECIFIC DATA</b>			
Language code	R	a2	12
Description	R	an..350	
Language specific data LNG	O	a2	12 TR0099
<b>-----ACTION</b>			
Operation	R	a1	24
Validity date	D	n8	
Modification subtype	D	n1	
Legal references	O	an..70	
Responsible data manager	O	an..35	
Action identification	R	an..20	
<b>---AEO CERTIFICATE TYPE</b>			
AEO certificate type code	R	an4	120
<b>-----LANGUAGE SPECIFIC DATA</b>			
Language code	R	a2	12
Description	R	an..350	
Language specific data LNG	O	a2	12 TR0099
<b>-----ACTION</b>			
Operation	R	a1	24
Validity date	D	n8	
Modification subtype	D	n1	
Legal references	O	an..70	
Responsible data manager	O	an..35	
Action identification	R	an..20	
<b>---EORI-AEO ERROR</b>			
EORI-AEO Error code	R	an..50	121
<b>-----LANGUAGE SPECIFIC DATA</b>			
Language code	R	a2	12
Description	R	an..350	
Language specific data LNG	O	a2	12 TR0099
<b>-----ACTION</b>			
Operation	R	a1	24
Validity date	D	n8	
Modification subtype	D	n1	
Legal references	O	an..70	
Responsible data manager	O	an..35	
Action identification	R	an..20	
<b>---CRITERIA</b>			
Criteria code	R	an..3	122
<b>-----LANGUAGE SPECIFIC DATA</b>			
Language code	R	a2	12
Description	R	an..350	
Language specific data LNG	O	a2	12 TR0099
<b>-----ACTION</b>			
Operation	R	a1	24
Validity date	D	n8	
Modification subtype	D	n1	
Legal references	O	an..70	
Responsible data manager	O	an..35	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE032	

Action identification	R	an..20	
<b>---CUSTOMS PROCEDURE</b>			
Customs procedure code	R	an..5	123
<b>-----LANGUAGE SPECIFIC DATA</b>			
Language code	R	a2	12
Description	R	an..350	
Language specific data LNG	O	a2	12 TR0099
<b>-----ACTION</b>			
Operation	R	a1	24
Validity date	D	n8	
Modification subtype	D	n1	
Legal references	O	an..70	
Responsible data manager	O	an..35	
Action identification	R	an..20	
<b>---REJECTION REASON</b>			
Rejection reason code	R	an1	124
<b>-----LANGUAGE SPECIFIC DATA</b>			
Language code	R	a2	12
Description	R	an..350	
Language specific data LNG	O	a2	12 TR0099
<b>-----ACTION</b>			
Operation	R	a1	24
Validity date	D	n8	
Modification subtype	D	n1	
Legal references	O	an..70	
Responsible data manager	O	an..35	
Action identification	R	an..20	
<b>---SUSPENSION REASON</b>			
Suspension reason code	R	an1	125
Light client excluded	R	n1	27
<b>-----LANGUAGE SPECIFIC DATA</b>			
Language code	R	a2	12
Description	R	an..350	
Language specific data LNG	O	a2	12 TR0099
<b>-----ACTION</b>			
Operation	R	a1	24
Validity date	D	n8	
Modification subtype	D	n1	
Legal references	O	an..70	
Responsible data manager	O	an..35	
Action identification	R	an..20	
<b>---REVOCATION REASON</b>			
Revocation reason code	R	an1	126
Light client excluded	R	n1	27
<b>-----LANGUAGE SPECIFIC DATA</b>			
Language code	R	a2	12
Description	R	an..350	
Language specific data LNG	O	a2	12 TR0099
<b>-----ACTION</b>			
Operation	R	a1	24
Validity date	D	n8	
Modification subtype	D	n1	
Legal references	O	an..70	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE032	

Responsible data manager	O	an..35		
Action identification	R	an..20		
<b>---INITIATOR</b>				
Initiator code	R	an1	127	
Light client excluded	R	n1	27	
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..350		
Language specific data LNG	O	a2	12	TR0099
<b>-----ACTION</b>				
Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		
<b>---ACTIVITY</b>				
Activity code	R	an1	128	
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..350		
Language specific data LNG	O	a2	12	TR0099
<b>-----ACTION</b>				
Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		
<b>---PROCESS</b>				
Process code	R	an1	129	
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..350		
Language specific data LNG	O	a2	12	TR0099
<b>-----ACTION</b>				
Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		
<b>---TIMER</b>				
Timer code	R	an1	130	
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..350		
Language specific data LNG	O	a2	12	TR0099
<b>-----ACTION</b>				
Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE032	

Responsible data manager	O	an..35	
Action identification	R	an..20	
<b>---STATE</b>			
State code	R	an1	131
<b>-----LANGUAGE SPECIFIC DATA</b>			
Language code	R	a2	12
Description	R	an..350	
Language specific data LNG	O	a2	12 TR0099
<b>-----ACTION</b>			
Operation	R	a1	24
Validity date	D	n8	
Modification subtype	D	n1	
Legal references	O	an..70	
Responsible data manager	O	an..35	
Action identification	R	an..20	
<b>---EXTENSION REASON</b>			
Extension reason code	R	an2	132
<b>-----LANGUAGE SPECIFIC DATA</b>			
Language code	R	a2	12
Description	R	an..350	
Language specific data LNG	O	a2	12 TR0099
<b>-----ACTION</b>			
Operation	R	a1	24
Validity date	D	n8	
Modification subtype	D	n1	
Legal references	O	an..70	
Responsible data manager	O	an..35	
Action identification	R	an..20	
<b>---CRITERION RESULT</b>			
Criterion result code	R	n1	133
<b>-----LANGUAGE SPECIFIC DATA</b>			
Language code	R	a2	12
Description	R	an..350	
Language specific data LNG	O	a2	12 TR0099
<b>-----ACTION</b>			
Operation	R	a1	24
Validity date	D	n8	
Modification subtype	D	n1	
Legal references	O	an..70	
Responsible data manager	O	an..35	
Action identification	R	an..20	
<b>---REASSESSMENT REASON</b>			
Reassessment reason code	R	n1	134
<b>-----LANGUAGE SPECIFIC DATA</b>			
Language code	R	a2	12
Description	R	an..350	
Language specific data LNG	O	a2	12 TR0099
<b>-----ACTION</b>			
Operation	R	a1	24
Validity date	D	n8	
Modification subtype	D	n1	
Legal references	O	an..70	
Responsible data manager	O	an..35	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE032	

Action identification

Ran..20

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE070	

### 5. Message Structure for: IE070

IE070	(CD070B)	NOTIFICATION OF SYSTEM UNAVAILABILITY TO CD	(C_UNA_COM)
MESSAGE		1x	R
--COUNTRY		1x	R
-----ACTION		9x	R
-----SYSTEM UNAVAILABILITY		99x	R



Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE070	

MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Correlation identifier	D	an..14		TR9181

---COUNTRY

Country code	R	a2	8	
--------------	---	----	---	--

-----ACTION

Operation	R	a1	24	
-----------	---	----	----	--

-----SYSTEM UNAVAILABILITY

Business functionality	R	a1	68	
Downtime from	R	n12		R660 TR9002
System unavailability type	R	a1	79	
Downtime to	D	n12		R660
Explanation	O	an..350		
Explanation LNG	O	a2	12	TR0099

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE071	

### 5. Message Structure for: IE071

IE071	(CD071B)	NOTIFICATION OF SYSTEM UNAVAILABILITY TO ND	(C_UNA_NAT)
-------	----------	---	-------------

MESSAGE	1x	R
---COUNTRY	99x	R
-----ACTION	9x	R
-----SYSTEM UNAVAILABILITY	99x	R

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE071	

MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Correlation identifier	D	an..14		TR9181

---COUNTRY

Country code	R	a2	8	
--------------	---	----	---	--

-----ACTION

Operation	R	a1	24	
-----------	---	----	----	--

-----SYSTEM UNAVAILABILITY

Business functionality	R	a1	68	
Downtime from	R	n12		R660
System unavailability type	R	a1	79	
Downtime to	D	n12		R660
Explanation	O	an..350		
Explanation LNG	O	a2	12	TR0099

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE301	

## 5. Message Structure for: IE301

IE301	(CD301A)	ENS	(C_ENS_SND)
MESSAGE		1x	R
---HEADER		1x	R
---(CONSIGNOR) TRADER		1x	D C511
---(CONSIGNEE) TRADER		1x	D C583
---NOTIFY PARTY		1x	D C583
---GOODS ITEM		999x	R
-----PRODUCED DOCUMENTS/CERTIFICATES		99x	D C567 R866
-----SPECIAL MENTIONS		99x	O
----- (CONSIGNOR) TRADER		1x	D C511
----- (CODE) COMMODITY		1x	D C585
----- (CONSIGNEE) TRADER		1x	D C584
-----CONTAINERS		99x	O
----- (MEANS OF TRANSPORT AT BORDER) IDENTITY		999x	D C019
-----PACKAGES		99x	D C577
-----NOTIFY PARTY		1x	D C584
---ITINERARY		99x	D C570 R879
---RISK ANALYSIS		999x	O R816
---(LODGEMENT) CUSTOMS OFFICE		1x	O R827
---(REPRESENTATIVE) TRADER		1x	O R896
---(LODGING SUMMARY DECLARATION) PERSON		1x	R
---SEALS ID		9999x	O
---(FIRST ENTRY) CUSTOMS OFFICE		1x	R
---(SUBSEQUENT ENTRY) CUSTOMS OFFICE		99x	O R808
---(ENTRY CARRIER) TRADER		1x	O R806

<b>Message Specifications for IMPORT</b>	<b>ALIGNED TO DDNA KEL Draft Version</b>
<b>REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2</b>	
<b>Appendix Q2: Technical Message Structure</b>	
<b>5. Message Structure for: IE301</b>	

## MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Correlation identifier	D	an..14		TR9181

## ---HEADER

Reference number	R	an..22		
Document/reference number	R	an..21		
Transport mode at border	R	n..2	18	C529 R826
Identity of means of transport crossing border	D	an..27		C017 C514
Identity of means of transport crossing border LNG	O	a2	12	TR0099
Nationality of means of transport crossing border	D	a2	8	C024
Total number of items	R	n..5		
Total number of packages	D	n..7		C582
Total gross mass	O	n..11,3		
Declaration place	R	an..35		
Declaration place LNG	O	a2	12	TR0099
Specific Circumstance Indicator	O	a1	96	R834
Transport charges/ Method of Payment	O	a1	116	
Commercial Reference Number	D	an..70		C567
Conveyance reference number	D	an..35		C518 R843
Place of loading	D	an..35		C574 R670
Place of loading LNG	O	a2	12	TR0099
Place of unloading	O	an..35		R670
Place of unloading LNG	O	a2	12	TR0099
Declaration registration date and time	R	n12		R660 R661
Declaration Submitted Date and Time	R	n12		R660
Declaration date and time	R	n12		R660
Document/reference number Communicated	R	n1	27	

## ---(CONSIGNOR) TRADER

Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	8	C501
NAD LNG	O	a2	12	TR0099
TIN	O	an..17		R840

## ---(CONSIGNEE) TRADER

Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	8	C501
NAD LNG	O	a2	12	TR0099
TIN	D	an..17		C562 R835

## ---NOTIFY PARTY

Name	D	an..35		C501
------	---	--------	--	------

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE301	

Street and number	D	an..35	C501
Postal code	D	an..9	C501
City	D	an..35	C501
Country code	D	a2	8 C501
NAD LNG	O	a2	12 TR0099
TIN	O	an..17	R835

### ---GOODS ITEM

Item number	R	n..5	R005 R007
Goods description	O	an..280	
Goods description LNG	O	a2	12 TR0099
Gross mass	D	n..11,3	C592
Transport charges/ Method of Payment	D	a1	116 C576
Commercial Reference Number	D	an..70	C567
UN dangerous goods code	O	an4	101 R823
Place of loading	D	an..35	C574 R670
Place of loading LNG	O	a2	12 TR0099
Place of unloading	D	an..35	C579 R670
Place of unloading LNG	O	a2	12 TR0099

### -----PRODUCED DOCUMENTS/CERTIFICATES

Document type	R	an..4	13 R866
Document reference	R	an..35	R866
Document reference LNG	O	a2	12 TR0099

### -----SPECIAL MENTIONS

Additional information coded	R	an..5	39 R080
------------------------------	---	-------	---------

### ----- (CONSIGNOR) TRADER

Name	D	an..35	C501
Street and number	D	an..35	C501
Postal code	D	an..9	C501
City	D	an..35	C501
Country code	D	a2	8 C501
NAD LNG	O	a2	12 TR0099
TIN	O	an..17	R840

### ----- (CODE) COMMODITY

Combined Nomenclature	R	an..8	R881
-----------------------	---	-------	------

### ----- (CONSIGNEE) TRADER

Name	D	an..35	C501
Street and number	D	an..35	C501
Postal code	D	an..9	C501
City	D	an..35	C501
Country code	D	a2	8 C501
NAD LNG	O	a2	12 TR0099
TIN	D	an..17	C562 R835

### -----CONTAINERS

Container number	R	an..17	
------------------	---	--------	--

### ----- (MEANS OF TRANSPORT AT BORDER) IDENTITY

Nationality	D	a2	8 C020
Identity of means of transport crossing border	R	an..27	C514
Identity of means of transport crossing border LNG	O	a2	12 TR0099

### -----PACKAGES

Kind of packages	R	an..3	17
Number of packages	D	n..5	C062 R021

<b>Message Specifications for IMPORT</b>	<b>ALIGNED TO DDNA KEL Draft Version</b>
<b>REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2</b>	
<b>Appendix Q2: Technical Message Structure</b>	
<b>5. Message Structure for: IE301</b>	

Number of pieces	D	n..5		C062
Marks & numbers of packages (long)	D	an..140		C062
Marks & numbers of packages (long) LNG	O	a2	12	TR0099
<b>-----NOTIFY PARTY</b>				
Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	8	C501
NAD LNG	O	a2	12	TR0099
TIN	O	an..17		R835
<b>---ITINERARY</b>				
Country of routing code	R	a2	8	
<b>---RISK ANALYSIS</b>				
Item Number involved	O	n..5		R875
Risk Analysis result code	R	an..5		TR9175
Risk Analysis text	O	an..350		
Risk Analysis LNG	O	a2	12	TR0099
<b>---(LODGEMENT) CUSTOMS OFFICE</b>				
Reference number	R	an8		R828 R836
<b>---(REPRESENTATIVE) TRADER</b>				
Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	8	C501
NAD LNG	O	a2	12	TR0099
TIN	R	an..17		R837
<b>---(LODGING SUMMARY DECLARATION) PERSON</b>				
Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	8	C501
NAD LNG	O	a2	12	TR0099
TIN	R	an..17		R837
<b>---SEALS ID</b>				
Seals identity	R	an..35		
Seals identity LNG	O	a2	12	TR0099
<b>---(FIRST ENTRY) CUSTOMS OFFICE</b>				
Reference number	R	an8		
Expected date and time of arrival	R	an12		R660 R666
<b>---(SUBSEQUENT ENTRY) CUSTOMS OFFICE</b>				
Reference number	R	an8		
<b>---(ENTRY CARRIER) TRADER</b>				
Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	8	C501
NAD LNG	O	a2	12	TR0099
TIN	D	an..17		C502 R835

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE301	



Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE302	

## 5. Message Structure for: IE302

IE302	(CD302A)	DECLARATION REQUEST IMPORT	(C_IMP_REQ)
MESSAGE		1x	R
---HEADER		1x	R
---(REQUESTER) CUSTOMS OFFICE		1x	R
---(FIRST ENTRY) CUSTOMS OFFICE		1x	O
---IMPORT OPERATION		9999x	D C520
-----GOODS ITEM		999x	O

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE302	

## MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Correlation identifier	D	an..14		TR9181

## ---HEADER

Transport mode at border	R	n..2	18	R826
Country code of Office of first Entry declared	R	a2	10	R899
Declaration request number	R	an..22		R033
Information type	R	n..2	109	
Identification of the means of transport	D	an..35		C515 C516 R031
Expected date of arrival	D	n8		C523 R030 R666

## ---(REQUESTER) CUSTOMS OFFICE

Reference number	R	an8		
------------------	---	-----	--	--

## ---(FIRST ENTRY) CUSTOMS OFFICE

Reference number	R	an8		
------------------	---	-----	--	--

## ---IMPORT OPERATION

Document/reference number	R	an..21		
---------------------------	---	--------	--	--

## -----GOODS ITEM

Item number	R	n..5		R897
-------------	---	------	--	------

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE303	

## 5. Message Structure for: IE303

IE303	(CD303A)	ENTRY SUMMARY DECLARATION RESPONSE	(C_ENS_RSP)
-------	----------	------------------------------------	-------------

MESSAGE	1x	R	
---HEADER	1x	R	
---(ACTUAL OFFICE OF ENTRY) CUSTOMS OFFICE	1x	R	
---SUMMARY DECLARATION REJECTION	9999x	O	R040
---IMPORT OPERATION	9999x	D	C525 R148
-----ITINERARY	99x	D	C540 C570 R879
----- (CONSIGNOR) TRADER	1x	D	C542 R501
----- (CONSIGNEE) TRADER	1x	D	C542 R501
-----NOTIFY PARTY	1x	D	C542 R501
----- (REPRESENTATIVE) TRADER	1x	O	R896
----- (ENTRY CARRIER) TRADER	1x	O	R806
-----GOODS ITEM	999x	D	C540
----- (CONSIGNOR) TRADER	1x	D	
----- (CONSIGNEE) TRADER	1x	D	
-----NOTIFY PARTY	1x	D	
-----CONTAINERS	99x	O	
----- (MEANS OF TRANSPORT AT BORDER) IDENTITY	999x	D	C019
-----PACKAGES	99x	D	C577
----- (CODE) COMMODITY	1x	D	C585
-----PRODUCED DOCUMENTS/CERTIFICATES	99x	D	C567 R866
-----SPECIAL MENTIONS	99x	O	
----- (LODGEMENT) CUSTOMS OFFICE	1x	O	R827
----- (FIRST ENTRY) CUSTOMS OFFICE	1x	R	
----- (SUBSEQUENT ENTRY) CUSTOMS OFFICE	99x	O	R808
-----SEALS ID	9999x	O	
-----RISK ANALYSIS	999x	D	C540 R132 R820
----- (LODGING SUMMARY DECLARATION) PERSON	1x	R	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE303	

## MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Correlation identifier	D	an..14		TR9181

## ---HEADER

Transport mode at border	O	n..2	18	R037 R826
Country code of Office of first Entry declared	R	a2	10	R899
Declaration request number	O	an..22		R033
Information type	R	n..2	109	
Diversion reference number	D	an..22		R034
Identification of the means of transport	O	an..35		C515 C516 R031 R038
Risk	R	n1	27	
Expected date of arrival	O	n8		R030 R039 R666

## ---(ACTUAL OFFICE OF ENTRY) CUSTOMS OFFICE

Reference number	R	an8		
------------------	---	-----	--	--

## ---SUMMARY DECLARATION REJECTION

Document/reference number	O	an..21		
Summary Declaration Rejection Item Number	O	n..5		
Summary Declaration rejection reason code	R	n..2	97	
Summary Declaration rejection reason	D	an..350		
Summary Declaration rejection reason LNG	O	a2	12	TR0099

## ---IMPORT OPERATION

Document/reference number	R	an..21		
ENS Risk	R	n1	27	
Reference number	D	an..22		C540
Transport mode at border	D	n..2	18	C513 C540 R826
Declaration date and time	D	n12		C540 R660
Declaration registration date and time	D	n12		C540 R660 R661
Amendment acceptance date and time	O	n12		C527 R660 R662
Declaration Submitted Date and Time	D	n12		C527 R660
Total number of items	R	n..5		R221
Total number of packages	D	n..7		C550 C582 R221
Commercial Reference Number	D	an..70		C542 C567
Identity of means of transport crossing border	D	an..27		C017 C514
Identity of means of transport crossing border LNG	O	a2	12	C527 TR0099
Conveyance reference number	D	an..35		C518 C527 R843

<b>Message Specifications for IMPORT</b>	<b>ALIGNED TO DDNA KEL Draft Version</b>
<b>REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2</b>	
<b>Appendix Q2: Technical Message Structure</b>	
<b>5. Message Structure for: IE303</b>	

Place of loading	D	an..35		C550 C574 R670
Place of loading LNG	O	a2	12	C527 TR0099
Place of unloading	D	an..35		C527 R670
Place of unloading LNG	O	a2	12	C527 TR0099
Total gross mass	D	n..11,3		R221
Specific Circumstance Indicator	D	a1	96	C527 R834
Transport charges/ Method of Payment	D	a1	116	C527
Declaration place	D	an..35		C540
Declaration place LNG	O	a2	12	TR0099
Nationality of means of transport crossing border	D	a2	8	C024
<b>-----ITINERARY</b>				
Country of routing code	R	a2	8	
<b>----- (CONSIGNOR) TRADER</b>				
Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	8	C501
NAD LNG	O	a2	12	TR0099
TIN	O	an..17		R840
<b>----- (CONSIGNEE) TRADER</b>				
Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	8	C501
NAD LNG	O	a2	12	TR0099
TIN	D	an..17		C562 R835
<b>-----NOTIFY PARTY</b>				
Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	8	C501
NAD LNG	O	a2	12	TR0099
TIN	O	an..17		R835
<b>----- (REPRESENTATIVE) TRADER</b>				
Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	8	C501
NAD LNG	O	a2	12	TR0099
TIN	R	an..17		R837
<b>----- (ENTRY CARRIER) TRADER</b>				
Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	8	C501
NAD LNG	O	a2	12	TR0099

<b>Message Specifications for IMPORT</b>	<b>ALIGNED TO DDNA KEL Draft Version</b>
<b>REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2</b>	
<b>Appendix Q2: Technical Message Structure</b>	
<b>5. Message Structure for: IE303</b>	

TIN	D	an..17		C502 R835
<b>-----GOODS ITEM</b>				
Item number	R	n..5		R005
Commercial Reference Number	D	an..70		C567
Goods description	O	an..280		
Goods description LNG	O	a2	12	TR0099
Gross mass	D	n..11,3		C592
UN dangerous goods code	O	an4	101	R823
Transport charges/ Method of Payment	D	a1	116	C576
Place of loading	D	an..35		C574 R670
Place of loading LNG	O	a2	12	TR0099
Place of unloading	D	an..35		C579 R670
Place of unloading LNG	O	a2	12	TR0099
<b>----- (CONSIGNOR) TRADER</b>				
Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	8	C501
NAD LNG	O	a2	12	TR0099
TIN	O	an..17		R840
<b>----- (CONSIGNEE) TRADER</b>				
Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
Country code	D	a2	8	C501
City	D	an..35		C501
NAD LNG	O	a2	12	TR0099
TIN	D	an..17		C562 R835
<b>-----NOTIFY PARTY</b>				
Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	8	C501
NAD LNG	O	a2	12	TR0099
TIN	O	an..17		R835
<b>-----CONTAINERS</b>				
Container number	R	an..17		
<b>----- (MEANS OF TRANSPORT AT BORDER) IDENTITY</b>				
Identity of means of transport crossing border	R	an..27		C514
Identity of means of transport crossing border LNG	O	a2	12	TR0099
Nationality	D	a2	8	C020
<b>-----PACKAGES</b>				
Kind of packages	R	an..3	17	
Number of packages	D	n..5		C062 R021
Number of pieces	D	n..5		C062
Marks & numbers of packages (long)	D	an..140		C062
Marks & numbers of packages (long) LNG	O	a2	12	TR0099
<b>----- (CODE) COMMODITY</b>				
Combined Nomenclature	R	an..8		R881

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE303	

## -----PRODUCED DOCUMENTS/CERTIFICATES

Document type	R	an..4	13	R866
Document reference	R	an..35		R866
Document reference LNG	O	a2	12	TR0099

## -----SPECIAL MENTIONS

Additional information coded	R	an..5	39	R080
------------------------------	---	-------	----	------

## ------(LODGEMENT) CUSTOMS OFFICE

Reference number	R	an8		
------------------	---	-----	--	--

## ------(FIRST ENTRY) CUSTOMS OFFICE

Reference number	R	an8		
Expected date and time of arrival	R	an12		R660 R666

## ------(SUBSEQUENT ENTRY) CUSTOMS OFFICE

Reference number	R	an8		
------------------	---	-----	--	--

## -----SEALS ID

Seals identity	R	an..20		
Seals identity LNG	O	a2	12	TR0099

## -----RISK ANALYSIS

Item Number involved	O	n..5		R875
Risk Analysis result code	R	an..5		TR9175
Risk Analysis text	O	an..350		
Risk Analysis LNG	O	a2	12	TR0099

## ------(LODGING SUMMARY DECLARATION) PERSON

Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	8	C501
NAD LNG	O	a2	12	TR0099
TIN	R	an..17		R837

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE304	

## 5. Message Structure for: IE304

IE304	(CC304A)	ENTRY SUMMARY DECLARATION AMENDMENT ACCEPTED	(E_ENS_AAC)
-------	----------	---	-------------

MESSAGE	1x	R	
---HEADER	1x	R	
---GOODS ITEM	999x	O	R134
-----PRODUCED DOCUMENTS/CERTIFICATES	99x	O	R147
-----CONTAINERS	99x	O	
----- (MEANS OF TRANSPORT AT BORDER) IDENTITY	999x	D	C019
---(REPRESENTATIVE) TRADER	1x	D	C552
---(LODGING SUMMARY DECLARATION) PERSON	1x	D	C552
---(FIRST ENTRY) CUSTOMS OFFICE	1x	R	R814
---(ENTRY CARRIER) TRADER	1x	O	R134



Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE304	

## MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Correlation identifier	D	an..14		TR9181

## ---HEADER

Document/reference number	R	an..21		
Transport mode at border	O	n..2	18	R134 R826
Identity of means of transport crossing border	O	an..27		C017 C514 R134
Identity of means of transport crossing border LNG	O	a2	12	TR0099
Nationality of means of transport crossing border	D	a2	8	C024 R134
Commercial Reference Number	O	an..70		R134
Conveyance reference number	O	an..35		C518 R134 R843
Amendment acceptance date and time	R	n12		R660 R662
Date and Time of amendment	R	n12		R660

## ---GOODS ITEM

Item number	R	n..5		R005 R007
Commercial Reference Number	O	an..70		

## -----PRODUCED DOCUMENTS/CERTIFICATES

Document type	R	an..4	13	R136
Document reference	R	an..35		
Document reference LNG	O	a2	12	TR0099

## -----CONTAINERS

Container number	R	an..17		
------------------	---	--------	--	--

## -----((MEANS OF TRANSPORT AT BORDER) IDENTITY

Nationality	D	a2	8	C020
Identity of means of transport crossing border	R	an..27		C514
Identity of means of transport crossing border LNG	O	a2	12	TR0099

## ---((REPRESENTATIVE) TRADER

Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	8	C501
NAD LNG	O	a2	12	TR0099
TIN	R	an..17		R837

## ---((LODGING SUMMARY DECLARATION) PERSON

Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	8	C501
NAD LNG	O	a2	12	TR0099
TIN	R	an..17		R837

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE304	

---(FIRST ENTRY) CUSTOMS OFFICE

Reference number	R	an8	
Expected date and time of arrival	O	an12	R134 R660 R666

---(ENTRY CARRIER) TRADER

Name	D	an..35	C501
Street and number	D	an..35	C501
Postal code	D	an..9	C501
City	D	an..35	C501
Country code	D	a2	8 C501
NAD LNG	O	a2	12 TR0099
TIN	R	an..17	R837

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE305	

## 5. Message Structure for: IE305

IE305	(CC305A)	ENTRY SUMMARY DECLARATION AMENDMENT REJECTION	(E_ENS_ARJ)
-------	----------	--	-------------

MESSAGE	1x	R	
---HEADER	1x	R	
---FUNCTIONAL ERROR	999x	O	R123
---(REPRESENTATIVE) TRADER	1x	D	C552
---(LODGING SUMMARY DECLARATION) PERSON	1x	D	C552
---(FIRST ENTRY) CUSTOMS OFFICE	1x	R	R814

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE305	

## MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Correlation identifier	D	an..14		TR9181

## ---HEADER

Document/reference number	R	an..21		
Date and Time of amendment	R	n12		R660
Amendment rejection date and time	R	n12		R660
Amendment rejection motivation code	O	n1	45	
Amendment rejection motivation text	D	an..350		C310
Amendment rejection motivation text LNG	O	a2	12	TR0099

## ---FUNCTIONAL ERROR

Error type	R	n2	49	R098
Error pointer	R	an..210		R098
Error reason	O	an..6		R098
Original attribute value	O	an..140		R098

## ---(REPRESENTATIVE) TRADER

Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	8	C501
NAD LNG	O	a2	12	TR0099
TIN	R	an..17		R837

## ---(LODGING SUMMARY DECLARATION) PERSON

Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	8	C501
NAD LNG	O	a2	12	TR0099
TIN	R	an..17		R837

## ---(FIRST ENTRY) CUSTOMS OFFICE

Reference number	R	an8		
------------------	---	-----	--	--

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE313	

## 5. Message Structure for: IE313

IE313	(CC313A)	ENTRY SUMMARY DECLARATION AMENDMENT	(E_ENS_AMD)
-------	----------	-------------------------------------	-------------

MESSAGE	1x	R	R829 R834 R841 R842 R886
---HEADER	1x	R	
---(CONSIGNOR) TRADER	1x	D	C511
---(CONSIGNEE) TRADER	1x	D	C583
---NOTIFY PARTY	1x	D	C583
---GOODS ITEM	999x	R	
-----PRODUCED DOCUMENTS/CERTIFICATES	99x	D	C567 R866
-----SPECIAL MENTIONS	99x	O	
------(CONSIGNOR) TRADER	1x	D	C511
------(CODE) COMMODITY	1x	D	C585
------(CONSIGNEE) TRADER	1x	D	C584
-----CONTAINERS	99x	O	
------(MEANS OF TRANSPORT AT BORDER) IDENTITY	999x	D	C019
-----PACKAGES	99x	D	C577
-----NOTIFY PARTY	1x	D	C584
---ITINERARY	99x	D	C570 R879
---(REPRESENTATIVE) TRADER	1x	O	R896
---(LODGING SUMMARY DECLARATION) PERSON	1x	R	
---SEALS ID	9999x	O	
---(FIRST ENTRY) CUSTOMS OFFICE	1x	R	
---(SUBSEQUENT ENTRY) CUSTOMS OFFICE	99x	O	R808
---(ENTRY CARRIER) TRADER	1x	O	R806

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE313	

## MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Correlation identifier	D	an..14		TR9181

## ---HEADER

Document/reference number	R	an..21		
Transport mode at border	R	n..2	18	C529 R826
Identity of means of transport crossing border	D	an..27		C017 C514
Identity of means of transport crossing border LNG	O	a2	12	TR0099
Nationality of means of transport crossing border	D	a2	8	C024
Total number of items	R	n..5		TR0811
Total number of packages	D	n..7		C582
Total gross mass	O	n..11,3		
Amendment place	R	an..35		
Amendment place LNG	O	a2	12	TR0099
Specific Circumstance Indicator	O	a1	96	R834
Transport charges/ Method of Payment	O	a1	116	
Commercial Reference Number	D	an..70		C567
Conveyance reference number	D	an..35		C518 R843
Place of loading	D	an..35		C574 R670
Place of loading LNG	O	a2	12	TR0099
Place of unloading	O	an..35		R670
Place of unloading LNG	O	a2	12	TR0099
Date and Time of amendment	R	n12		R660

## ---(CONSIGNOR) TRADER

Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	8	C501
NAD LNG	O	a2	12	TR0099
TIN	O	an..17		R840

## ---(CONSIGNEE) TRADER

Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	8	C501
NAD LNG	O	a2	12	TR0099
TIN	D	an..17		C562 R835

## ---NOTIFY PARTY

Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	8	C501

<b>Message Specifications for IMPORT</b>	<b>ALIGNED TO DDNA KEL Draft Version</b>
<b>REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2</b>	
<b>Appendix Q2: Technical Message Structure</b>	
<b>5. Message Structure for: IE313</b>	

NAD LNG	O	a2	12	TR0099
TIN	O	an..17		R835
<b>---GOODS ITEM</b>				
Item number	R	n..5		R005 R007
Goods description	O	an..280		
Goods description LNG	O	a2	12	TR0099
Gross mass	D	n..11,3		C592
Transport charges/ Method of Payment	D	a1	116	C576
Commercial Reference Number	D	an..70		C567
UN dangerous goods code	O	an4	101	R823
Place of loading	D	an..35		C574 R670
Place of loading LNG	O	a2	12	TR0099
Place of unloading	D	an..35		C579 R670
Place of unloading LNG	O	a2	12	TR0099
<b>-----PRODUCED DOCUMENTS/CERTIFICATES</b>				
Document type	R	an..4	13	R866
Document reference	R	an..35		R866
Document reference LNG	O	a2	12	TR0099
<b>-----SPECIAL MENTIONS</b>				
Additional information coded	R	an..5	39	R080
<b>----- (CONSIGNOR) TRADER</b>				
Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	8	C501
NAD LNG	O	a2	12	TR0099
TIN	O	an..17		R840
<b>----- (CODE) COMMODITY</b>				
Combined Nomenclature	R	an..8		R881
<b>----- (CONSIGNEE) TRADER</b>				
Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	8	C501
NAD LNG	O	a2	12	TR0099
TIN	D	an..17		C562 R835
<b>-----CONTAINERS</b>				
Container number	R	an..17		
<b>----- (MEANS OF TRANSPORT AT BORDER) IDENTITY</b>				
Nationality	D	a2	8	C020
Identity of means of transport crossing border	R	an..27		C514
Identity of means of transport crossing border LNG	O	a2	12	TR0099
<b>-----PACKAGES</b>				
Kind of packages	R	an..3	17	
Number of packages	D	n..5		C062 R021
Number of pieces	D	n..5		C062
Marks & numbers of packages (long)	D	an..140		C062
Marks & numbers of packages (long) LNG	O	a2	12	TR0099
<b>-----NOTIFY PARTY</b>				

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE313	

Name	D	an..35	C501
Street and number	D	an..35	C501
Postal code	D	an..9	C501
City	D	an..35	C501
Country code	D	a2	8 C501
NAD LNG	O	a2	12 TR0099
TIN	O	an..17	R835

### ---ITINERARY

Country of routing code	R	a2	8
-------------------------	---	----	---

### ---(REPRESENTATIVE) TRADER

Name	D	an..35	C501
Street and number	D	an..35	C501
Postal code	D	an..9	C501
City	D	an..35	C501
Country code	D	a2	8 C501
NAD LNG	O	a2	12 TR0099
TIN	R	an..17	R837

### ---(LODGING SUMMARY DECLARATION) PERSON

Name	D	an..35	C501
Street and number	D	an..35	C501
Postal code	D	an..9	C501
City	D	an..35	C501
Country code	D	a2	8 C501
NAD LNG	O	a2	12 TR0099
TIN	R	an..17	R837

### ---SEALS ID

Seals identity	R	an..35	
Seals identity LNG	O	a2	12 TR0099

### ---(FIRST ENTRY) CUSTOMS OFFICE

Reference number	R	an8	
Expected date and time of arrival	R	an12	R660 R666

### ---(SUBSEQUENT ENTRY) CUSTOMS OFFICE

Reference number	R	an8	
------------------	---	-----	--

### ---(ENTRY CARRIER) TRADER

Name	D	an..35	C501
Street and number	D	an..35	C501
Postal code	D	an..9	C501
City	D	an..35	C501
Country code	D	a2	8 C501
NAD LNG	O	a2	12 TR0099
TIN	D	an..17	C502 R835



Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE315	

## 5. Message Structure for: IE315

IE315	(CC315A)	ENTRY SUMMARY DECLARATION	(E_ENS_DAT)
MESSAGE		1x	R
---HEADER		1x	R
---(CONSIGNOR) TRADER		1x	D C511
---(CONSIGNEE) TRADER		1x	D C583
---NOTIFY PARTY		1x	D C583
---GOODS ITEM		999x	R
-----PRODUCED DOCUMENTS/CERTIFICATES		99x	D C567 R866
-----SPECIAL MENTIONS		99x	O
----- (CONSIGNOR) TRADER		1x	D C511
----- (CODE) COMMODITY		1x	D C585
----- (CONSIGNEE) TRADER		1x	D C584
-----CONTAINERS		99x	O
----- (MEANS OF TRANSPORT AT BORDER) IDENTITY		999x	D C019
-----PACKAGES		99x	D C577
-----NOTIFY PARTY		1x	D C584
---ITINERARY		99x	D C570 R879
---(LODGEMENT) CUSTOMS OFFICE		1x	O R827
---(REPRESENTATIVE) TRADER		1x	O R896
---(LODGING SUMMARY DECLARATION) PERSON		1x	R
---SEALS ID		9999x	O
---(FIRST ENTRY) CUSTOMS OFFICE		1x	R
---(SUBSEQUENT ENTRY) CUSTOMS OFFICE		99x	O R808
---(ENTRY CARRIER) TRADER		1x	O R806

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE315	

## MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Correlation identifier	D	an..14		TR9181

## ---HEADER

Reference number	R	an..22		R891
Transport mode at border	R	n..2	18	C529 R826
Identity of means of transport crossing border	D	an..27		C017 C514
Identity of means of transport crossing border LNG	O	a2	12	TR0099
Nationality of means of transport crossing border	D	a2	8	C024
Total number of items	R	n..5		TR0811
Total number of packages	D	n..7		C582
Total gross mass	O	n..11,3		
Declaration place	R	an..35		
Declaration place LNG	O	a2	12	TR0099
Specific Circumstance Indicator	O	a1	96	R834
Transport charges/ Method of Payment	O	a1	116	
Commercial Reference Number	D	an..70		C567
Conveyance reference number	D	an..35		C518 R843
Place of loading	D	an..35		C574 R670
Place of loading LNG	O	a2	12	TR0099
Place of unloading	O	an..35		R670
Place of unloading LNG	O	a2	12	TR0099
Declaration date and time	R	n12		R660

## ---(CONSIGNOR) TRADER

Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	8	C501
NAD LNG	O	a2	12	TR0099
TIN	O	an..17		R840

## ---(CONSIGNEE) TRADER

Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	8	C501
NAD LNG	O	a2	12	TR0099
TIN	D	an..17		C562 R835

## ---NOTIFY PARTY

Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	8	C501

<b>Message Specifications for IMPORT</b>	<b>ALIGNED TO DDNA KEL Draft Version</b>
<b>REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2</b>	
<b>Appendix Q2: Technical Message Structure</b>	
<b>5. Message Structure for: IE315</b>	

NAD LNG	O	a2	12	TR0099
TIN	O	an..17		R835
<b>---GOODS ITEM</b>				
Item number	R	n..5		R005 R007
Goods description	O	an..280		
Goods description LNG	O	a2	12	TR0099
Gross mass	D	n..11,3		C592
Transport charges/ Method of Payment	D	a1	116	C576
Commercial Reference Number	D	an..70		C567
UN dangerous goods code	O	an4	101	R823
Place of loading	D	an..35		C574 R670
Place of loading LNG	O	a2	12	TR0099
Place of unloading	D	an..35		C579 R670
Place of unloading LNG	O	a2	12	TR0099
<b>-----PRODUCED DOCUMENTS/CERTIFICATES</b>				
Document type	R	an..4	13	R866
Document reference	R	an..35		R866
Document reference LNG	O	a2	12	TR0099
<b>-----SPECIAL MENTIONS</b>				
Additional information coded	R	an..5	39	R080
<b>----- (CONSIGNOR) TRADER</b>				
Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	8	C501
NAD LNG	O	a2	12	TR0099
TIN	O	an..17		R840
<b>----- (CODE) COMMODITY</b>				
Combined Nomenclature	R	an..8		R881
<b>----- (CONSIGNEE) TRADER</b>				
Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	8	C501
NAD LNG	O	a2	12	TR0099
TIN	D	an..17		C562 R835
<b>-----CONTAINERS</b>				
Container number	R	an..17		
<b>----- (MEANS OF TRANSPORT AT BORDER) IDENTITY</b>				
Nationality	D	a2	8	C020
Identity of means of transport crossing border	R	an..27		C514
Identity of means of transport crossing border LNG	O	a2	12	TR0099
<b>-----PACKAGES</b>				
Kind of packages	R	an..3	17	
Number of packages	D	n..5		C062 R021
Number of pieces	D	n..5		C062
Marks & numbers of packages (long)	D	an..140		C062
Marks & numbers of packages (long) LNG	O	a2	12	TR0099
<b>-----NOTIFY PARTY</b>				

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE315	

Name	D	an..35	C501
Street and number	D	an..35	C501
Postal code	D	an..9	C501
City	D	an..35	C501
Country code	D	a2	8 C501
NAD LNG	O	a2	12 TR0099
TIN	O	an..17	R835

### ---ITINERARY

Country of routing code	R	a2	8	
-------------------------	---	----	---	--

### ---(LODGEMENT) CUSTOMS OFFICE

Reference number	R	an8		R828 R836
------------------	---	-----	--	--------------

### ---(REPRESENTATIVE) TRADER

Name	D	an..35	C501
Street and number	D	an..35	C501
Postal code	D	an..9	C501
City	D	an..35	C501
Country code	D	a2	8 C501
NAD LNG	O	a2	12 TR0099
TIN	R	an..17	R837

### ---(LODGING SUMMARY DECLARATION) PERSON

Name	D	an..35	C501
Street and number	D	an..35	C501
Postal code	D	an..9	C501
City	D	an..35	C501
Country code	D	a2	8 C501
NAD LNG	O	a2	12 TR0099
TIN	R	an..17	R837

### ---SEALS ID

Seals identity	R	an..35	
Seals identity LNG	O	a2	12 TR0099

### ---(FIRST ENTRY) CUSTOMS OFFICE

Reference number	R	an8	
Expected date and time of arrival	R	an12	R660 R666

### ---(SUBSEQUENT ENTRY) CUSTOMS OFFICE

Reference number	R	an8	
------------------	---	-----	--

### ---(ENTRY CARRIER) TRADER

Name	D	an..35	C501
Street and number	D	an..35	C501
Postal code	D	an..9	C501
City	D	an..35	C501
Country code	D	a2	8 C501
NAD LNG	O	a2	12 TR0099
TIN	D	an..17	C502 R835

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE316	

5. Message Structure for: IE316

IE316	(CC316A)	ENTRY SUMMARY DECLARATION REJECTED	(E ENS REJ)	
MESSAGE		1x	R	
---HEADER		1x	R	
---FUNCTIONAL ERROR		999x	D	R123

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE316	

MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Correlation identifier	D	an..14		TR9181

---HEADER

Reference number	R	an..22		R891
Declaration rejection date and time	R	n12		R660
Declaration rejection reason	O	an..350		
Declaration rejection reason LNG	O	a2	12	TR0099

---FUNCTIONAL ERROR

Error type	R	n2	49	R098
Error pointer	R	an..210		R098
Error reason	O	an..6		R098
Original attribute value	O	an..140		R098

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE319	

## 5. Message Structure for: IE319

IE319	(CD319A)	TRANSMISSION TO SUBSEQUENT OFFICE OF ENTRY	(C_ENS_SUB)
MESSAGE		1x	R C519 R131 R132 R133 R148 R221
---HEADER		1x	R
---(CONSIGNOR) TRADER		1x	D R501
---(CONSIGNEE) TRADER		1x	D R501
---NOTIFY PARTY		1x	D R501
---GOODS ITEM		999x	R
-----PRODUCED DOCUMENTS/CERTIFICATES		99x	D C567 R866
-----SPECIAL MENTIONS		99x	O
------(CONSIGNOR) TRADER		1x	D R501
------(CODE) COMMODITY		1x	D C585
------(CONSIGNEE) TRADER		1x	D C584
-----CONTAINERS		99x	O
------(MEANS OF TRANSPORT AT BORDER) IDENTITY		999x	D C019
-----PACKAGES		99x	D C577
-----NOTIFY PARTY		1x	D C584
---ITINERARY		99x	D C570 R879
---RISK ANALYSIS		999x	O R816
---(LODGEMENT) CUSTOMS OFFICE		1x	O R827
---(REPRESENTATIVE) TRADER		1x	O R896
---(LODGING SUMMARY DECLARATION) PERSON		1x	R
---SEALS ID		9999x	O
---(FIRST ENTRY) CUSTOMS OFFICE		1x	R
---(SUBSEQUENT ENTRY) CUSTOMS OFFICE		99x	O R808
---(ENTRY CARRIER) TRADER		1x	O R806

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE319	

## MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Correlation identifier	D	an..14		TR9181

## ---HEADER

Reference number	R	an..22		
Document/reference number	R	an..21		
Transport mode at border	R	n..2	18	R826
Identity of means of transport crossing border	D	an..27		C017 C514
Identity of means of transport crossing border LNG	O	a2	12	TR0099
Nationality of means of transport crossing border	D	a2	8	C024
Total number of items	R	n..5		
Total number of packages	D	n..7		C582
Total gross mass	O	n..11,3		
Declaration place	R	an..35		
Declaration place LNG	O	a2	12	TR0099
Specific Circumstance Indicator	O	a1	96	R834
Transport charges/ Method of Payment	O	a1	116	
Commercial Reference Number	D	an..70		C567
Conveyance reference number	D	an..35		C518 R843
Place of loading	D	an..35		C574 R670
Place of loading LNG	O	a2	12	TR0099
Place of unloading	O	an..35		R670
Place of unloading LNG	O	a2	12	TR0099
Information type	R	n..2	109	R133
Amendment acceptance date and time	O	n12		R660 R662
Declaration registration date and time	R	n12		R660 R661
Declaration Submitted Date and Time	R	n12		R660
Declaration date and time	R	n12		R660
Document/reference number Communicated	R	n1	27	

## ---(CONSIGNOR) TRADER

Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	8	C501
NAD LNG	O	a2	12	TR0099
TIN	O	an..17		R840

## ---(CONSIGNEE) TRADER

Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	8	C501
NAD LNG	O	a2	12	TR0099
TIN	O	an..17		C562 R835



<b>Message Specifications for IMPORT</b>	<b>ALIGNED TO DDNA KEL Draft Version</b>
<b>REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2</b>	
<b>Appendix Q2: Technical Message Structure</b>	
<b>5. Message Structure for: IE319</b>	

## ---NOTIFY PARTY

Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	8	C501
NAD LNG	O	a2	12	TR0099
TIN	O	an..17		R835

## ---GOODS ITEM

Item number	R	n..5		R005
Goods description	O	an..280		
Goods description LNG	O	a2	12	TR0099
Gross mass	D	n..11,3		C592
Transport charges/ Method of Payment	D	a1	116	C576
Commercial Reference Number	D	an..70		C567
UN dangerous goods code	O	an4	101	R823
Place of loading	D	an..35		C574 R670
Place of loading LNG	O	a2	12	TR0099
Place of unloading	D	an..35		C579 R670
Place of unloading LNG	O	a2	12	TR0099

## -----PRODUCED DOCUMENTS/CERTIFICATES

Document type	R	an..4	13	R866
Document reference	R	an..35		R866
Document reference LNG	O	a2	12	TR0099

## -----SPECIAL MENTIONS

Additional information coded	R	an..5	39	R080
------------------------------	---	-------	----	------

## -----((CONSIGNOR) TRADER

Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	8	C501
NAD LNG	O	a2	12	TR0099
TIN	O	an..17		R840

## -----((CODE) COMMODITY

Combined Nomenclature	R	an..8		R881
-----------------------	---	-------	--	------

## -----((CONSIGNEE) TRADER

Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	8	C501
NAD LNG	O	a2	12	TR0099
TIN	D	an..17		C562 R835

## -----CONTAINERS

Container number	R	an..17		
------------------	---	--------	--	--

## -----((MEANS OF TRANSPORT AT BORDER) IDENTITY

Nationality	D	a2	8	C020
Identity of means of transport crossing border	R	an..27		C514
Identity of means of transport crossing border LNG	O	a2	12	TR0099

## -----PACKAGES

Kind of packages	R	an..3	17	
------------------	---	-------	----	--

<b>Message Specifications for IMPORT</b>	<b>ALIGNED TO DDNA KEL Draft Version</b>
<b>REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2</b>	
<b>Appendix Q2: Technical Message Structure</b>	
<b>5. Message Structure for: IE319</b>	

Number of packages	D	n..5		C062 R021
Number of pieces	D	n..5		C062
Marks & numbers of packages (long)	D	an..140		C062
Marks & numbers of packages (long) LNG	O	a2	12	TR0099
<b>-----NOTIFY PARTY</b>				
Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	8	C501
NAD LNG	O	a2	12	TR0099
TIN	O	an..17		R835
<b>---ITINERARY</b>				
Country of routing code	R	a2	8	
<b>---RISK ANALYSIS</b>				
Item Number involved	O	n..5		R875
Risk Analysis result code	R	an..5		TR9175
Risk Analysis text	O	an..350		
Risk Analysis LNG	O	a2	12	TR0099
<b>---(LODGEMENT) CUSTOMS OFFICE</b>				
Reference number	R	an8		R828 R836
<b>---(REPRESENTATIVE) TRADER</b>				
Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	8	C501
NAD LNG	O	a2	12	TR0099
TIN	R	an..17		R837
<b>---(LODGING SUMMARY DECLARATION) PERSON</b>				
Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	8	C501
NAD LNG	O	a2	12	TR0099
TIN	R	an..17		R837
<b>---SEALS ID</b>				
Seals identity	R	an..35		
Seals identity LNG	O	a2	12	TR0099
<b>---(FIRST ENTRY) CUSTOMS OFFICE</b>				
Reference number	R	an8		
Expected date and time of arrival	R	an12		R660 R666
<b>---(SUBSEQUENT ENTRY) CUSTOMS OFFICE</b>				
Reference number	R	an8		
<b>---(ENTRY CARRIER) TRADER</b>				
Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	8	C501
NAD LNG	O	a2	12	TR0099

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE319	

TIN

D

an..17

C502  
R835

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE322	

## 5. Message Structure for: IE322

IE322	(CC322A)	Απόρριψη Εισόδου	(E_ENT_REJ)
-------	----------	------------------	-------------

MESSAGE	1x	R
---HEADER	1x	R
---CONTROL RESULT	1x	R
---GOODS ITEM	999x	O
-----PRODUCED DOCUMENTS/CERTIFICATES	99x	O
-----CONTAINERS	99x	O
----- (MEANS OF TRANSPORT AT BORDER) IDENTITY	999x	O
---(ACTUAL OFFICE OF ENTRY) CUSTOMS OFFICE	1x	R
---(ENTRY CARRIER) TRADER	1x	R

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE322	

## MESSAGE

Message sender	R	an..35	
Message recipient	R	an..35	
Date of preparation	R	n6	
Time of preparation	R	n4	
Priority	O	a1	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Correlation identifier	D	an..14	

## ---HEADER

Commercial Reference Number	O	an..70	
Conveyance reference number	O	an..35	
Entry Rejection Motivation code	R	an..2	27
Entry Rejection Motivation	D	an..350	
Entry Rejection Motivation LNG	O	a2	12
MRN	R	an..21	
Arrival LRN	R	an..22	

## ---CONTROL RESULT

Control date	R	n8	
--------------	---	----	--

## ---GOODS ITEM

Item number	R	n..5	
Commercial Reference Number	D	an..70	
Entry Rejection Motivation	D	an..350	
Entry Rejection Motivation LNG	O	a2	12
Entry Rejection Motivation code	R	an..2	27

## -----PRODUCED DOCUMENTS/CERTIFICATES

Document type	R	an..4	13
Document reference	R	an..35	
Document reference LNG	O	a2	12

## -----CONTAINERS

Container number	R	an..17	
------------------	---	--------	--

## ----- (MEANS OF TRANSPORT AT BORDER) IDENTITY

Nationality	R	a2	8
Identity of means of transport crossing border	R	an..27	
Identity of means of transport crossing border LNG	O	a2	12

## --- (ACTUAL OFFICE OF ENTRY) CUSTOMS OFFICE

Reference number	R	an8	
------------------	---	-----	--

## --- (ENTRY CARRIER) TRADER

Name	D	an..35	
Street and number	D	an..35	
Postal code	D	an..9	
City	D	an..35	
Country code	D	a2	8
NAD LNG	O	a2	12
TIN	R	an..17	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE323	

## 5. Message Structure for: IE323

IE323	(CC323A)	DIVERSION REQUEST IMPORT	(E_DIV_REQ)	
MESSAGE			1x	R
---HEADER			1x	R
---(ACTUAL OFFICE OF ENTRY) CUSTOMS OFFICE			1x	R
---(FIRST ENTRY) CUSTOMS OFFICE			1x	D
---(REQUESTING DIVERSION) TRADER			1x	R
---IMPORT OPERATION			9999x	D
-----GOODS ITEM			999x	D

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE323	

## MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Correlation identifier	D	an..14		TR9181

## ---HEADER

Transport mode at border	R	n..2	18	R826
Country code of Office of first Entry declared	D	a2	10	C522 R899
Information type	R	n..2	109	
Diversion reference number	R	an..22		R891
Identification of the means of transport	D	an..35		C515 C516 R031
Expected date of arrival	D	n8		C523 R030 R666

## ---(ACTUAL OFFICE OF ENTRY) CUSTOMS OFFICE

Reference number	R	an8		
------------------	---	-----	--	--

## ---(FIRST ENTRY) CUSTOMS OFFICE

Reference number	R	an8		
------------------	---	-----	--	--

## ---(REQUESTING DIVERSION) TRADER

Name	D	an..35		C501
Street and number	D	an..35		C501
Country	D	a2	8	C501
Postal code	D	an..9		C501
City	D	an..35		C501
NAD LNG	O	a2	12	TR0099
TIN	R	an..17		R837

## ---IMPORT OPERATION

Document/reference number	R	an..21		
---------------------------	---	--------	--	--

## -----GOODS ITEM

Item number	R	n..5		R897
-------------	---	------	--	------

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE324	

5. Message Structure for: IE324

IE324	(CC324A)	DIVERSION REQUEST REJECTED	(E_DIV_REJ)
-------	----------	----------------------------	-------------

MESSAGE	1x	R	
---HEADER	1x	R	
---FUNCTIONAL ERROR	999x	D	R123



Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE324	

MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Correlation identifier	D	an..14		TR9181

---HEADER

Diversion reference number	R	an..22		R891
Rejection date and time	R	n12		R660
Rejection Reason	O	an..350		
Rejection Reason LNG	O	a2	12	TR0099

---FUNCTIONAL ERROR

Error type	R	n2	49	R098
Error pointer	R	an..210		R098
Error reason	O	an..6		R098
Original attribute value	O	an..140		R098

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE325	

## 5. Message Structure for: IE325

IE325	(CC325A)	DIVERSION REQUEST ACKNOWLEDGEMENT	(E_DIV_ACK)
-------	----------	-----------------------------------	-------------

MESSAGE	1x	R
---HEADER	1x	R
---(FIRST ENTRY) CUSTOMS OFFICE	1x	R
---(REQUESTING DIVERSION) TRADER	1x	R

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE325	

## MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Correlation identifier	D	an..14		TR9181

## ---HEADER

Diversion reference number	R	an..22		R891
Registration date and time	R	n12		R660 R661

## ---(FIRST ENTRY) CUSTOMS OFFICE

Reference number	R	an8		
------------------	---	-----	--	--

## ---(REQUESTING DIVERSION) TRADER

Name	D	an..35		C501
Street and number	D	an..35		C501
Country	D	a2	8	C501
Postal code	D	an..9		C501
City	D	an..35		C501
NAD LNG	O	a2	12	TR0099
TIN	R	an..17		R837

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE328	

## 5. Message Structure for: IE328

IE328	(CC328A)	ENTRY SUMMARY DECLARATION ACKNOWLEDGEMENT	(E_ENS_ACK)
-------	----------	--	-------------

MESSAGE	1x	R	
--HEADER	1x	R	
--GOODS ITEM	999x	O	R134
-----PRODUCED DOCUMENTS/CERTIFICATES	99x	O	R147
-----CONTAINERS	99x	O	
----- (MEANS OF TRANSPORT AT BORDER) IDENTITY	999x	D	C019
--(LODGEMENT) CUSTOMS OFFICE	1x	O	
--(LODGING SUMMARY DECLARATION) PERSON	1x	R	
--(FIRST ENTRY) CUSTOMS OFFICE	1x	R	
--(ENTRY CARRIER) TRADER	1x	O	R134

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE328	

## MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Correlation identifier	D	an..14		TR9181

## ---HEADER

Reference number	R	an..22		R891
Document/reference number	R	an..21		
Transport mode at border	O	n..2	18	R134 R826
Nationality	D	a2	8	C024 R134
Identity of means of transport crossing border	O	an..27		C017 C514 R134
Identity of means of transport crossing border LNG	O	a2	12	TR0099
Commercial Reference Number	O	an..70		R134
Conveyance reference number	O	an..35		C518 R134 R843
Declaration registration date and time	R	n12		R660 R661

## ---GOODS ITEM

Item number	R	n..5		R005 R007
Commercial Reference Number	O	an..70		

## -----PRODUCED DOCUMENTS/CERTIFICATES

Document type	R	an..4	13	R136
Document reference	R	an..35		
Document reference LNG	O	a2	12	TR0099

## -----CONTAINERS

Container number	R	an..17		
------------------	---	--------	--	--

## ----- (MEANS OF TRANSPORT AT BORDER) IDENTITY

Nationality	D	a2	8	C020
Identity of means of transport crossing border	R	an..27		C514
Identity of means of transport crossing border LNG	O	a2	12	TR0099

## ---(LODGEMENT) CUSTOMS OFFICE

Reference number	R	an8		
------------------	---	-----	--	--

## ---(LODGING SUMMARY DECLARATION) PERSON

Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	8	C501
NAD LNG	O	a2	12	TR0099
TIN	R	an..17		R837

## ---(FIRST ENTRY) CUSTOMS OFFICE

Reference number	R	an8		
Expected date and time of arrival	O	an12		R134 R660 R666

## ---(ENTRY CARRIER) TRADER

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE328	

Name	D	an..35	C501
Street and number	D	an..35	C501
Postal code	D	an..9	C501
City	D	an..35	C501
Country code	D	a28	C501
NAD LNG	O	a212	TR0099
TIN	R	an..17	R837

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE329	

## 5. Message Structure for: IE329

IE329	(CC329A)	Δεδομένα Εισόδου	(DATA_ENT_DET)
-------	----------	------------------	----------------

MESSAGE	1x	R
---HEADER	1x	R
---(CONSIGNOR) TRADER	1x	D
---(CONSIGNEE) TRADER	1x	D
---CONTROL RESULT	1x	O
----- (ACTUAL OFFICE OF ENTRY) CUSTOMS OFFICE	1x	R
---NOTIFY PARTY	1x	D
---GOODS ITEM	999x	R
-----PRODUCED DOCUMENTS/CERTIFICATES	99x	D
-----SPECIAL MENTIONS	99x	O
----- (CONSIGNOR) TRADER	1x	D
----- (CODE) COMMODITY	1x	D
----- (CONSIGNEE) TRADER	1x	D
-----CONTAINERS	99x	O
----- (MEANS OF TRANSPORT AT BORDER) IDENTITY	999x	D
-----PACKAGES	99x	D
-----NOTIFY PARTY	1x	D
---ITINERARY	99x	D
---(LODGEMENT) CUSTOMS OFFICE	1x	O
---(REPRESENTATIVE) TRADER	1x	O
---(LODGING SUMMARY DECLARATION) PERSON	1x	R
---SEALS ID	9999x	O
---(FIRST ENTRY) CUSTOMS OFFICE	1x	R
---(SUBSEQUENT ENTRY) CUSTOMS OFFICE	99x	O
---(ENTRY CARRIER) TRADER	1x	O

<b>Message Specifications for IMPORT</b>	<b>ALIGNED TO DDNA KEL Draft Version</b>
<b>REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2</b>	
<b>Appendix Q2: Technical Message Structure</b>	
<b>5. Message Structure for: IE329</b>	

## MESSAGE

Message sender	R	an..35	
Message recipient	R	an..35	
Date of preparation	R	n6	
Time of preparation	R	n4	
Priority	O	a1	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Correlation identifier	D	an..14	

## ---HEADER

Transport mode at border	R	n..2	18	
Identity of means of transport crossing border	D	an..27		
Identity of means of transport crossing border LNG	O	a2	12	
Nationality of means of transport crossing border	O	a2	8	
Total number of items	R	n..5		
Total number of packages	D	n..7		
Total gross mass	O	n..11,3		
Declaration date	R	n8		
Declaration place	R	an..35		
Declaration place LNG	O	a2	12	
Specific Circumstance Indicator	O	a1	96	
Transport charges/ Method of Payment	O	a1	116	
Commercial Reference Number	D	an..70		
Conveyance reference number	O	an..35		
Place of loading	D	an..35		R670
Place of loading LNG	O	a2	12	
Place of unloading	O	an..35		R670
Place of unloading LNG	O	a2	12	
Arrival LRN	R	an..22		

## ---(CONSIGNOR) TRADER

Name	D	an..35		
Street and number	D	an..35		
Postal code	D	an..9		
City	D	an..35		
Country code	D	a2	8	
NAD LNG	O	a2	12	
TIN	O	an..17		

## ---(CONSIGNEE) TRADER

Name	D	an..35		
Street and number	D	an..35		
Postal code	D	an..9		
City	D	an..35		
Country code	D	a2	8	
NAD LNG	O	a2	12	
TIN	R	an..17		

## ---CONTROL RESULT

Control date	R	n8		
--------------	---	----	--	--

## ----- (ACTUAL OFFICE OF ENTRY) CUSTOMS OFFICE

Reference number	R	an8		
------------------	---	-----	--	--

## ---NOTIFY PARTY

Name	D	an..35		
Street and number	D	an..35		
Postal code	D	an..9		
City	D	an..35		



Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE329	

Country code	D	a2	8	
NAD LNG	O	a2	12	
TIN	O	an..17		
<b>---GOODS ITEM</b>				
Item number	R	n..5		
Goods description	O	an..280		
Goods description LNG	O	a2	12	
Gross mass	D	n..11,3		
Transport charges/ Method of Payment	D	a1	116	
Commercial Reference Number	D	an..70		
UN dangerous goods code	O	an4	101	
Place of loading	D	an..35		R670
Place of loading LNG	O	a2	12	
Place of unloading	D	an..35		R670
Place of unloading LNG	O	a2	12	
Customs status	O	an..5		
<b>-----PRODUCED DOCUMENTS/CERTIFICATES</b>				
Document type	R	an..4	13	
Document reference	R	an..35		
Document reference LNG	O	a2	12	
<b>-----SPECIAL MENTIONS</b>				
Additional information coded	R	an..5	39	
<b>----- (CONSIGNOR) TRADER</b>				
Name	D	an..35		
Street and number	D	an..35		
Postal code	D	an..9		
City	D	an..35		
Country code	D	a2	8	
NAD LNG	O	a2	12	
TIN	O	an..17		
<b>----- (CODE) COMMODITY</b>				
Combined Nomenclature	R	an..8		
<b>----- (CONSIGNEE) TRADER</b>				
Name	D	an..35		
Street and number	D	an..35		
Postal code	D	an..9		
City	D	an..35		
Country code	D	a2	8	
NAD LNG	O	a2	12	
TIN	D	an..17		
<b>-----CONTAINERS</b>				
Container number	R	an..17		
<b>----- (MEANS OF TRANSPORT AT BORDER) IDENTITY</b>				
Nationality	D	a2	8	
Identity of means of transport crossing border	R	an..27		
Identity of means of transport crossing border LNG	O	a2	12	
<b>-----PACKAGES</b>				
Kind of packages	R	an..3	17	
Number of packages	D	n..5		
Number of pieces	D	n..5		
Marks & numbers of packages (long)	D	an..140		
Marks & numbers of packages (long) LNG	O	a2	12	
<b>-----NOTIFY PARTY</b>				
Name	D	an..35		

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE329	

Street and number	D	an..35	
Postal code	D	an..9	
City	D	an..35	
Country code	D	a2	8
NAD LNG	O	a2	12
TIN	O	an..17	

### ---ITINERARY

Country of routing code	R	a2	8
-------------------------	---	----	---

### ---(LODGEMENT) CUSTOMS OFFICE

Reference number	R	an8	
------------------	---	-----	--

### ---(REPRESENTATIVE) TRADER

Name	D	an..35	
Street and number	D	an..35	
Postal code	D	an..9	
City	D	an..35	
Country code	D	a2	8
NAD LNG	O	a2	12
TIN	R	an..17	

### ---(LODGING SUMMARY DECLARATION) PERSON

Name	D	an..35	
Street and number	D	an..35	
Postal code	D	an..9	
City	D	an..35	
Country code	D	a2	8
NAD LNG	O	a2	12
TIN	R	an..17	

### ---SEALS ID

Seals identity	R	an..35	
Seals identity LNG	O	a2	12

### ---(FIRST ENTRY) CUSTOMS OFFICE

Reference number	R	an8	
Expected date and time of arrival	O	an12	

### ---(SUBSEQUENT ENTRY) CUSTOMS OFFICE

Reference number	R	an8	
Expected date and time of arrival	R	an12	

### ---(ENTRY CARRIER) TRADER

Name	D	an..35	
Street and number	D	an..35	
Postal code	D	an..9	
City	D	an..35	
Country code	D	a2	8
NAD LNG	O	a2	12
TIN	R	an..17	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE330	

## 5. Message Structure for: IE330

IE330	(CC330A)	Απελευθέρωση Εισόδου	(E_ENT_REL)
-------	----------	----------------------	-------------

MESSAGE	1x	R
---HEADER	1x	R
---CONTROL RESULT	1x	O
---GOODS ITEM	999x	O
-----CONTAINERS	99x	O
---SEALS ID	9999x	O
---(ACTUAL OFFICE OF ENTRY) CUSTOMS OFFICE	1x	R
---IMPORT OPERATION	99999x	R
---(ENTRY CARRIER) TRADER	1x	R

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE330	

## MESSAGE

Message sender	R	an..35	
Message recipient	R	an..35	
Date of preparation	R	n6	
Time of preparation	R	n4	
Priority	O	a1	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Correlation identifier	D	an..14	

## ---HEADER

MRN	R	an..21	
Arrival LRN	R	an..22	
Date and Time of presentation	R	n12	

## ---CONTROL RESULT

Control date	R	n8	
--------------	---	----	--

## ---GOODS ITEM

Item number	R	n..5	
Commercial Reference Number	O	an..70	

## -----CONTAINERS

Container number	R	an..17	
------------------	---	--------	--

## ---SEALS ID

Seals identity	R	an..35	
Seals identity LNG	O	a2	12

## ---(ACTUAL OFFICE OF ENTRY) CUSTOMS OFFICE

Reference number	R	an8	
------------------	---	-----	--

## ---IMPORT OPERATION

Commercial Reference Number	O	an..70	
Conveyance reference number	O	an..35	
MRN	R	an..21	
LRN	R	an..22	

## ---(ENTRY CARRIER) TRADER

Name	D	an..35	
Street and number	D	an..35	
Postal code	D	an..9	
City	D	an..35	
Country code	D	a2	8
NAD LNG	O	a2	12
TIN	R	an..17	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE340	

## 5. Message Structure for: IE340

IE340	(CC340A)	PRE-ARRIVAL NOTIFICATION	(E_PAN_DAT)
-------	----------	--------------------------	-------------

MESSAGE	1x	R
---HEADER	1x	R
---(LODGING SUMMARY DECLARATION) PERSON	1x	R
---(ACTUAL OFFICE OF ENTRY) CUSTOMS OFFICE	1x	R
---(ENTRY CARRIER) TRADER	1x	O
---(PRE-ARRIVAL) TRADER	1x	R
---PRE-ARRIVAL ITEM	99999x	R
-----TRANSPORT DOCUMENT DATA	1x	R
-----CUSTOMS DATA REFERENCE	99999x	O
-----CUSTOMS DATA REFERENCE DETAILS	999x	O
-----CONTAINERS	99x	D

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE340	

## MESSAGE

Message sender	R	an..35	
Message recipient	R	an..35	
Date of preparation	R	n6	
Time of preparation	R	n4	
Priority	O	a1	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Correlation identifier	D	an..14	

## ---HEADER

Transport mode at border	R	n..2	18
Identity of means of transport crossing border	D	an..27	
Identity of means of transport crossing border LNG	O	a2	12
Nationality of means of transport crossing border	D	a2	8
Declaration place	R	an..35	
Declaration place LNG	O	a2	12
Conveyance reference number	O	an..35	
Declaration date and time	R	n12	
Total number of containers	R	n..5	
Pre-Arrival LRN	R	an..22	

## ---(LODGING SUMMARY DECLARATION) PERSON

Name	D	an..35	
Street and number	D	an..35	
Postal code	D	an..9	
City	D	an..35	
Country code	D	a2	8
NAD LNG	O	a2	12
TIN	R	an..17	

## ---(ACTUAL OFFICE OF ENTRY) CUSTOMS OFFICE

Reference number	R	an8	
------------------	---	-----	--

## ---(ENTRY CARRIER) TRADER

Name	D	an..35	
Street and number	D	an..35	
Postal code	D	an..9	
City	D	an..35	
Country code	D	a2	8
NAD LNG	O	a2	12
TIN	R	an..17	

## ---(PRE-ARRIVAL) TRADER

Name	D	an..35	
Street and number	D	an..35	
Postal code	D	an..9	
City	D	an..35	
NAD LNG	O	a2	
TIN	R	an..17	

## ---PRE-ARRIVAL ITEM

Pre-arrival item number	R	n..5	
-------------------------	---	------	--

## -----TRANSPORT DOCUMENT DATA

Document type	R	an..4	
Transport document reference	R	an..35	
Transport Document Reference LNG	O	a2	

## -----CUSTOMS DATA REFERENCE

MRN	R	an..21	
-----	---	--------	--

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE340	

LRN	D	an..22		
Country code of Office of first Entry declared	O	a2		
Commercial Reference Number	D	an..70		
Identity of means of transport crossing border	O	an..27		
Identity of means of transport crossing border LNG	O	a2	12	
Place of loading	O	an..35		R670
Place of loading LNG	O	a2		
Place of unloading	O	an..35		R670
Place of unloading LNG	O	a2		
-----CUSTOMS DATA REFERENCE DETAILS				
MRN Item Number	R	n..5		
Commercial Reference Number	D	an..70		
Identity of means of transport crossing border	O	an..27		
Identity of means of transport crossing border LNG	O	a2	12	
Place of loading	O	an..35		R670
Place of loading LNG	O	a2		
Place of unloading	O	an..35		R670
Place of unloading LNG	O	a2		
-----CONTAINERS				
Container number	R	an..17		

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE341	

5. Message Structure for: IE341

IE341	(CC341A)	PRE-ARRIVAL NOTIFICATION VALIDATION	(E_PAN_VAL)
MESSAGE		1x	R
---HEADER		1x	R
---FUNCTIONAL ERROR		999x	D
---(ACTUAL OFFICE OF ENTRY) CUSTOMS OFFICE		1x	D
---(PRE-ARRIVAL) TRADER		1x	D



Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE341	

## MESSAGE

Message sender	R	an..35	
Message recipient	R	an..35	
Date of preparation	R	n6	
Time of preparation	R	n4	
Priority	O	a1	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Correlation identifier	D	an..14	

## ---HEADER

Pre-arrival registration date and time	D	n12	
Pre-Arrival LRN	R	an..22	
Pre-Arrival rejection date and time	D	n12	
Pre-arrival rejection reason	D	an..350	
Pre-arrival rejection reason LNG	O	a2	

## ---FUNCTIONAL ERROR

Error type	R	n2	49
Error pointer	R	an..210	
Error reason	O	an..6	
Original attribute value	O	an..140	

## ---(ACTUAL OFFICE OF ENTRY) CUSTOMS OFFICE

Reference number	R	an8	
------------------	---	-----	--

## ---(PRE-ARRIVAL) TRADER

Name	D	an..35	
Street and number	D	an..35	
Postal code	D	an..9	
City	D	an..35	
NAD LNG	O	a2	
TIN	R	an..17	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE342	

## 5. Message Structure for: IE342

IE342	(CC342A)	PRE-ARRIVAL ITEM REJECTION	(E_PAI_REJ)
-------	----------	----------------------------	-------------

MESSAGE	1x	R
---HEADER	1x	R
---FUNCTIONAL ERROR	999x	O
---PRE-ARRIVAL ITEM	99999x	R

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE342	

MESSAGE

Message sender	R	an..35	
Message recipient	R	an..35	
Date of preparation	R	n6	
Time of preparation	R	n4	
Priority	O	a1	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Correlation identifier	D	an..14	

---HEADER

Pre-Arrival LRN	R	an..22	
Pre-Arrival rejection date and time	D	n12	

---FUNCTIONAL ERROR

Error type	R	n2	49
Error pointer	R	an..210	
Error reason	O	an..6	
Original attribute value	O	an..140	

---PRE-ARRIVAL ITEM

Pre-arrival item number	R	n..5	
Pre-Arrival item rejection reason	O	an..350	
Pre-Arrival item rejection reason LNG	O	a2	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE344	

## 5. Message Structure for: IE344

IE344	(CC344A)	Υποβολή SAN	(E_SAN_ENT)
-------	----------	-------------	-------------

MESSAGE	1x	R
---HEADER	1x	R
---(SUBSEQUENT ENTRY) CUSTOMS OFFICE	1x	R
---(ENTRY CARRIER) TRADER	1x	R
---ARRIVAL ITEM	99999x	R
-----TRANSPORT DOCUMENT DATA	1x	R
-----CUSTOMS DATA REFERENCE	99999x	O
-----CUSTOMS DATA REFERENCE DETAILS	999x	D
-----IMPORT OPERATION	1x	D
-----GOODS ITEM	999x	D
------(CONSIGNOR) TRADER	1x	D
------(CONSIGNEE) TRADER	1x	D
-----NOTIFY PARTY	1x	D
-----CONTAINERS	99x	O
------(MEANS OF TRANSPORT AT BORDER) IDENTITY	999x	D
-----PACKAGES	99x	D
------(CODE) COMMODITY	1x	D
-----PREVIOUS ADMINISTRATIVE REFERENCES	9x	O
-----PRODUCED DOCUMENTS/CERTIFICATES	99x	D
-----SPECIAL MENTIONS	99x	O
------(WAREHOUSE) IDENTIFICATION	999x	R
-----SEALS ID	9999x	O
-----ITINERARY	99x	D
------(CONSIGNOR) TRADER	1x	D
------(CONSIGNEE) TRADER	1x	D
-----NOTIFY PARTY	1x	D

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE344	

## MESSAGE

Message sender	R	an..35	
Message recipient	R	an..35	
Date of preparation	R	n6	
Time of preparation	R	n4	
Priority	O	a1	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Correlation identifier	D	an..14	

## ---HEADER

Transport mode at border	R	n..2	18
Total gross mass	O	n..11,3	
Identification of the means of transport	O	an..35	
Arrival LRN	R	an..22	
Date and Time of presentation	R	n12	
Total number of arrival items	R	n..5	
Total number of arrival packages	O	n..10	
Date and time of scheduled arrival	R	n12	

## ---(SUBSEQUENT ENTRY) CUSTOMS OFFICE

Reference number	R	an8	
Expected date and time of arrival	R	an12	

## ---(ENTRY CARRIER) TRADER

Name	D	an..35	
Street and number	D	an..35	
Postal code	D	an..9	
City	D	an..35	
Country code	D	a2	8
NAD LNG	O	a2	12
TIN	R	an..17	

## ---ARRIVAL ITEM

Arrival item number	R	n..5	
---------------------	---	------	--

## -----TRANSPORT DOCUMENT DATA

Document type	R	an..4	
Transport document reference	R	an..35	
Transport Document Reference LNG	O	a2	12

## -----CUSTOMS DATA REFERENCE

MRN	R	an..21	
Country code of Office of first Entry declared	O	a2	

## -----CUSTOMS DATA REFERENCE DETAILS

MRN Item Number	R	n..5	
-----------------	---	------	--

## -----IMPORT OPERATION

Total number of items	R	n..5	
Total number of packages	D	n..7	
Commercial Reference Number	D	an..70	
Transport mode at border	R	n..2	
Nationality crossing border	O	a2	
Identity of means of transport crossing border	D	an..27	
Identity of means of transport crossing border LNG	O	a2	12
Conveyance reference number	O	an..35	
Place of loading	D	an..35	R670
Place of loading LNG	O	a2	
Place of unloading	O	an..35	R670
Place of unloading LNG	O	a2	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE344	

Total gross mass	O	n..11,3	
Specific Circumstance Indicator	O	a1	
Transport charges/ Method of Payment	O	a1	
Declaration date	R	n8	
Declaration place	R	an..35	
Declaration place LNG	O	a2	
LRN	R	an..22	
<b>-----GOODS ITEM</b>			
Item number	R	n..5	
Customs status	O	an..5	
Commercial Reference Number	D	an..70	
Goods description	O	an..280	
Goods description LNG	O	a2	
Gross mass	D	n..11,3	
UN dangerous goods code	O	an4	
Transport charges/ Method of Payment	D	a1	
Place of loading	D	an..35	R670
Place of loading LNG	O	a2	
Place of unloading	D	an..35	R670
Place of unloading LNG	O	a2	
<b>----- (CONSIGNOR) TRADER</b>			
Name	D	an..35	
Street and number	D	an..35	
Postal code	D	an..9	
City	D	an..35	
Country code	D	a2	
NAD LNG	O	a2	
TIN	O	an..17	
<b>----- (CONSIGNEE) TRADER</b>			
Name	D	an..35	
Street and number	D	an..35	
Postal code	D	an..9	
City	D	an..35	
Country code	D	a2	
NAD LNG	O	a2	
TIN	D	an..17	
<b>-----NOTIFY PARTY</b>			
Name	D	an..35	
Street and number	D	an..35	
Postal code	D	an..9	
City	D	an..35	
Country code	D	a2	
NAD LNG	O	a2	
TIN	O	an..17	
<b>-----CONTAINERS</b>			
Container number	R	an..17	
<b>----- (MEANS OF TRANSPORT AT BORDER) IDENTITY</b>			
Nationality of means of transport crossing border	R	a2	
Identity of means of transport crossing border	R	an..27	
Identity of means of transport crossing border LNG	O	a2	12
<b>-----PACKAGES</b>			
Marks & numbers of packages (long)	D	an..140	
Marks & numbers of packages (long) LNG	O	a2	
Kind of packages	R	an..3	17
Number of packages	D	n..5	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE344	

Number of pieces	D	n..5
<b>------(CODE) COMMODITY</b>		
Combined Nomenclature	R	an..8
<b>-----PREVIOUS ADMINISTRATIVE REFERENCES</b>		
Previous document type	R	an..6
Previous document reference	R	an..35
Previous document reference LNG	O	a2
Complement of information	O	an..26
Complement of information LNG	O	a2
<b>-----PRODUCED DOCUMENTS/CERTIFICATES</b>		
Document type	R	an..4
Document reference	R	an..35
Document reference LNG	O	a2
<b>-----SPECIAL MENTIONS</b>		
Additional information coded	R	an..5
<b>------(WAREHOUSE) IDENTIFICATION</b>		
Warehouse type	R	a1
Authorizing country	R	a2
Warehouse Keeper identification	D	an..21
Warehouse License	R	an19
Warehouse approval identification	O	an..35
<b>-----SEALS ID</b>		
Seals identity	R	an..20
Seals identity LNG	O	a2
<b>-----ITINERARY</b>		
Country of routing code	R	a2
<b>------(CONSIGNOR) TRADER</b>		
Name	D	an..35
Street and number	D	an..35
Postal code	D	an..9
City	D	an..35
Country code	D	a2
NAD LNG	O	a2
TIN	O	an..17
<b>------(CONSIGNEE) TRADER</b>		
Name	D	an..35
Street and number	D	an..35
Postal code	D	an..9
City	D	an..35
Country code	D	a2
NAD LNG	O	a2
TIN	D	an..17
<b>-----NOTIFY PARTY</b>		
Name	D	an..35
Street and number	D	an..35
Postal code	D	an..9
City	O	an..35
Country code	D	a2
NAD LNG	O	a2
TIN	O	an..17

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE344	



Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE345	

5. Message Structure for: IE345

IE345	(CC345A)	SUBSEQUENT ARRIVAL NOTIFICATION VALIDATION	(E_SAN_VAL)
-------	----------	---	-------------

MESSAGE		1x	R
--HEADER		1x	R
--FUNCTIONAL ERROR		999x	O
---(SUBSEQUENT ENTRY) CUSTOMS OFFICE		1x	D
---(ENTRY CARRIER) TRADER		1x	D
---ARRIVAL OPERATION		1x	R

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE345	

## MESSAGE

Message sender	R	an..35	
Message recipient	R	an..35	
Date of preparation	R	n6	
Time of preparation	R	n4	
Priority	O	a1	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Correlation identifier	D	an..14	

## ---HEADER

Arrival rejection reason	D	an..350	
Arrival rejection reason LNG	O	a2	12
Declaration registration date and time	R	n12	
Arrival registration date and time	D	n12	
MRN	R	an..21	
Arrival LRN	R	an..22	
LRN	O	an..22	
Arrival rejection date and time	D	n12	

## ---FUNCTIONAL ERROR

Error type	R	n2	49
Error pointer	R	an..210	
Error reason	O	an..6	
Original attribute value	O	an..140	

## ---(SUBSEQUENT ENTRY) CUSTOMS OFFICE

Reference number	R	an8	
------------------	---	-----	--

## ---(ENTRY CARRIER) TRADER

Name	D	an..35	
Street and number	D	an..35	
Postal code	D	an..9	
City	D	an..35	
Country code	D	a2	8
NAD LNG	O	a2	12
TIN	R	an..17	

## ---ARRIVAL OPERATION

Arrival LRN	R	an..22	
MRN	R	an..21	
Declaration registration date and time	R	n12	
Arrival registration date and time	D	n12	
Arrival rejection date and time	D	n12	
Arrival rejection reason	D	an..350	
Arrival rejection reason LNG	O	a2	
LRN	O	an..22	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE346	

5. Message Structure for: IE346

IE346	(CC346A)	SUBSEQUENT ARRIVAL ITEM REJECTION	(E_SAI_REJ)
-------	----------	-----------------------------------	-------------

MESSAGE	1x	R
---HEADER	1x	R
---FUNCTIONAL ERROR	999x	D
---IMPORT OPERATION	99999x	R

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE346	

## MESSAGE

Message sender	R	an..35	
Message recipient	R	an..35	
Date of preparation	R	n6	
Time of preparation	R	n4	
Priority	O	a1	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Correlation identifier	D	an..14	

## ---HEADER

Declaration registration date and time	R	n12	
Arrival LRN	R	an..22	

## ---FUNCTIONAL ERROR

Error type	R	n2	49
Error pointer	R	an..210	
Error reason	O	an..6	
Original attribute value	O	an..140	

## ---IMPORT OPERATION

MRN	R	an..21	
MRN Item Number	R	n..5	
Arrival item rejection reason	O	an..35	
Arrival item rejection reason LNG	O	a2	
LRN	O	an..22	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE347	

## 5. Message Structure for: IE347

IE347	(CC347A)	Υποβολή ARN	(E_ARN_ENT)
-------	----------	-------------	-------------

MESSAGE	1x	R	
---HEADER	1x	R	R822
---(ACTUAL OFFICE OF ENTRY) CUSTOMS OFFICE	1x	R	
---(ENTRY CARRIER) TRADER	1x	R	
---ARRIVAL ITEM	99999x	O	RN200
-----TRANSPORT DOCUMENT DATA	1x	R	
-----CUSTOMS DATA REFERENCE	99999x	R	
-----CUSTOMS DATA REFERENCE DETAILS	999x	D	C546
-----WAREHOUSE IDENTIFICATION	1x	D	
---WAREHOUSE IDENTIFICATION	1x	O	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE347	

## MESSAGE

Message sender	R	an..35	
Message recipient	R	an..35	
Date of preparation	R	n6	
Time of preparation	R	n4	
Priority	O	a1	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Correlation identifier	D	an..14	

## ---HEADER

Transport mode at border	R	n..2	18	
Total gross mass	O	n..11,3		
Country code of Office of first Entry declared	O	a2	10	
Identification of the means of transport	R	an..35		
Arrival LRN	R	an..22		R891
Date and Time of presentation	R	n12		
Total number of arrival items	R	n..5		CN200
Total number of arrival packages	O	n..10		
Date and time of scheduled arrival	R	n12		R660

## ---(ACTUAL OFFICE OF ENTRY) CUSTOMS OFFICE

Reference number	R	an8	
------------------	---	-----	--

## ---(ENTRY CARRIER) TRADER

Name	O	an..35		C501
Street and number	O	an..35		C501
Postal code	O	an..9		C501
City	O	an..35		C501
Country code	O	a2	8	C501
NAD LNG	O	a2	12	TR0099
TIN	R	an..17		R835

## ---ARRIVAL ITEM

Arrival item number	R	n..5		R887
---------------------	---	------	--	------

## -----TRANSPORT DOCUMENT DATA

Document type	R	an..4		R817
Transport document reference	R	an..35		
Transport Document Reference LNG	O	a2	12	TR0099

## -----CUSTOMS DATA REFERENCE

MRN	R	an..21		R889
Country code of Office of first Entry declared	O	a2		R899
Freight on Board	O	n1		

## -----CUSTOMS DATA REFERENCE DETAILS

MRN Item Number	R	n..5		
Freight on Board	O	n1		

## -----WAREHOUSE IDENTIFICATION

Warehouse type	R	a1	99	
Authorizing country	R	a2	8	
Warehouse Keeper identification	D	an..21		
Warehouse identification	R	an19		
Warehouse approval identification	O	an..35		

## ---WAREHOUSE IDENTIFICATION

Warehouse type	R	a1	99	
Authorizing country	R	a2	8	
Warehouse Keeper identification	D	an..21		
Warehouse identification	R	an19		

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE347	

Warehouse approval identification O an..35

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE348	

## 5. Message Structure for: IE348

IE348	(CC348A)	ARRIVAL NOTIFICATION VALIDATION	(E_ARN_VAL)
MESSAGE		1x	R
---HEADER		1x	R
---FUNCTIONAL ERROR		999x	D
---(FIRST ENTRY) CUSTOMS OFFICE		1x	D
---(ENTRY CARRIER) TRADER		1x	D



Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE348	

## MESSAGE

Message sender	R	an..35	
Message recipient	R	an..35	
Date of preparation	R	n6	
Time of preparation	R	n4	
Priority	O	a1	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Correlation identifier	D	an..14	

## ---HEADER

Arrival rejection reason	D	an..350	
Arrival rejection reason LNG	O	a2	12
Declaration registration date and time	R	n12	
Arrival registration date and time	D	n12	
MRN	R	an..21	
Arrival LRN	R	an..22	
LRN	O	an..22	
Arrival rejection date and time	D	n12	

## ---FUNCTIONAL ERROR

Error type	R	n2	49
Error pointer	R	an..210	
Error reason	O	an..6	
Original attribute value	O	an..140	

## ---(FIRST ENTRY) CUSTOMS OFFICE

Reference number	R	an8	
------------------	---	-----	--

## ---(ENTRY CARRIER) TRADER

Name	D	an..35	
Street and number	D	an..35	
Postal code	D	an..9	
City	D	an..35	
Country code	D	a2	8
NAD LNG	O	a2	12
TIN	R	an..17	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE349	

### 5. Message Structure for: IE349

IE349	(CC349A)	ARRIVAL ITEM REJECTION	(E_ARI_REJ)
-------	----------	------------------------	-------------

MESSAGE	1x	R
---HEADER	1x	R
---FUNCTIONAL ERROR	999x	O
---IMPORT OPERATION	99999x	R

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE349	

## MESSAGE

Message sender	R	an..35	
Message recipient	R	an..35	
Date of preparation	R	n6	
Time of preparation	R	n4	
Priority	O	a1	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Correlation identifier	D	an..14	

## ---HEADER

Arrival LRN	R	an..22	
Arrival rejection date and time	R	n12	

## ---FUNCTIONAL ERROR

Error type	R	n2	49
Error pointer	R	an..210	
Error reason	O	an..6	
Original attribute value	O	an..140	

## ---IMPORT OPERATION

MRN	R	an..21	
MRN Item Number	R	n..5	
Arrival item rejection reason	O	an..35	
Arrival item rejection reason LNG	O	a2	
LRN	O	an..22	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE351	

## 5. Message Structure for: IE351

IE351	(CC351A)	ADVANCED INTERVENTION NOTIFICATION	(E_AIV_NOT)
-------	----------	------------------------------------	-------------

MESSAGE	1x	R	
---HEADER	1x	R	
---GOODS ITEM	999x	D	C571
-----PRODUCED DOCUMENTS/CERTIFICATES	99x	O	R147
-----CONTAINERS	99x	O	R818
----- (MEANS OF TRANSPORT AT BORDER) IDENTITY	999x	O	R818
---(LODGEMENT) CUSTOMS OFFICE	1x	O	R833
---(REPRESENTATIVE) TRADER	1x	O	R895
---(LODGING SUMMARY DECLARATION) PERSON	1x	R	
---(FIRST ENTRY) CUSTOMS OFFICE	1x	R	
---(ENTRY CARRIER) TRADER	1x	O	R895
---CUSTOMS INTERVENTION	999x	R	

<b>Message Specifications for IMPORT</b>	<b>ALIGNED TO DDNA KEL Draft Version</b>
<b>REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2</b>	
<b>Appendix Q2: Technical Message Structure</b>	
<b>5. Message Structure for: IE351</b>	

## MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Correlation identifier	D	an..14		TR9181

## ---HEADER

Reference number	R	an..22		R891
Document/reference number	R	an..21		
Transport mode at border	O	n..2	18	R134 R826
Nationality	D	a2	8	C024 R134
Identity of means of transport crossing border	O	an..27		C017 C514 R134
Total number of items	R	n..5		R811
Commercial Reference Number	O	an..70		R134
Conveyance reference number	O	an..35		C518 R134 R843

Notification date and time	R	n12		R660
Declaration registration date and time	R	n12		R660 R661
Declaration Submitted Date and Time	R	n12		R660

## ---GOODS ITEM

Item number	R	n..5		R810
Commercial Reference Number	O	an..70		R134

## -----PRODUCED DOCUMENTS/CERTIFICATES

Document type	R	an..4	13	R136 R809
Document reference	R	an..35		
Document reference LNG	O	a2	12	TR0099

## -----CONTAINERS

Container number	R	an..17		R809
------------------	---	--------	--	------

## ----- (MEANS OF TRANSPORT AT BORDER) IDENTITY

Nationality	O	a2	8	
Identity of means of transport crossing border	R	an..27		C514 R809
Identity of means of transport crossing border LNG	O	a2	12	TR0099

## ---(LODGEMENT) CUSTOMS OFFICE

Reference number	R	an8		
------------------	---	-----	--	--

## ---(REPRESENTATIVE) TRADER

Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	8	C501
NAD LNG	O	a2	12	TR0099
TIN	R	an..17		R835

## ---(LODGING SUMMARY DECLARATION) PERSON

Name	D	an..35		C501
Street and number	D	an..35		C501

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE351	

Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	8	C501
NAD LNG	O	a2	12	TR0099
TIN	R	an..17		R837

### ---(FIRST ENTRY) CUSTOMS OFFICE

Reference number	R	an8		
Expected date and time of arrival	O	an12		R134 R660 R666

### ---(ENTRY CARRIER) TRADER

Name	D	an..35		C501
Street and number	D	an..35		C501
Postal code	D	an..9		C501
City	D	an..35		C501
Country code	D	a2	8	C501
NAD LNG	O	a2	12	TR0099
TIN	R	an..17		R837

### ---CUSTOMS INTERVENTION

Item Number concerned	O	n..5		R888
Customs Intervention code	R	an..4	108	
Customs Intervention text	O	an..350		
Customs Intervention LNG	O	a2	12	TR0099

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE361	

## 5. Message Structure for: IE361

IE361	(CC361A)	Ειδοποίηση Απόφασης Ελέγχου	(E_IMP_CTR)
-------	----------	-----------------------------	-------------

MESSAGE	1x	R
---HEADER	1x	R
---GOODS ITEM	999x	O
-----PRODUCED DOCUMENTS/CERTIFICATES	99x	O
-----CONTAINERS	99x	O
----- (MEANS OF TRANSPORT AT BORDER) IDENTITY	999x	O
---(ACTUAL OFFICE OF ENTRY) CUSTOMS OFFICE	1x	R
---(ENTRY CARRIER) TRADER	1x	R
---CUSTOMS INTERVENTION	999x	D

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE361	

## MESSAGE

Message sender	R	an..35	
Message recipient	R	an..35	
Date of preparation	R	n6	
Time of preparation	R	n4	
Priority	O	a1	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Correlation identifier	D	an..14	

## ---HEADER

Total number of items	R	n..5	
Commercial Reference Number	O	an..70	
Conveyance reference number	O	an..35	
MRN	R	an..21	
Arrival LRN	R	an..22	

## ---GOODS ITEM

Item number	R	n..5	
Commercial Reference Number	O	an..70	

## -----PRODUCED DOCUMENTS/CERTIFICATES

Document type	R	an..4	13
Document reference	R	an..35	
Document reference LNG	O	a2	12

## -----CONTAINERS

Container number	R	an..17	
------------------	---	--------	--

## -----((MEANS OF TRANSPORT AT BORDER) IDENTITY

Nationality	R	a2	8
Identity of means of transport crossing border	R	an..27	
Identity of means of transport crossing border LNG	O	a2	12

## ---((ACTUAL OFFICE OF ENTRY) CUSTOMS OFFICE

Reference number	R	an8	
------------------	---	-----	--

## ---((ENTRY CARRIER) TRADER

Name	D	an..35	
Street and number	D	an..35	
Postal code	D	an..9	
City	D	an..35	
Country code	D	a2	8
NAD LNG	O	a2	12
TIN	R	an..17	

## ---CUSTOMS INTERVENTION

Item Number concerned	O	n..5	
Customs Intervention code	R	an..4	108
Customs Intervention text	O	an..350	
Customs Intervention LNG	O	a2	12



Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE392	

## 5. Message Structure for: IE392

IE392	(CC392A)	Δεδομένα Ελέγχου	(CON_DAT)
-------	----------	------------------	-----------

MESSAGE	1x	R
---HEADER	1x	R

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE392	

MESSAGE

Message sender	R	an..35	
Message recipient	R	an..35	
Date of preparation	R	n6	
Time of preparation	R	n4	
Priority	O	a1	
Test indicator	O	n1	27
Message identification	R	an..14	
Message type	R	an..6	60
Correlation identifier	D	an..14	

---HEADER

MRN	R	an..21	
Document type	R	an..4	
Transport document reference	R	an..35	
Customs Office Reference Number	R	an..22	
MRN Item Number	R	n..5	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE411	

## 5. Message Structure for: IE411

IE411	(CD411C)	SENDING OF STATISTICS DATA	(C_STA_SND)
MESSAGE		1x	R
---SENDING COUNTRY		1x	R
-----SYSTEM APPLICABILITY		99x	R
-----STATISTICAL CHARACTERISTICS		999x	R
-----SERIES ELEMENTS		999x	R

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE411	

MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Correlation identifier	D	an..14		TR9181

---SENDING COUNTRY

Country code	R	a2	8	
Year	R	n4		
Month	R	an2	26	

-----SYSTEM APPLICABILITY

System code	R	n..2	136	
-------------	---	------	-----	--

-----STATISTICAL CHARACTERISTICS

Statistics type	R	an4	57	
-----------------	---	-----	----	--

-----SERIES ELEMENTS

Other country	O	a2	8	
Counter	R	n..9		R021

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE412	

## 5. Message Structure for: IE412

IE412	(CD412C)	STATISTICS GENERATED SENT TO NATIONAL DOMAIN	(C_STA_GEN)
MESSAGE		1x	R
---STATISTICAL CONSOLIDATION		1x	R
-----STATISTICAL CHARACTERISTICS		999x	R
-----SERIES ELEMENTS		999x	R

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE412	

MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Correlation identifier	D	an..14		TR9181

---STATISTICAL CONSOLIDATION

Year	R	n4		
Month	R	an2	26	
System code	R	n..2	136	

-----STATISTICAL CHARACTERISTICS

Statistics type	R	an4	57	
-----------------	---	-----	----	--

-----SERIES ELEMENTS

Counter	R	n..9		R021
Sending country code	O	a2	8	
Other country code	O	a2	8	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE906	

## 5. Message Structure for: IE906

IE906	(CD906B)	FUNCTIONAL NACK	(C_FUN_NCK)
-------	----------	-----------------	-------------

MESSAGE	1x	R
---HEADER	1x	D
---FUNCTIONAL ERROR	999x	R

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE906	

MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Correlation identifier	D	an..14		TR9181

---HEADER

Document/reference number	R	an..21		
---------------------------	---	--------	--	--

---FUNCTIONAL ERROR

Error type	R	n2	49	
Error pointer	R	an..210		
Error reason	O	an..6		
Original attribute value	O	an..140		



Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE912	

## 5. Message Structure for: IE912

IE912	(CD912B)	AVAILABILITY MATRIX	(C_AVL_MTX)
-------	----------	---------------------	-------------

MESSAGE	1x	R
---COUNTRY	1x	R
-----UNAVAILABILITY MATRIX	1x	R
-----SYSTEM UNAVAILABILITY	99x	R

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE912	

MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Correlation identifier	D	an..14		TR9181

---COUNTRY

Country code	R	a2	8	
--------------	---	----	---	--

-----UNAVAILABILITY MATRIX

Time from	R	n12		R660
Time to	R	n12		R660

-----SYSTEM UNAVAILABILITY

Business functionality	R	a1	68	
Downtime from	R	n12		R660
System unavailability type	R	a1	79	
Downtime to	D	n12		R660
Explanation	O	an..350		
Explanation LNG	O	a2	12	TR0099

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE913	

5. Message Structure for: IE913

IE913	(CD913B)	UPLOAD PARSING RESPONSE	(C_UPL_RSP)
-------	----------	-------------------------	-------------

MESSAGE	1x	R
---UPL RESPONSE	1x	R
---UPL ERROR	9999x	O

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE913	

MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Correlation identifier	D	an..14		TR9181

---UPL RESPONSE

Original message identification	R	an..14		
Status	R	a..8		
Description	O	an..210		

---UPL ERROR

Action identification	R	an..20		
Attribute path	O	an..140		
Code	R	an..8		
Description	O	an..210		

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE914	

## 5. Message Structure for: IE914

IE914	(CD914B)	COL REQUEST	(C_COL_REQ)
-------	----------	-------------	-------------

MESSAGE	1x	R
---HEADER	1x	O

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE914	

MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Correlation identifier	D	an..14		TR9181

---HEADER

Period from date	O	n8		
Period to date	O	n8		
Extraction	O	n1	27	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE916	

5. Message Structure for: IE916

IE916	(CD916B)	COMMON RD REQUEST	(C_REF_REQ)
-------	----------	-------------------	-------------

MESSAGE	1x	R
---HEADER	1x	O

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE916	

MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Correlation identifier	D	an..14		TR9181

---HEADER

Period from date	O	n8		
Period to date	O	n8		
Extraction	O	n1	27	



Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE917	

5. Message Structure for: IE917

IE917	(CD917B)	XML NACK	(C_XML_NCK)
-------	----------	----------	-------------

MESSAGE	1x	R	
---HEADER	1x	D	TR1007
-----ENTRY KEY	1x	D	TR9205
---XML ERROR	999x	R	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE917	

MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Correlation identifier	D	an..14		TR9181

---HEADER

Document/reference number	D	an..21		TR9205
---------------------------	---	--------	--	--------

-----ENTRY KEY

Expected date of arrival	O	n8		R030
Transport mode at border	R	n..2	18	
Identification of the means of transport	O	an..35		

---XML ERROR

Error Location	O	an..350		
Error Line Number	R	n..9		R021
Error Column Number	R	n..9		R021
Error Reason	R	an..350		
Original attribute value	O	an..350		
Error Code	R	n2	30	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE931	

## 5. Message Structure for: IE931

IE931	(CD931C)	COL DATA	(C_COL_DAT)
-------	----------	----------	-------------

MESSAGE	1x	R
---CUSTOMS OFFICE INFORMATION	99999x	O
-----ACTION	1x	R
------(DEDICATED) TRADER	99x	O
-----CUSTOMS OFFICE SPECIFIC NOTES	99x	O
-----CUSTOMS OFFICE LSD	9x	R
-----CUSTOMS OFFICE TIMETABLE	9x	O
-----CUSTOMS OFFICE TIMETABLE LINE	99x	R
-----CUSTOMS OFFICE ROLE / TRAFFIC COMPETENCE	99x	R
---COUNTRY/REGION	9999x	O
-----ACTION	1x	R
-----COUNTRY/REGION LSD	9x	R
-----COUNTRY/REGION HOLIDAYS	99x	O
-----COUNTRY/REGION HOLIDAYS LSD	9x	R
---COUNTRY HOLIDAYS	9999x	O
-----ACTION	1x	R
-----COUNTRY HOLIDAYS DATA	99x	R
-----COUNTRY HOLIDAYS DATA LSD	9x	R

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE931	

## MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Correlation identifier	D	an..14		TR9181

## ---CUSTOMS OFFICE INFORMATION

Reference number	R	an8		
Reference number main office	O	an8		
Reference number higher authority	O	an8		
Reference number take-over	D	an8		
Reference number Competent Authority of Enquiry	O	an8		
Reference number Competent Authority of Recovery	O	an8		
Country code	R	a2		
UN/LOCODE id	O	a3		
Region code	O	an..3		
NCTS entry date	O	n8		
Nearest office	D	an..175		
Nearest office LNG	O	a2	12	TR0099
Postal code	R	an..9		
Phone number	O	an..35		
Fax Number	O	an..35		
Telex number	O	an..35		
E-mail address	O	an..70		
Geo info code	O	an..6	15	
Trader dedicated	R	n1	27	

## -----ACTION

Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Action identification	R	an..20		

## ----- (DEDICATED) TRADER

Name	R	an..35		
Language code	R	a2	12	
TIN	O	an..17		

## -----CUSTOMS OFFICE SPECIFIC NOTES

Specific notes code	R	an..6	67	
---------------------	---	-------	----	--

## -----CUSTOMS OFFICE LSD

Language code	R	a2	12	
Customs office usual name	R	an..35		
Customs office usual name LNG	O	a2	12	TR0099
Street and number	R	an..35		
Street and number LNG	O	a2	12	TR0099
City	R	an..35		
City LNG	O	a2	12	TR0099
Prefix-suffix level	O	an1	53	
Prefix-suffix flag	R	n1	27	
Prefix-suffix name	O	an..35		
Prefix-suffix name LNG	O	a2	12	TR0099
Space to add	R	n1	27	

## -----CUSTOMS OFFICE TIMETABLE

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE931	

Season code	R	n1		
Season name	O	an..35		
Season name LNG	O	a2	12	TR0099
Season start date	R	n8		
Season end date	R	n8		

#### -----CUSTOMS OFFICE TIMETABLE LINE

Day in the week (begin day)	R	n1	105	
Opening hours time first period from	R	n4		
Opening hours time first period to	R	n4		
Day in the week (end day)	R	n1	105	
Opening hours time second period from	O	n4		
Opening hours time second period to	O	n4		

#### -----CUSTOMS OFFICE ROLE / TRAFFIC COMPETENCE

Role	R	an..3	56	
Traffic type	R	an..3	20	

#### ---COUNTRY/REGION

Country code	R	a2		
Country/region code	R	an..3		

#### -----ACTION

Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Action identification	R	an..20		

#### -----COUNTRY/REGION LSD

Language code	R	a2	12	
Country/region name	R	an..35		
Country/region name LNG	O	a2	12	TR0099

#### -----COUNTRY/REGION HOLIDAYS

Variable holiday date	R	n1	27	
Day	R	an2		
Month	R	an2	26	
Year	D	n4		

#### -----COUNTRY/REGION HOLIDAYS LSD

Language code	R	a2	12	
Public holiday name	R	an..35		
Public holiday name LNG	O	a2	12	TR0099

#### ---COUNTRY HOLIDAYS

Country code	R	a2		
Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Action identification	R	an..20		

#### -----COUNTRY HOLIDAYS DATA

Variable holiday date	R	n1	27	
Day	R	an2		
Month	R	an2	26	
Year	D	n4		

#### -----COUNTRY HOLIDAYS DATA LSD

Language code	R	a2	12	
Public holiday name	R	an..35		
Public holiday name LNG	O	a2	12	TR0099

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE931	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE932	

## 5. Message Structure for: IE932

IE932	(CD932C)	COMMON RD DATA	(C_REF_DAT)
MESSAGE		1x	R
---RESULTS OF CONTROL		99999x	O
-----LANGUAGE SPECIFIC DATA		99x	R
-----ACTION		1x	R
---AMENDMENT REJECTION MOTIVATION		99999x	O
-----LANGUAGE SPECIFIC DATA		99x	R
-----ACTION		1x	R
---AAR/AER REJECTION REASON		99999x	O
-----LANGUAGE SPECIFIC DATA		99x	R
-----ACTION		1x	R
---ATR REJECTION REASON		99999x	O
-----LANGUAGE SPECIFIC DATA		99x	R
-----ACTION		1x	R
---CONTROL RESULT CODE		99999x	O
-----ACTION		1x	R
-----LANGUAGE SPECIFIC DATA		99x	R
---COUNTRY		99999x	O
-----ACTION		1x	R
-----LANGUAGE SPECIFIC DATA		99x	R
---COUNTRY REGIME		99999x	O
-----ACTION		1x	R
-----LANGUAGE SPECIFIC DATA		99x	R
---CUSTOMS OFFICE GEO INFO		99999x	O
-----ACTION		1x	R
-----LANGUAGE SPECIFIC DATA		99x	R
---CURRENCY CODE		99999x	O
-----ACTION		1x	R
-----LANGUAGE SPECIFIC DATA		99x	R
---DISCREPANCIES SOLVED NOTIFICATION		99999x	O
-----LANGUAGE SPECIFIC DATA		99x	R
-----ACTION		1x	R
---DIVERSION REJECTION REASON		99999x	O
-----LANGUAGE SPECIFIC DATA		99x	R
-----ACTION		1x	R
---DOCUMENT TYPE		99999x	O
-----ACTION		1x	R
-----LANGUAGE SPECIFIC DATA		99x	R
---GUARANTEE TYPE		99999x	O
-----ACTION		1x	R
-----LANGUAGE SPECIFIC DATA		99x	R
---GUARANTEE MONITORING		99999x	O
-----ACTION		1x	R
-----LANGUAGE SPECIFIC DATA		99x	R
---INVALID GUARANTEE REASON		99999x	O
-----ACTION		1x	R
-----LANGUAGE SPECIFIC DATA		99x	R
---LANGUAGE CODE		99999x	O
-----ACTION		1x	R
-----LANGUAGE SPECIFIC DATA		99x	R
---PACKAGING CODE		99999x	O
-----ACTION		1x	R
-----LANGUAGE SPECIFIC DATA		99x	R
---ROLE		99999x	O

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE932	

-----ACTION	1x	R
-----LANGUAGE SPECIFIC DATA	99x	R
--SENSITIVE GOODS CODE	99999x	O
-----ACTION	1x	R
-----LANGUAGE SPECIFIC DATA	99x	R
--SPECIAL MENTION CODE	99999x	O
-----ACTION	1x	R
-----LANGUAGE SPECIFIC DATA	99x	R
--STATISTICS TYPE	99999x	O
-----ACTION	1x	R
-----LANGUAGE SPECIFIC DATA	99x	R
--TRAFFIC TYPE	99999x	O
-----ACTION	1x	R
-----LANGUAGE SPECIFIC DATA	99x	R
--CUSTOMS OPERATION STATE TYPE	99999x	O
-----ACTION	1x	R
-----LANGUAGE SPECIFIC DATA	99x	R
--UNIT OF MEASURE	99999x	O
-----ACTION	1x	R
-----LANGUAGE SPECIFIC DATA	99x	R
--UN/LOCODE	99999x	O
-----ACTION	1x	R
--TRANSPORT MODE	99999x	O
-----ACTION	1x	R
-----LANGUAGE SPECIFIC DATA	99x	R
--QUERY ON GUARANTEE TYPE	99999x	O
-----ACTION	1x	R
-----LANGUAGE SPECIFIC DATA	99x	R
--SPECIFIC NOTES CODE	99999x	O
-----ACTION	1x	R
-----LANGUAGE SPECIFIC DATA	99x	R
--COMPLEMENTARY CODE	99999x	O
-----LANGUAGE SPECIFIC DATA	99x	R
-----ACTION	1x	R
--EXPORT QUERY REASON CODE	99999x	O
-----LANGUAGE SPECIFIC DATA	99x	R
-----ACTION	1x	R
--INCOTERM CODE	99999x	O
-----LANGUAGE SPECIFIC DATA	99x	R
-----ACTION	1x	R
--NATURE OF TRANSACTION CODE	99999x	O
-----LANGUAGE SPECIFIC DATA	99x	R
-----ACTION	1x	R
--PROCEDURE REQUESTED	99999x	O
-----LANGUAGE SPECIFIC DATA	99x	R
-----ACTION	1x	R
--PREVIOUS PROCEDURE	99999x	O
-----LANGUAGE SPECIFIC DATA	99x	R
-----ACTION	1x	R
--REPRESENTATIVE STATUS CODE	99999x	O
-----LANGUAGE SPECIFIC DATA	99x	R
-----ACTION	1x	R
--RISK ANALYSIS RESULT CODE	99999x	O
-----ACTION	1x	R
-----LANGUAGE SPECIFIC DATA	99x	R
--SPECIFIC CIRCUMSTANCE INDICATOR	99999x	O
-----LANGUAGE SPECIFIC DATA	99x	R



Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE932	

-----ACTION	1x	R	
--SUMMARY DECLARATION REJECTION REASON CODE	99999x	O	
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
--TYPE OF TAX	99999x	O	
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
--WAREHOUSE TYPE	99999x	O	
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
--UN DANGEROUS GOODS CODE	99999x	O	
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
--COMMUNITY NATIONAL PROCEDURE	99999x	O	
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
--PREVIOUS DOCUMENT CATEGORY	99999x	O	
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
--METHOD OF PAYMENT	99999x	O	
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
--TRANSPORT CHARGES METHOD OF PAYMENT	99999x	O	
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
--DECLARATION TYPE	99999x	O	
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
--DECLARATION TYPE (BOX 1.2)	99999x	O	
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
--INFORMATION	99999x	O	
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
--PREVIOUS DOCUMENT TYPE	99999x	O	
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
--REQUESTED INFORMATION	99999x	O	
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
--ITEM NUMBER REJECTION REASON CODE	99999x	O	
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
--CUSTOMS INTERVENTION	99999x	O	
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
--INFORMATION TYPE	99999x	O	
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
--RESPONSE CODE	99999x	O	
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
--EORI-AEO VAT MS COUNTRY CODE	99999x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
--ECONOMIC SECTOR OF ACTIVITY	99999x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE932	

-----ACTION	1x	R	
--TYPE OF PERSON	99999x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
--AEO CERTIFICATE TYPE	99999x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
--EORI-AEO ERROR	99999x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
--CRITERIA	99999x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
--CUSTOMS PROCEDURE	99999x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
--REJECTION REASON	99999x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
--SUSPENSION REASON	99999x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
--REVOCATION REASON	99999x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
--INITIATOR	99999x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
--ACTIVITY	99999x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
--PROCESS	99999x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
--TIMER	99999x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
--STATE	99999x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
--EXTENSION REASON	99999x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
--CRITERION RESULT	99999x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
--REASSESSMENT REASON	99999x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE932	

## MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Correlation identifier	D	an..14		TR9181

## ---RESULTS OF CONTROL

Control indicator	R	an2	41	
-------------------	---	-----	----	--

## -----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

## -----ACTION

Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		

## ---AMENDMENT REJECTION MOTIVATION

Amendment rejection motivation code	R	n1	45	
-------------------------------------	---	----	----	--

## -----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

## -----ACTION

Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		

## ---AAR/AER REJECTION REASON

AAR/AER rejection reason code	R	n..2	43	
-------------------------------	---	------	----	--

## -----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

## -----ACTION

Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		

## ---ATR REJECTION REASON

ATR rejection reason code	R	n..2	44	
---------------------------	---	------	----	--

## -----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
---------------	---	----	----	--

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE932	

Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>-----ACTION</b>				
Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		
<b>---CONTROL RESULT CODE</b>				
Control result code	R	an2	47	
<b>-----ACTION</b>				
Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>---COUNTRY</b>				
Country code	R	a2	8	
TCC entry date	R	n8		
NCTS entry date	R	n8		
Geo-nomenclature code	O	n3	16	
Country regime code	R	an3	11	
<b>-----ACTION</b>				
Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>---COUNTRY REGIME</b>				
Country regime code	R	an3	11	
<b>-----ACTION</b>				
Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>---CUSTOMS OFFICE GEO INFO</b>				
Geo info code	R	an..6	15	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE932	

#### -----ACTION

Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		

#### -----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

#### ---CURRENCY CODE

Currency	R	an3	48	
Rate value	R	n..8,6		

#### -----ACTION

Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		

#### -----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

#### ---DISCREPANCIES SOLVED NOTIFICATION

Discrepancies solved notification code	R	an..2	69	
--	---	-------	----	--

#### -----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

#### -----ACTION

Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		

#### ---DIVERSION REJECTION REASON

Diversion rejection reason code	R	n..2	46	
---------------------------------	---	------	----	--

#### -----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

#### -----ACTION

Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		

#### ---DOCUMENT TYPE

Document type	R	an..4	13	
---------------	---	-------	----	--

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE932	

Transport document	R	n1	27	
<b>-----ACTION</b>				
Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..350		
Language specific data LNG	O	a2	12	TR0099
<b>---GUARANTEE TYPE</b>				
Guarantee type	R	an1	51	
<b>-----ACTION</b>				
Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>---GUARANTEE MONITORING</b>				
Guarantee monitoring code	R	n1	50	
<b>-----ACTION</b>				
Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>---INVALID GUARANTEE REASON</b>				
Invalid guarantee reason code	R	an..3	52	
<b>-----ACTION</b>				
Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>---LANGUAGE CODE</b>				
Language code	R	a2	12	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE932	

#### -----ACTION

Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		

#### -----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

#### ---PACKAGING CODE

Kind of packages	R	an..3	17	
------------------	---	-------	----	--

#### -----ACTION

Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		

#### -----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

#### ---ROLE

Role	R	an..3	56	
------	---	-------	----	--

#### -----ACTION

Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		

#### -----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

#### ---SENSITIVE GOODS CODE

Commodity code (taric code)	R	an..6	62	
Sensitive goods code	O	n..2	64	
Reference quantity	O	n..6		
Unit of measure code	O	an..3	59	
EEC territory limitation	R	n1	27	

#### -----ACTION

Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		

#### -----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

<b>Message Specifications for IMPORT</b>	<b>ALIGNED TO DDNA KEL Draft Version</b>
<b>REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2</b>	
<b>Appendix Q2: Technical Message Structure</b>	
<b>5. Message Structure for: IE932</b>	

## ---SPECIAL MENTION CODE

Additional information coded	R	an..5	39	
------------------------------	---	-------	----	--

### -----ACTION

Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		

### -----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

## ---STATISTICS TYPE

Statistics type	R	an..4		
-----------------	---	-------	--	--

### -----ACTION

Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		

### -----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

## ---TRAFFIC TYPE

Traffic type	R	an..3	20	
--------------	---	-------	----	--

### -----ACTION

Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		

### -----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

## ---CUSTOMS OPERATION STATE TYPE

Customs Operation State Types	R	an..3	58	
-------------------------------	---	-------	----	--

### -----ACTION

Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		

### -----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

## ---UNIT OF MEASURE



Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE932	

Unit of measure code	R	an..3	59	
<b>-----ACTION</b>				
Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>---UN/LOCODE</b>				
Country code	R	a2	8	
UN/LOCODE id	R	a3		
UN/LOCODE name	R	an..29		
<b>-----ACTION</b>				
Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		
<b>---TRANSPORT MODE</b>				
Transport mode	R	n..2	18	
<b>-----ACTION</b>				
Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>---QUERY ON GUARANTEE TYPE</b>				
Query identifier	R	n1	54	
<b>-----ACTION</b>				
Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>---SPECIFIC NOTES CODE</b>				
Specific notes code	R	an..6	67	
<b>-----ACTION</b>				
Operation	R	a1	24	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE932	

Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..350		
Language specific data LNG	O	a2	12	TR0099
<b>---COMPLEMENTARY CODE</b>				
Complementary code	R	n1	86	
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>-----ACTION</b>				
Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		
<b>---EXPORT QUERY REASON CODE</b>				
Export_Query Reason Code	R	an..3	89	
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>-----ACTION</b>				
Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		
<b>---INCOTERM CODE</b>				
Incoterm Code	R	a3	90	
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>-----ACTION</b>				
Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		
<b>---NATURE OF TRANSACTION CODE</b>				
Nature of transaction code	R	n..2	91	
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..350		

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE932	

Language specific data LNG	O	a2	12	TR0099
<b>-----ACTION</b>				
Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		
<b>---PROCEDURE REQUESTED</b>				
Procedure requested	R	an2	92	
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..350		
Language specific data LNG	O	a2	12	TR0099
<b>-----ACTION</b>				
Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		
<b>---PREVIOUS PROCEDURE</b>				
Previous Procedure	R	an2	93	
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..350		
Language specific data LNG	O	a2	12	TR0099
<b>-----ACTION</b>				
Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		
<b>---REPRESENTATIVE STATUS CODE</b>				
Representative status code	R	n1	94	
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>-----ACTION</b>				
Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		
<b>---RISK ANALYSIS RESULT CODE</b>				
Risk Analysis result code	R	an1	95	
<b>-----ACTION</b>				
Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE932	

Legal references	O	an..70	
Responsible data manager	O	an..35	
Action identification	R	an..20	
<b>-----LANGUAGE SPECIFIC DATA</b>			
Language code	R	a2	12
Description	R	an..140	
Language specific data LNG	O	a2	12 TR0099
<b>---SPECIFIC CIRCUMSTANCE INDICATOR</b>			
Specific Circumstance Indicator	R	a1	96
<b>-----LANGUAGE SPECIFIC DATA</b>			
Language code	R	a2	12
Description	R	an..140	
Language specific data LNG	O	a2	12 TR0099
<b>-----ACTION</b>			
Operation	R	a1	24
Validity date	D	n8	
Modification subtype	D	n1	
Legal references	O	an..70	
Responsible data manager	O	an..35	
Action identification	R	an..20	
<b>---SUMMARY DECLARATION REJECTION REASON CODE</b>			
Summary Declaration rejection reason code	R	n..2	97
<b>-----ACTION</b>			
Operation	R	a1	24
Validity date	D	n8	
Modification subtype	D	n1	
Legal references	O	an..70	
Responsible data manager	O	an..35	
Action identification	R	an..20	
<b>-----LANGUAGE SPECIFIC DATA</b>			
Language code	R	a2	12
Description	R	an..140	
Language specific data LNG	O	a2	12 TR0099
<b>---TYPE OF TAX</b>			
Type of tax	R	an3	98
<b>-----LANGUAGE SPECIFIC DATA</b>			
Language code	R	a2	12
Description	R	an..140	
Language specific data LNG	O	a2	12 TR0099
<b>-----ACTION</b>			
Operation	R	a1	24
Validity date	D	n8	
Modification subtype	D	n1	
Legal references	O	an..70	
Responsible data manager	O	an..35	
Action identification	R	an..20	
<b>---WAREHOUSE TYPE</b>			
Warehouse type	R	a1	99
<b>-----ACTION</b>			
Operation	R	a1	24
Validity date	D	n8	
Modification subtype	D	n1	
Legal references	O	an..70	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE932	

Responsible data manager	O	an..35	
Action identification	R	an..20	
<b>-----LANGUAGE SPECIFIC DATA</b>			
Language code	R	a2	12
Description	R	an..140	
Language specific data LNG	O	a2	12 TR0099
<b>---UN DANGEROUS GOODS CODE</b>			
UN dangerous goods code	R	an4	101
<b>-----LANGUAGE SPECIFIC DATA</b>			
Language code	R	a2	12
Description	R	an..350	
Language specific data LNG	O	a2	12 TR0099
<b>-----ACTION</b>			
Operation	R	a1	24
Validity date	D	n8	
Modification subtype	D	n1	
Legal references	O	an..70	
Responsible data manager	O	an..35	
Action identification	R	an..20	
<b>---COMMUNITY NATIONAL PROCEDURE</b>			
Community / National Procedure	R	an3	102
<b>-----LANGUAGE SPECIFIC DATA</b>			
Language code	R	a2	12
Description	R	an..350	
Language specific data LNG	O	a2	12 TR0099
<b>-----ACTION</b>			
Operation	R	a1	24
Validity date	D	n8	
Modification subtype	D	n1	
Legal references	O	an..70	
Responsible data manager	O	an..35	
Action identification	R	an..20	
<b>---PREVIOUS DOCUMENT CATEGORY</b>			
Previous Document Category	R	a1	103
<b>-----LANGUAGE SPECIFIC DATA</b>			
Language code	R	a2	12
Description	R	an..140	
Language specific data LNG	O	a2	12 TR0099
<b>-----ACTION</b>			
Operation	R	a1	24
Validity date	D	n8	
Modification subtype	D	n1	
Legal references	O	an..70	
Responsible data manager	O	an..35	
Action identification	R	an..20	
<b>---METHOD OF PAYMENT</b>			
Method of payment	R	a1	104
<b>-----ACTION</b>			
Operation	R	a1	24
Validity date	D	n8	
Modification subtype	D	n1	
Legal references	O	an..70	
Responsible data manager	O	an..35	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE932	

Action identification	R	an..20	
<b>-----LANGUAGE SPECIFIC DATA</b>			
Language code	R	a2	12
Description	R	an..140	
Language specific data LNG	O	a2	12 TR0099
<b>---TRANSPORT CHARGES METHOD OF PAYMENT</b>			
Transport charges/ Method of Payment	R	a1	116
<b>-----ACTION</b>			
Operation	R	a1	24
Validity date	D	n8	
Modification subtype	D	n1	
Legal references	O	an..70	
Responsible data manager	O	an..35	
Action identification	R	an..20	
<b>-----LANGUAGE SPECIFIC DATA</b>			
Language code	R	a2	12
Description	R	an..140	
Language specific data LNG	O	a2	12 TR0099
<b>---DECLARATION TYPE</b>			
Type of declaration	R	an..9	31
<b>-----ACTION</b>			
Operation	R	a1	24
Validity date	D	n8	
Modification subtype	D	n1	
Legal references	O	an..70	
Responsible data manager	O	an..35	
Action identification	R	an..20	
<b>-----LANGUAGE SPECIFIC DATA</b>			
Language code	R	a2	12
Description	R	an..140	
Language specific data LNG	O	a2	12 TR0099
<b>---DECLARATION TYPE (BOX 1.2)</b>			
Type of declaration (Box 1.2)	R	a1	87
<b>-----ACTION</b>			
Operation	R	a1	24
Validity date	D	n8	
Modification subtype	D	n1	
Legal references	O	an..70	
Responsible data manager	O	an..35	
Action identification	R	an..20	
<b>-----LANGUAGE SPECIFIC DATA</b>			
Language code	R	a2	12
Description	R	an..140	
Language specific data LNG	O	a2	12 TR0099
<b>---INFORMATION</b>			
Information Code	R	n2	119
<b>-----ACTION</b>			
Operation	R	a1	24
Validity date	D	n8	
Modification subtype	D	n1	
Legal references	O	an..70	
Responsible data manager	O	an..35	
Action identification	R	an..20	

<b>Message Specifications for IMPORT</b>	<b>ALIGNED TO DDNA KEL Draft Version</b>
<b>REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2</b>	
<b>Appendix Q2: Technical Message Structure</b>	
<b>5. Message Structure for: IE932</b>	

#### -----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

#### ---PREVIOUS DOCUMENT TYPE

Previous document type	R	an..6	14	
------------------------	---	-------	----	--

#### -----ACTION

Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		

#### -----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

#### ---REQUESTED INFORMATION

Requested Information Code	R	n1	118	
----------------------------	---	----	-----	--

#### -----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

#### -----ACTION

Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		

#### ---ITEM NUMBER REJECTION REASON CODE

Item number rejection reason code	R	n..2	106	
-----------------------------------	---	------	-----	--

#### -----ACTION

Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		

#### -----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

#### ---CUSTOMS INTERVENTION

Customs Intervention code	R	an..4	108	
---------------------------	---	-------	-----	--

#### -----ACTION

Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		

#### -----LANGUAGE SPECIFIC DATA

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE932	

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>---INFORMATION TYPE</b>				
Information type	R	n..2	109	
<b>-----ACTION</b>				
Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>---RESPONSE CODE</b>				
Response Code	R	n..2	29	
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
<b>-----ACTION</b>				
Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		
<b>---EORI-AEO VAT MS COUNTRY CODE</b>				
VAT MS country code	R	a2	113	
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..350		
Language specific data LNG	O	a2	12	TR0099
<b>-----ACTION</b>				
Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		
<b>---ECONOMIC SECTOR OF ACTIVITY</b>				
Economic sector of activity code	R	an..4	114	
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..350		
Language specific data LNG	O	a2	12	TR0099
<b>-----ACTION</b>				
Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		



Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE932	

Responsible data manager	O	an..35	
Action identification	R	an..20	
<b>---TYPE OF PERSON</b>			
Type of person code	R	n1	115
<b>-----LANGUAGE SPECIFIC DATA</b>			
Language code	R	a2	12
Description	R	an..350	
Language specific data LNG	O	a2	12 TR0099
<b>-----ACTION</b>			
Operation	R	a1	24
Validity date	D	n8	
Modification subtype	D	n1	
Legal references	O	an..70	
Responsible data manager	O	an..35	
Action identification	R	an..20	
<b>---AEO CERTIFICATE TYPE</b>			
AEO certificate type code	R	an4	120
<b>-----LANGUAGE SPECIFIC DATA</b>			
Language code	R	a2	12
Description	R	an..350	
Language specific data LNG	O	a2	12 TR0099
<b>-----ACTION</b>			
Operation	R	a1	24
Validity date	D	n8	
Modification subtype	D	n1	
Legal references	O	an..70	
Responsible data manager	O	an..35	
Action identification	R	an..20	
<b>---EORI-AEO ERROR</b>			
EORI-AEO Error code	R	an..50	121
<b>-----LANGUAGE SPECIFIC DATA</b>			
Language code	R	a2	12
Description	R	an..350	
Language specific data LNG	O	a2	12 TR0099
<b>-----ACTION</b>			
Operation	R	a1	24
Validity date	D	n8	
Modification subtype	D	n1	
Legal references	O	an..70	
Responsible data manager	O	an..35	
Action identification	R	an..20	
<b>---CRITERIA</b>			
Criteria code	R	an..3	122
<b>-----LANGUAGE SPECIFIC DATA</b>			
Language code	R	a2	12
Description	R	an..350	
Language specific data LNG	O	a2	12 TR0099
<b>-----ACTION</b>			
Operation	R	a1	24
Validity date	D	n8	
Modification subtype	D	n1	
Legal references	O	an..70	
Responsible data manager	O	an..35	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE932	

Action identification	R	an..20	
<b>---CUSTOMS PROCEDURE</b>			
Customs procedure code	R	an..5	123
<b>-----LANGUAGE SPECIFIC DATA</b>			
Language code	R	a2	12
Description	R	an..350	
Language specific data LNG	O	a2	12 TR0099
<b>-----ACTION</b>			
Operation	R	a1	24
Validity date	D	n8	
Modification subtype	D	n1	
Legal references	O	an..70	
Responsible data manager	O	an..35	
Action identification	R	an..20	
<b>---REJECTION REASON</b>			
Rejection reason code	R	an1	124
<b>-----LANGUAGE SPECIFIC DATA</b>			
Language code	R	a2	12
Description	R	an..350	
Language specific data LNG	O	a2	12 TR0099
<b>-----ACTION</b>			
Operation	R	a1	24
Validity date	D	n8	
Modification subtype	D	n1	
Legal references	O	an..70	
Responsible data manager	O	an..35	
Action identification	R	an..20	
<b>---SUSPENSION REASON</b>			
Suspension reason code	R	an1	125
Light client excluded	R	n1	27
<b>-----LANGUAGE SPECIFIC DATA</b>			
Language code	R	a2	12
Description	R	an..350	
Language specific data LNG	O	a2	12 TR0099
<b>-----ACTION</b>			
Operation	R	a1	24
Validity date	D	n8	
Modification subtype	D	n1	
Legal references	O	an..70	
Responsible data manager	O	an..35	
Action identification	R	an..20	
<b>---REVOCATION REASON</b>			
Revocation reason code	R	an1	126
Light client excluded	R	n1	27
<b>-----LANGUAGE SPECIFIC DATA</b>			
Language code	R	a2	12
Description	R	an..350	
Language specific data LNG	O	a2	12 TR0099
<b>-----ACTION</b>			
Operation	R	a1	24
Validity date	D	n8	
Modification subtype	D	n1	
Legal references	O	an..70	

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE932	

Responsible data manager	O	an..35		
Action identification	R	an..20		
<b>---INITIATOR</b>				
Initiator code	R	an1	127	
Light client excluded	R	n1	27	
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..350		
Language specific data LNG	O	a2	12	TR0099
<b>-----ACTION</b>				
Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		
<b>---ACTIVITY</b>				
Activity code	R	an1	128	
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..350		
Language specific data LNG	O	a2	12	TR0099
<b>-----ACTION</b>				
Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		
<b>---PROCESS</b>				
Process code	R	an1	129	
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..350		
Language specific data LNG	O	a2	12	TR0099
<b>-----ACTION</b>				
Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		
<b>---TIMER</b>				
Timer code	R	an1	130	
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..350		
Language specific data LNG	O	a2	12	TR0099
<b>-----ACTION</b>				
Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE932	

Responsible data manager	O	an..35		
Action identification	R	an..20		
<b>---STATE</b>				
State code	R	an1	131	
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..350		
Language specific data LNG	O	a2	12	TR0099
<b>-----ACTION</b>				
Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		
<b>---EXTENSION REASON</b>				
Extension reason code	R	an2	132	
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..350		
Language specific data LNG	O	a2	12	TR0099
<b>-----ACTION</b>				
Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		
<b>---CRITERION RESULT</b>				
Criterion result code	R	n1	133	
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..350		
Language specific data LNG	O	a2	12	TR0099
<b>-----ACTION</b>				
Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		
<b>---REASSESSMENT REASON</b>				
Reassessment reason code	R	n1	134	
<b>-----LANGUAGE SPECIFIC DATA</b>				
Language code	R	a2	12	
Description	R	an..350		
Language specific data LNG	O	a2	12	TR0099
<b>-----ACTION</b>				
Operation	R	a1	24	
Validity date	D	n8		
Modification subtype	D	n1		
Legal references	O	an..70		
Responsible data manager	O	an..35		

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE932	

Action identification

R

an..20

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE971	

5. Message Structure for: IE971

IE971	(CD971B)	FULL UNAVAILABILITY SCHEDULE	(C_UNA_DAT)
-------	----------	------------------------------	-------------

MESSAGE	1x	R
---COUNTRY	99x	O
-----ACTION	9x	R
-----SYSTEM UNAVAILABILITY	99x	R

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Message Structure for: IE971	

MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Correlation identifier	D	an..14		TR9181

---COUNTRY

Country code	R	a2	8	
--------------	---	----	---	--

-----ACTION

Operation	R	a1	24	
-----------	---	----	----	--

-----SYSTEM UNAVAILABILITY

Business functionality	R	a1	68	
Downtime from	R	n12		R660
System unavailability type	R	a1	79	
Downtime to	D	n12		R660
Explanation	O	an..350		
Explanation LNG	O	a2	12	TR0099

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Rules/Conditions index	

## 5. Rules/Conditions index

C005	IF first digit of "Inland mode of transport" (box 26) = "5" or "7" THEN Identity at Departure (box 18) can not be used
C017	IF 'IMPORT OPERATION.Transport mode at border (box 25)' = '1' or '8' THEN the attribute = 'R' IF 'IMPORT OPERATION.Transport mode at border (box 25)' = '4' THEN the attribute can not be used ELSE the attribute = 'O'
C019	IF 'IMPORT OPERATION.Identity Crossing Border (box 21)' is present or if 'IMPORT OPERATION.Transport mode at border (box 25)' = '4' THEN the data group can not be used ELSE IF 'IMPORT OPERATION.Specific circumstance indicator' is = 'A' THEN the data group = 'O' ELSE the data group = 'R'
C020	IF 'IMPORT OPERATION. 'Transport mode at border (box 25)' = '2', '5', '7' or '9' THEN 'Nationality crossing border (ex. box 21) = 'O' ELSE 'Nationality crossing border (ex. box 21) = 'R'
C024	IF 'IMPORT OPERATION.Transport mode at border (box 25)' is '3' and if 'IMPORT OPERATION.Identity Crossing Border (box 21)' is present THEN the attribute = 'R' ELSE the attribute can not be used
C060	IF "Kind of packages" (Box 31) indicates "BULK" (UNECE rec 21: 'VQ', 'VG', 'VL', 'VY', 'VR', 'VS' or 'VO') THEN "Marks & numbers of packages" (Box 31) = "O" "Number of packages" (box 31) can not be used "Number of Pieces" (box 31) can not be used ELSE IF "Kind of packages" (Box 31) indicates "UNPACKED" (UNECE rec 21 : = "NE"; "NF" or "NG") THEN "Marks & numbers of packages" (Box 31) = "O" "Number of packages" can not be used "Number of Pieces" (box 31) = "R" ELSE "Marks & numbers of packages" (Box 31) = "R" "Number of packages" (box 31) = "R" "Number of Pieces" (box 31) can not be used
C062	IF 'Kind of packages' (Box 31) indicates 'BULK' (UNECE rec 21 : 'VQ', 'VG', 'VL', 'VY', 'VR', 'VS' or 'VO') THEN 'Number of packages' (box 31) can not be used 'Number of Pieces' (box 31) can not be used 'Marks & numbers of Packages (Box 31)' = 'O' ELSE IF 'Kind of packages' (Box 31) indicates 'UNPACKED' (UNECE rec 21 : = 'NE', 'NF' or 'NG') THEN 'Number of packages' can not be used 'Number of Pieces' (box 31) = 'R' 'Marks & numbers of Packages (Box 31)' = 'O' ELSE 'Number of packages' (box 31) = 'R' 'Number of Pieces' (box 31) can not be used IF the attribute 'Specific circumstance indicator' is not used THEN the attribute 'Marks & numbers of Packages (Box 31)' = 'R' ELSE the attribute 'Marks & numbers of Packages (Box 31)' = 'O'
C100	IF "CONTROL RESULT" (Box D) is used THEN "Authorised location of goods" = "O" "Customs sub place" can not be used "Agreed location code" can not be used "Agreed location of goods" can not be used ELSE "Authorised location of goods" can not be used "Agreed location code" = "O" "Agreed location of goods" = "O" "Customs sub place" = "O".
C170	IF 'Cancellation initiated by Customs' = 'Yes' THEN 'Cancellation Decision' can not be used ELSE 'Cancellation Decision' = 'R'.
C175	IF ( "Cancellation initiated by Customs" = "No" AND "Cancellation Decision" = "0" (=N0)) OR ( "Cancellation initiated by Customs" = "Yes" ) THEN "Cancellation Justification" = "R" ELSE "Cancellation Justification" = "O".
C180	IF "Cancellation initiated by Customs" = "Yes" THEN "Date of cancellation request" can not be used ELSE "Date of cancellation request" = "R".
C185	IF first digit of 'Control result code' = 'A' AND second digit of 'Control result code' = '1' or '2' ('Satisfactory' or 'Considered satisfactory') THEN All data groups and attributes marked with 'Cond 185' can not be used ELSE All data groups and attributes marked with 'Cond 185' = 'R' when relevant
C310	IF 'Amendment rejection motivation code' = '?' (other) * THEN 'Amendment rejection motivation text' = 'R' ELSE 'Amendment rejection motivation text' = 'O' * (To be defined at national level).



Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Rules/Conditions index	

C501	IF the attribute 'TIN' is present in the data group THEN this attribute = 'O' ELSE this attribute = 'R'
C502	IF 'Transport mode at border' = '1', '4' or '8' THEN the attribute = 'R' ELSE the attribute = 'O'
C511	IF only one Trader Consignor is declared for all goods items THEN the data group 'Trader Consignor (box 2)' on IMPORT OPERATION level is used ELSE the data group 'Trader Consignor (ex box 2)' on GOODS ITEM level is used
C513	IF 'Specific circumstance indicator' = 'A' THEN the attribute 'Transport mode at the border' (box 25) '7' and '9' can not be used, IF 'Specific circumstance indicator' = 'C' THEN the attribute 'Transport mode at the border' (box 25) '1', '2', '4', '7', '8' and '9' can not be used IF 'Specific circumstance indicator' = 'D' THEN the attribute 'Transport mode at the border' (box 25) '1', '3', '4', '7', '8' and '9' can not be used ELSE the attribute 'Transport mode at the border' (box 25) = 'O' (no check)  (It should be noted that the last ELSE is to cover all the cases where the 'Specific circumstance indicator' is different from 'A', 'C' or 'D' (i.e. blank or 'E').)
C514	IF the attribute is present IF 'Transport mode at border' = '1' or '8' THEN the attribute consists either of the International Maritime Organisation (IMO) ship identification number (format n7 - leading '0' allowed) or of the European Vessel Identification Number (ENI) (format n8 - leading '0' allowed) IF 'Transport mode at border' = '2' THEN the attribute consists of the wagon number and has no format restrictions IF 'Transport mode at border' = '3' THEN the attribute consists of the registration plate number and has no format restrictions ELSE no format restrictions
C515	IF 'Transport mode at border' = '1', '4' or '8' THEN the attribute = 'O' ELSE the attribute can not be used
C516	IF the attribute is present IF 'Transport mode at border' = '1' or '8' THEN the attribute consists either of the International Maritime Organisation (IMO) ship identification number (format n7 - leading '0' allowed) or of the European Vessel Identification Number (ENI) (format n8 - leading '0' allowed) IF 'Transport mode at border' = '4' THEN the attribute consists of the (IATA/ICAO) flight number and has format an..8: - an..3: mandatory prefix identifying the airline/operator - n..4: mandatory number of the flight - a1: optional suffix
C517	IF 'Transport mode at border' = '1', '4' or '8' THEN the attribute = 'O' ELSE the attribute = 'R'
C518	IF 'Transport mode at border' = '4' THEN the attribute is 'R' and consists of the (IATA/ICAO) flight number and has format an..8: - an..3: mandatory prefix identifying the airline/operator - n..4: mandatory number of the flight - a1: optional suffix ELSE the attribute is 'O' and the format of the attribute has no restrictions
C519	IIF 'Information type' is '1' THEN the data group 'Risk Analysis' is = 'R' ELSE the data group 'Risk Analysis' is = 'O'
C520	IF the attribute 'DIVERSION REQUEST.Identification of the means of transport' (IE323) or 'DECLARATION REQUEST.Identification of the means of transport' (IE302) is used THEN the data group can not be used ELSE the data group is = 'R'
C521	IF the attribute 'IMPORT OPERATION.MRN' is used THEN the data group is 'O' ELSE the data group can not be used
C522	IF the data group 'CUSTOMS OFFICE of first Entry' is used THEN the attribute 'Country code of Office of first Entry declared' can not be used ELSE the attribute 'Country code of Office of first Entry declared' is = 'R'
C523	IF the attribute 'DIVERSION REQUEST.Identification of the means of transport' (IE323) or 'DECLARATION REQUEST.Identification of the means of transport' (IE314) is used THEN the attribute is = 'R' ELSE the attribute is 'O'
C525	IF the attribute 'DECLARATION RESPONSE.Information type' is '1' and the attribute 'DECLARATION RESPONSE.Risk' is '0' THEN the data group can not be used ELSE the data group is = 'R'
C527	IF the attribute 'IMPORT OPERATION.ENS Risk' is = '0' THEN the attribute can not be used ELSE the data group is = 'O'

<b>Message Specifications for IMPORT</b>	<b>ALIGNED TO DDNA KEL Draft Version</b>
<b>REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2</b>	
<b>Appendix Q2: Technical Message Structure</b>	
<b>5. Rules/Conditions index</b>	

C529	IF first digit of 'Specific circumstance indicator' = 'A' THEN the attribute 'Transport mode at the border' (box 25) '7' and '9' can not be used IF first digit of 'Specific circumstance indicator' = 'C' THEN the attribute 'Transport mode at the border' (box 25) '1', '2', '4', '7', '8' and '9' can not be used IF first digit of 'Specific circumstance indicator' = 'D' THEN the attribute 'Transport mode at the border' (box 25) '1', '3', '4', '7', '8' and '9' can not be used ELSE the attribute 'Transport mode at the border' (box 25) = 'R' (any value).
C540	IF 'IMPORT OPERATION.ENS Risk' = '0' THEN the datagroup/attribute can not be used ELSE the datagroup/attribute = 'R'
C542	IF 'IMPORT OPERATION.ENS Risk' = '0' THEN this data group/attribute can not be used ELSE the datagroup/attribute = 'C' (the other conditions apply)
C546	IF the data group 'CUSTOMS DATA REFERENCE (IE344 and IE347) / IMPORT OPERATION.MRN' (IE340) is used THEN this data group/attribute is = 'O' ELSE 'this data group/attribute can not be used
C550	IF 'IMPORT OPERATION.ENS Risk' = '0' THEN the datagroup/attribute can not be used ELSE the datagroup/attribute = 'C' (the other conditions apply)
C552	IF 'PERSON Logging the summary declaration' is used (because he is the sender of the amendment request) THEN data group 'Trader Representative' can not be used ELSE data group 'Trader Representative' = 'R' (because he is the sender of the amendment request).
C556	IF 'Currency code (box 22.1)' is used THEN 'Exchange rate (box 23)' = 'R' ELSE 'Exchange rate (box 23)' can not be used
C557	IF 'CUSTOMS OFFICE of Export.Reference Number (box A)' and 'CUSTOMS OFFICE of Exit.Reference Number (box 29)' are not the same THEN 'Inland Transport mode (box 26)' = 'R' ELSE 'Inland Transport mode (box 26)' can not be used:
C562	IF 'Specific circumstance indicator' is 'E' THEN the attribute = 'R' ELSE the attribute = 'O'
C564	Following Condition is to check the AEO certificate and applies only as long as EORI is not in place: IF the attribute 'Specific circumstance indicator' = 'E' THEN the data group = R (for the first goods item)
C565	Following Condition is to check the AEO certificate and applies only as long as EORI is not in place: IF the attribute 'Specific circumstance indicator' = 'E' THEN the attribute 'Document Type (Box 44) with code value 'Y022' and 'Y024' must be present (for the first goods item)
C566	Following Condition is to check the AEO certificate and applies only as long as EORI is not in place: IF the attribute 'Document Type (Box 44)' = 'Y022' or 'Y024' THEN the attribute 'Document reference' must be the following: - 1-2 digits: Country Code - 3-6 digits: AEO type code (AEOC, AEOF, AEOS) - following digits: no restrictions
C567	IF the attribute 'Specific circumstance indicator' = 'A' THEN the attribute 'Commercial Reference Number (box 7)', 'Commercial Reference Number (ex box 7)' and the datagroup 'PRODUCED DOCUMENTS/CERTIFICATES' = 'O' ELSE IF the attribute 'Commercial Reference Number (box 7)' and Commercial Reference Number (ex box 7)' is not used, THEN at least one attribute 'PRODUCED DOCUMENTS/CERTIFICATES.Document type' pointing to a transport document must be present ELSE the data group 'PRODUCED DOCUMENTS/CERTIFICATES' = 'O'
C570	IF the attribute 'Specific circumstance indicator' = 'A' THEN the attribute must occur at least once (min. 1 value) ELSE this attribute must occur at least twice (min. 2 values)
C571	IF the attribute 'Item Number concerned' for at least one of the occurrences of the data group CUSTOMS INTERVENTION' is present THEN the data group is = 'O' ELSE the data group can not be used
C574	IF the attribute 'Specific circumstance indicator' = 'A' THEN the attribute 'IMPORT OPERATION.Loading place' is = 'O' the attribute 'GOODS ITEM.Loading place' can not be used ELSE IF the attribute 'IMPORT OPERATION.Loading place' is used THEN the attribute 'GOODS ITEM.Loading place' can not be used ELSE the attribute 'GOODS ITEM.Loading place' = R
C576	IF the attribute 'EXPORT OPERATION/ IMPORT OPERATION / TRANSIT OPERATION.Transport charges – Method of payment' is used THEN this attribute cannot be used ELSE this attribute = 'O'
C577	IF the attribute 'Specific circumstance indicator' = 'A' THEN this data group or attribute = 'O' ELSE this data group or attribute = 'R'

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Rules/Conditions index	

C579	IF the attribute 'Specific circumstance indicator' = 'E' THEN IF the attribute 'IMPORT OPERATION.Unloading place' is used THEN the attribute 'GOODS ITEM.Unloading place' can not be used, ELSE the attribute 'GOODS ITEM.Unloading place' = 'O' ELSE IF the attribute 'IMPORT OPERATION.Unloading place' is used THEN the attribute 'GOODS ITEM.Unloading place' can not be used, ELSE the attribute 'GOODS ITEM.Unloading place' = R
C582	IF the data group 'PACKAGES' is used THEN this attribute is = 'R' ELSE this attribute can not be used
C583	IF the attribute 'SPECIAL MENTION.Additional information_id' = '10600' is used for all GOODS ITEM data groups THEN the data group 'TRADER Consignee' cannot be used and the data group 'TRADER Notify party' = 'O' ELSE IF the attribute 'Additional information id' = '10600' is used for at least one GOODS ITEM THEN the data group 'TRADER Consignee' cannot be used and the data group 'TRADER Notify Party' cannot be used ELSE the data group 'TRADER Notify Party' cannot be used and the data group 'TRADER Consignee' = 'O'
C584	IF the attribute 'Additional information id' = '10600' is used in this GOODS ITEM THEN IF the data group 'TRADER Notify party' is used THEN the data groups 'GOODS ITEM.TRADER.Notify party' and 'GOODS ITEM.TRADER Consignee' cannot be used ELSE the data group 'GOODS ITEM.TRADER.Notify party' = 'R' and the data group 'GOODS ITEM.TRADER Consignee' cannot be used ELSE IF the data group 'TRADER Consignee' is used THEN the data groups 'GOODS ITEM.TRADER Consignee' and 'GOODS ITEM.TRADER.Notify party' cannot be used ELSE the data group 'GOODS ITEM.TRADER Consignee' = 'R' and the data group 'GOODS ITEM.TRADER.Notify party' cannot be used
C585	IF the attribute 'GOODS ITEM.Textual description' is used THEN this data group is = 'O' ELSE this data group is = 'R'
C586	IF the attribute 'Arrival registration date and time' or 'Arrival rejection reason' is present THEN the data group 'FUNCTIONAL ERROR' can not be used ELSE the data group 'FUNCTIONAL ERROR' = 'R'
C590	IF the data group 'CUSTOMS DATA REFERENCE' is present THEN this data group/ attribute can not be used ELSE this data group/ attribute is = 'O'
C591	IF the data group 'CUSTOMS DATA REFERENCE' is present THEN this data group/ attribute can not be used ELSE this data group/ attribute is = 'R'
C592	IF the attribute 'Specific circumstance indicator' = 'E' THEN this attribute is = 'O' ELSE IF 'IMPORT OPERATION.Total gross mass is used THEN this attribute is = 'O' ELSE this attribute is = 'R'
C594	IF the attribute 'Arrival registration date and time' is used THEN the attribute 'Arrival rejection reason' can not be used the attribute 'Arrival rejection reason date and time' can not be used ELSE the attribute 'Arrival rejection reason' = 'O' the attribute 'Declaration rejection date and time' can not be used
C597	IF the attribute 'Arrival registration date and time' is used THEN the data group can not be used ELSE the data group = 'R'
C600	If the message is sent as part of the rejection of the BTX by the Customs Officer THEN this data item is Required ELSE this data item cannot be used.
CN0033	Αν το πεδίο «Αποτελέσματα Ελέγχου» έχει την τιμή Α3, τότε είναι υποχρεωτικό το πεδίο «Εξουσιοδοτημένος τόπος εμπορευμάτων» και δεν επιτρέπεται η συμπλήρωση των πεδίων «Κωδικός συμφωνηθείσας τοποθεσίας εμπορευμάτων» και «Συμφωνηθείσα τοποθεσία».
CN0034	Αν το πεδίο «Αποτελέσματα Ελέγχου» δεν περιλαμβάνει την τιμή Α3, τότε είναι υποχρεωτικό το πεδίο «Κωδικός συμφωνηθείσας τοποθεσίας εμπορευμάτων» και δεν επιτρέπεται να συμπληρωθεί το πεδίο «Εξουσιοδοτημένος τόπος εμπορευμάτων».
CN0040	Ο "Κωδ. Συμφωνηθείσας Τοποθεσίας Εμπορευμάτων" δεν θα πρέπει να ανήκει σε τελωνείο διαφορετικό από το τελωνείο εισαγωγής.
CN200	The number of items must equal the size of the ARRIVAL_ITEMS list, 0 if no MRNs are specified.
E600	Οι κωδικοί ευρωπαϊκών τελωνείων λόγω της πληθώρας τους είναι διαθέσιμοι στον ιστοχώρο της Γενικής Γραμματείας Πληροφοριακών Συστημάτων στην διεύθυνση <a href="http://www.gsis.gr">www.gsis.gr</a> στην ενότητα «Τελωνειακή Ενημέρωση».
EC002	Αν το πεδίο "Αριθμός Χειρόγραφης καταχώρησης (Manual Registration Number) έχει συμπληρωθεί τότε είναι υποχρεωτικό πεδίο, αλλιώς δεν συμπληρώνεται.
EC003	Είναι υποχρεωτική η συμπλήρωσή του για το 1ο είδος του παραστατικού.
EC010	Αν το πεδίο "Certificate of Customs" έχει την τιμή 1 τότε είναι υποχρεωτικό πεδίο, αλλιώς δεν συμπληρώνεται.
EC011	Είτε το πεδίο "Certificate of Customs" ή το πεδίο "Exit Licence" θα πρέπει να έχει την τιμή 1 και το άλλο την τιμή 0.
EC012	Αν το πεδίο "Existence of a container" έχει την τιμή 1 τότε είναι υποχρεωτικό πεδίο, αλλιώς δεν συμπληρώνεται.
EC013	Αν η κατάσταση της BTX ΕΖ/ΑΕ είναι "Απόρριψη από τελωνείο" τότε το Cancellation Reason είναι υποχρεωτικό. Διαφορετικά δεν μπορεί να συμπληρωθεί.
ER902	Εάν ο τύπος Νηολογίου είναι 3 τότε το πεδίο σχολίων είναι υποχρεωτικό. Διαφορετικά το πεδίο σχολίων δεν πρέπει να εισαχθεί.

<b>Message Specifications for IMPORT</b>	<b>ALIGNED TO DDNA KEL Draft Version</b>
<b>REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2</b>	
<b>Appendix Q2: Technical Message Structure</b>	
<b>5. Rules/Conditions index</b>	

N001	Στην περίπτωση εμπορευματοκιβωτίου, πρέπει να υπάρχει ένα είδος συσκευασίας CN με ίδιο αριθμό εμπορευματοκιβωτίου δηλωμένο στο πεδίο «Σημεία και Αριθμοί».
N002	The total number of packages is equal to the sum of all 'Number of packages' + all 'Number of pieces' + a value of '1' for each declared 'bulk'.
N003	If the ID type is "Other" all the other fields in group "(ENTRY CARRIER) TRADER" are required except the LNG field which is optional.
N004	The total gross mass if filled should be equal to the sum of the gross mass of all goods items.
N005	IF the field 'Identification of the means of transport' is used THEN the data group can not be used ELSE the data group is = 'R'
N006	It is required when it is registered from trader portal, ELSE it can not be used.
R005	"Item no" (box 32) is always used even if "Items" (box 5) = "1", "Item no" (box 32) is also "1".
R007	Each 'Item no' (box 32) is unique throughout the declaration The items shall be numbered in a sequential fashion, starting from '1' for the first item and incrementing the numbering by '1' for each following item".
R021	A zero '0' is to be considered as a valid number in this field.
R030	The date has to be given in the format YYYYMMDD where: YYYY = Year MM = Month DD = Day
R031	In case of air- sea and inland waterway transportation the IMPORT OPERATION.MRN may be replaced by following other data elements identifying the diverted/arriving means of transport. - the 'Identification of the means of transport' and - the 'Transport mode at border (box 25)' and - the 'Expected date of arrival'.  The 'Identification of the means of transport' shall - depending on the declared 'Transport Mode at border (box 25) – correspond to following values : - 1 and 8 (sea and inland waterway transport): - the International Maritime Organisation (IMO) ship identification number or - the European Vessel Identification Number (ENI), (both corresponding to IE315.IMPORT OPERATION.Identity crossing border (box 21) - 4 (air transport): - The (IATA/ICAO) flight number. In code-share situations the flight number of the code-share partners shall be used. (corresponding to IE315.IMPORT OPERATION.Conveyance reference number)
R033	The 'Declaration request number' shall be allocated by the Customs generating the declaration request. It shall be unique per Member State and shall be composed of: - 1-2 digit: country code of the Member State; - 3-22 digit: unique number per Member State.
R034	The 'Diversion LRN' of the diversion request (IE323) shall be indicated, only if the ENS declaration response IE303) is generated based on a diversion request.
R037	The 'Transport mode at border (box 25)' of the diversion request (IE323) shall be indicated if the declaration response (IE303) is generated based on a diversion request. The 'Transport mode at border (box 25)' of the declaration request (IE302) shall be indicated if the declaration response (IE303) is generated based on a declaration request.
R038	The 'Identification of the means of transport' of the diversion request (IE323) shall be indicated if the declaration response (IE303) is generated based on a diversion request. The 'Identification of the means of transport' of the declaration request (IE302) shall be indicated if the declaration response (IE303) is generated based on a declaration request.
R039	The 'Arrival date' of the diversion request (IE323) shall be indicated if the declaration response (IE303) is generated based on a diversion request. The 'Arrival date' of the declaration request (IE302) shall be indicated if the declaration response (IE303) is generated based on a declaration request.
R040	The data group can be present if the declaration response (IE303) is generated based on a declaration request (IE302). If the declaration response (IE303) is generated based on a diversion request (IE323), the data group can not be used.
R041	"Agreed Location Of Goods" / "Agreed location of goods, code", "Authorised location of goods" and "Customs sub place" (box 30) can not be used at the same time.
R079	The datagroups PREVIOUS ADMINISTRATIVE REFERENCES and PRODUCED DOCUMENTS/CERTIFICATES will be sent to Destination/Exit by means of IE01/501 only in case the declared attributes 'Previous Document Type (Box 40)'and/or 'Document Type (Box 44)'contain codes which are considered as 'common'.
R080	Only the SPECIAL MENTIONS that are marked as 'Common' in the reference data shall be included in common domain messages.
R098	The values and the use of this attribute are documented in the Design Document for National Import/Export/Transit Applications (DDNIA, DDNXX and DDNTA).
R099	The data item must be entered if the message is encoded in EDIFACT and if the corresponding free text field is not in the UNOC character set. Otherwise it is optional.
R123	From the originally received IE, only the attributes in error are transmitted back to the Trader, indicating whether the attribute(s) in question is missing or incorrect.
R131	If two or more Offices of subsequent Entry belong to the same National Administration, then only one IE319 (C_ENS_SUB) is sent to the National Administration in question.
R132	The data group 'RISK ANALYSIS' contains the consolidated risk analysis results from the Office of first Entry. Risk analysis results from the Office of Lodgement (if any) are transmitted, if it is part of the consolidation.

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Rules/Conditions index	

R133	<p>Following data shall be forwarded:</p> <ul style="list-style-type: none"> <li>• Case 1 (not applicable for ICS Phase 1): The full C_ENS_SND data including the relevant common safety and security risk analysis results. As relevant are to be regarded all occurrences of the data group 'RISK ANALYSIS' which include a 'Risk analysis result code' for which the last digit is 'A', 'B', 'C' or 'Z' (only these occurrences of the data group 'RISK ANALYSIS' are to be forwarded). In case 1 the attribute 'IMPORT OPERATION.Information type' is set to '2'.</li> <li>• Case 2: As long as ICS is restricted to the use of information type '1', case 2 shall be used in any case and shall consist: <ul style="list-style-type: none"> <li>A. Either of the full C_ENS_SND data if relevant common risk analysis results are present on the ENS header level (regardless of the availability of risk analysis results that are linked to ENS goods items). This is the case where one or more occurrences of the data group 'RISK ANALYSIS' are available for which the attribute 'Item Number (Box 32) involved' is not present and for which the last digit of the attribute 'RISK ANALYSIS.Risk analysis result code' is 'A', 'B', 'C' or 'Z'. Only the occurrences of the data group 'RISK ANALYSIS' which have a Risk analysis result code of type 'A', 'B', 'C' or 'Z' shall be sent.</li> <li>B. Or, in any other case, of the full C_ENS_SND data but including only the goods items (possibly all of them) for which relevant common risk analysis results are present on ENS goods item level. This is the case where one or more occurrences of the data group 'RISK ANALYSIS' are available for which the attribute 'RISK ANALYSIS.Item Number (Box 32) involved' is present. In this case only these occurrences of the ENS goods items and those occurrences of the 'RISK ANALYSIS' data group for which the last digit of the 'Risk analysis result code' is 'A', 'B' or 'C' shall be sent. In case 2 the attribute 'IMPORT OPERATION.Information type' is set to '1'.</li> </ul> </li> </ul> <p>Once information type '2' becomes applicable, cases 1 and 2B shall be used only (case 2A shall become case 1).</p>
R134	The data group/attribute shall not be used if the message is sent to the 'Person lodging the ENS'. If the message is sent to the 'Trader at Entry (Carrier)' and if the same data group/attribute is present in the ENS, then it shall be present.
R136	The data group shall contain only the 'Document Type (Box 44)' which refers to transport documents.
R147	The data group shall be used if the ENS to which the message refers to contains one or more 'Document Type (Box 44)' which refers to transport documents. All declared transport documents shall be included in the message.
R148	The data in the IE corresponds always to the current (latest) version of the data. This means that it contains the amended declaration data (if any) and/or the revised declaration data after a control (if any).
R175	Two possible values : "0" = "No" : Request to cancel initiated by Trader "1" = "Yes" : Request to cancel initiated by Customs
R180	Two possible values : Cancellation refused by Customs : Decision = "0" (=NO) Cancellation accepted by Customs : Decision = "1" (=YES)
R221	<p>Even if the IE is sent for one or more goods items of an ENS (but not for all of them), the following attributes shall contain the totals for the complete ENS (for all items declared in the ENS):</p> <ul style="list-style-type: none"> <li>• Total number of items (box 5)</li> <li>• Total number of packages (box 6)</li> <li>• Total gross mass (box 35)</li> </ul>
R230	This attribute is used as a flag, its value can be either "0" ("no") or "1" ("yes").
R257	This IE is always paper-based, it is used as a working document to perform a control of the goods at Destination/Exit/Entry (it is a print-out containing the received AAR/AER/E_EXS_DAT/E_ENS_DAT data). During the control, the Customs Officer marks the control results on the paper.
R501	Only corresponding values which are carried over from a previous message may be used.
R660	<p>The time has to be given in the format YYYYMMDDHHMM where:</p> <p>YYYY = Year MM = Month DD = Day HH = Hour MM = Minute</p>
R661	The 'Declaration registration date and time' is the date and time when the ENS is registered and the MRN is allocated. It corresponds to the 'Declaration registration date and time' communicated in IE328.
R662	The 'Amendment acceptance date and time' is the date when the acceptance of an amendment request to an ENS is registered. It corresponds to the 'Amendment acceptance date and time' communicated in IE304.
R666	The scheduled date/date and time of arrival of the means of transport at the declared first Office of Entry shall be provided. It shall be the local date and time of the first place of arrival.
R670	The first two digits of the 'Place of loading' and 'Place of unloading' shall consist of the country code.
R805	The data group is to be used when different from the data group 'PERSON Lodging the summary declaration'.
R806	The data group is required if different from the data group 'PERSON Lodging the summary declaration'.
R807	The data group is required if different from the data group 'TRADER at ENTRY (Carrier)'.
R808	If some of the goods are destined to be transported to subsequent Offices of Entry, then this data group is required.
R809	If the intervention/control notification is for one or some of the declared containers/identities crossing border (box 21)/transport documents, only those container numbers/ identities crossing border (box 21)/transport documents, shall be included in the message.
R810	The attribute 'GOODS ITEM.Item number (Box 32) must match with the attribute 'Item Number concerned' of at least one of the occurrences of the data group 'CUSTOMS INTERVENTION'.
R811	The 'Total number of items' is the total number of goods items sent in this message.
R812	The data group/attribute can be used to reject the release for entry of one or many goods item.
R814	The Office to which the amendment request had been sent shall be used.
R815	The attribute may be used to specify the community status.
R816	Only those occurrences of the data group shall be included in the message for which the last digit of the attribute 'Risk Analysis result code' has one of the following values: 'A', 'B', 'C' or 'Z'.
R817	Only the Document type values marked with 'Transport documents' shall be used.
R818	The data group/attribute shall be included in the message, if it had been provided by the Trader in the corresponding received declaration.



<b>Message Specifications for IMPORT</b>	<b>ALIGNED TO DDNA KEL Draft Version</b>
<b>REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2</b>	
<b>Appendix Q2: Technical Message Structure</b>	
<b>5. Rules/Conditions index</b>	

R820	<p>If risk analysis has been performed for the requested MRN/MRN item number, only those occurrences of the data group 'RISK ANALYSIS' shall be included in the message for which the last digit of the attribute 'Risk Analysis result code' has one of the following values: 'A', 'B' or 'C'.</p> <p>If no risk analysis has been performed for the requested MRN / MRN item number, then the declaration response (IE303) shall include one occurrence of the data group 'RISK ANALYSIS'. The 'Risk Analysis result code' shall be 'Z'.</p>
R822	The arrival notification shall cover all the goods to be unloaded at the corresponding Office.
R823	The United Nations Dangerous Goods Identifier (UNDG) is the unique serial number (n4) assigned within the United Nations to dangerous substances and articles. This element shall be provided where it is relevant.
R826	For air cargo transported with other modes of transported than air, the other mode of transport shall be declared (e.g. for air cargo transported on road, the mode of transport '3' (road) shall be declared).
R827	The 'Customs Office of Lodgement' shall be present if it is different from the 'Customs Office of first Entry' and not be present if it is the same as the 'Office of first Entry'.
R828	<p>Following rule shall be checked on the basis of the common reference data:</p> <p>If the Office of Lodgement is located in another Member State than the Office of first Entry (first 2 digits of the Customs Office.Reference number are different), then the Office of Lodgement shall only accept the ENS if both of following conditions are met:</p> <ul style="list-style-type: none"> <li>• The Member State in which the Office of Lodgement is located must accept to receive the ENS and to forward it to the Member State in which the Office of first Entry is located;</li> <li>• The Member State in which the Office of first Entry is located must accept to receive and process ENS that is forwarded by an Office of Lodgement in another Member State.</li> </ul>
R829	The data group 'Customs Office of Lodgement' shall not be present.
R830	The attribute cannot be used if the value of the attribute 'Procedure requested' is 76 or 77.
R831	If the value of the attribute 'Procedure requested (box 37.1)' is 76 or 77 or if value of the attribute 'Previous procedure (box 37.1)' is 71 or 78, the attribute 'Identity at departure' can not be used.
R832	<p>If the value of the attribute 'Procedure requested (box 37.1)' is 76 or 77 or if value of the attribute 'Previous procedure (box 37.1)' is 71 or 78, the attribute 'Gross mass' is required either at EXPORT OPERATION or at GOODS ITEM level.</p> <p>Technical Note: If [(('GOODS ITEM.Procedure requested' = 76 or 77) or ('GOODS ITEM.Previous Procedure=71 or 78)), Then [(the data item 'HEADER.Total gross mass' is present) or (the data item 'GOODS ITEM.Gross Mass' is present) or (both 'HEADER.Total gross mass' and 'GOODS ITEM.Gross Mass' are present)]</p>
R833	The data group 'Customs Office of Lodgement' shall be present if it is present in the ENS (IE315 or amendment IE313) to which the IE351 refers to.
R834	<p>This following check shall be performed if the AEO-Database in which the AEO certificate numbers are registered is available when performing the check:</p> <ul style="list-style-type: none"> <li>• The 'Specific circumstance indicator' with value 'E' (AEO) can be used only if the 'Person Lodging the ENS' and all 'Consignees' declared in the ENS have a valid AEO certificate of type 'AEOF' or 'AEOS'.</li> <li>• If an amendment request (IE313) is concerned and if the amendment request is sent by a Representative, then the Representative shall have a valid AEO certificate of type 'AEOF' or 'AEOS' as well.</li> </ul>
R835	If the Trader has a valid EORI Trader Identification number (TIN), then the TIN shall be declared. Other than EORI-TIN shall not be used.
R836	<p>Following rule shall be checked on the basis of the Customs Office reference data:</p> <p>The Office of Lodgement to which the ENS is sent must be entitled to act as an Office of Lodgement.</p>
R837	The EORI Trader Identification number (TIN) shall be declared.
R838	The attribute is required where the attribute COMMODITY CODE.TARIC first additional code or COMMODITY CODE.TARIC second additional code contain an agricultural (refund) code, and where the attribute 'Procedure requested (box 37.1)' contains the codes 10, 11 or 23, and where the first digit of the attribute 'Inland mode of transport (box 26)' is other than '5' or '7'.
R839	The 'Specific circumstance indicator' with value 'E' (AEO) can be used only if the 'Person lodging the exit summary declaration' and all 'Consignors' declared in the exit summary declaration/ 'Declarant' and all 'Exporters' declared in the export declaration have a valid AEO certificate of type 'AEOF' or 'AEOS'.
R840	<p>If the Trader has a valid EORI Trader Identification number (EORI-TIN) or "a third country unique identification or authorisation number which has been made available to the Union by the third country concerned " (EORI-alike-TIN), then the EORI-TIN or EORI-alike-TIN shall be declared.</p> <p>Other than EORI-TIN or EORI-alike-TIN shall not be used, otherwise the ENS will be rejected.</p>
R841	The value in the data group 'Representative' shall be equal to the 'Representative' identified by the 'Person lodging the ENS' in the original (first) version of the ENS.
R842	The 'CUSTOMS OFFICE of first Entry. Reference number' shall be an Office which is located in the same Member State as the one identified by the 'Person lodging the ENS' in the original (first) version of the ENS.
R843	The 'Conveyance Reference Number' is the identification of the journey of the means of transport (e.g. flight number, train number, voyage number, trip number).
R845	<p>Following data shall be forwarded:</p> <ul style="list-style-type: none"> <li>• If the declaration request covers the entire ENS ('IE302.GOODS ITEM' is not present), then the full ENS (covering all the goods items) shall be provided in the declaration response (IE303).</li> <li>• If the declaration request covers specific goods items of an ENS ('IE302.GOODS ITEM' is present), then the complete ENS header data and the complete ENS goods items data which is requested shall be provided in the declaration response (IE303).</li> </ul>
R847	<p>If risk analysis has been performed for the requested MRN/MRN item number, only those occurrences of the data group 'RISK ANALYSIS' shall be included in the message for which the last digit of the attribute 'Risk Analysis result code' has one of the following values: 'A', 'B' or 'C'.</p> <p>If no risk analysis has been performed for the requested MRN / MRN item number, then the declaration response (IE303) shall include one occurrence of the data group 'RISK ANALYSIS'. The 'Risk Analysis result code' shall be 'Z'.</p>
R866	If the ENS is lodged by another party than the Carrier, then the transport document of the Carrier should be declared, if available.
R867	Within the data group at least one of the attribute to which Rule 867 applies is to be used.
R868	The content of this attribute is always set to '00'.
R873	This attribute becomes required when the 'Statistical value amount (box 46)' is expressed in a currency other than the national one.

<b>Message Specifications for IMPORT</b>	<b>ALIGNED TO DDNA KEL Draft Version</b>
<b>REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2</b>	
<b>Appendix Q2: Technical Message Structure</b>	
<b>5. Rules/Conditions index</b>	

R874	This attribute becomes required when the 'Total amount invoiced' (box 22.1) is expressed in a currency other than the national one.
R875	The attribute 'Item Number' refers to corresponding 'Item number' of the E_EXS_DAT (IE 615)/E_ENS_DAT (IE315) /E_EXP_DAT (IE1515)/ E_DEC_DAT (IE15).
R879	Exit: The country of final destination must be entered in any case. If the specific circumstance indicator is not equal to 'A', then at least the country of original departure must be entered additionally. Entry: The country of original departure must be entered in any case. If the specific circumstance indicator is not equal to 'A', then at least the country of final destination must be entered additionally.
R881	If the attribute is used, its minimum length is 4 digits.
R886	No amendment allowed for 'PERSON lodging the summary declaration'. The 'CUSTOMS OFFICE of (first)Entry' must be located in the same Member State as the Office of first Entry declared in the Entry summary declaration.
R887	The 'Item number'/'Arrival item number'/'Pre-arrival item number' is the sequential number of the listed items in this message. It must be unique throughout the declaration.
R888	The item number as presented in the accepted (Entry) summary declaration with the same MRN has to be entered.
R889	The 'MRN' and 'MRN item number' shall be referring to accepted electronic (entry summary) declarations previously provided and processed by the AIS system. If the 'MRN' and 'MRN item number' are not available in the system where the arrival notification is presented (IE344 or IE347), then the system shall automatically send a declaration request (IE302) to the corresponding Office of first Entry.
R890	This data group becomes mandatory if the presented manifest is referring to an accepted electronic (entry summary) declaration which is processed by the AIS system.
R891	The Local Reference Number (LRN)/Diversion LRN/Arrival LRN shall be a number/identifier allocated by the sending TRADER for a specific transaction (ENS, Arrival notification). It shall be unique per Trader sending the transaction.
R893	Rule for the purpose of EMCS: Only 1 occurrence of the value 'AAD' for the attribute 'Previous Document Type' can be used per goods item. The attribute 'Previous Document Reference' for 'Previous Document Type' with value 'AAD' shall be the AAD Reference Code (ARC-21 characters) concatenated with 3 positions for the Body Record Unique Reference (3 characters, left padded with zeroes).
R894	If the declaration request is for the entire ENS (for all goods items of an ENS) then the data group 'GOODS ITEM' shall not be used.
R895	Only the Trader to whom the Office concerned is sending the advanced intervention notification (IE351) shall be used in the message.
R896	The data group 'TRADER Representative' can be used by the 'PERSON Lodging the entry summary declaration' to authorise a Representative to amend an Entry summary declaration on his behalf at the Office of first Entry concerned. If preventive/prohibitive measures are to be taken (IE351) or if controls at Entry are to be communicated to the trader prior to the arrival at Entry (IE351), the trader identified here, will be receiving the 'Advanced intervention notification' – IE351.
R897	The attribute shall refer to the item number of the requested Entry summary declaration.
R899	"The country code is required to enable ICS to request the ENS data and the safety and security risk analysis results from the Office of first Entry declared in the ENS (e.g. in case of international diversion or where the forwarding of risk information failed for any reasons). It shall correspond to the first and second digit of the 'Customs Office of first Entry' declared in the Entry summary declaration."
RN200	Entry Key (ETA, Identity of means of Transport, Transport mode at Border) functionality is followed if no Arrival Items are specified.
TR0003	If errors are found at the HEADER level, then RoC-Control Indicator is set to: - DI (Different values found) or - OT (any OTHER things to report) If errors are found at the level of GI then GI-RoC-Control Indicator can be set to: - OR (ORiginal values of the Goods item), - DI (Differences in values for a Goods Item), - NE (values of a New Goods item) – this value will not occur in the ECS domain, - NP (Not Presented document) or - OT (Other)
TR0021	The value of this field must be larger than zero (0).
TR0099	This data item must be entered if the message is encoded in EDIFACT and the corresponding free text field is not in the UNOC character set. It is otherwise optional. If the data item is filled in, it must contain the language code of the language used in the corresponding free text field.
TR0101	This field is to be validated against Codelist 39 (Additional information coded codes) if used in a Common Domain message. This field is to be validated against the Additional information coded valid in the NA if used in an External Domain message.
TR0103	This field is to be validated against Codelist 13 (Document Type) if used in a Common Domain message. This field is to be validated against the Document Type valid in the NA if used in an External Domain message.
TR0204	This Data Group is Optional/Dependent when NICA does not send ENS in response to the request, otherwise not used.
TR0219	When Customs can agree with the request for a declaration, the complete C_ENS_SND or the C_ENS_SND for the requested items and the data group 'CUSTOMS OFFICE Office of first Entry' is sent to the requesting Customs Administration. When they disagree, the MRN, Summary Declaration rejection reason code, Summary Declaration rejection reason, CUSTOMS OFFICE Office of first Entry' and 'CUSTOMS OFFICE Office of first Entry declared' are sent to the requesting Customs Administration. The data group 'GOODS ITEM REJECTION' can be additionally used to identify the rejection reason on the item level.
TR0811	The data item 'Total number of items' has to be equal to the total occurrences of the data group 'GOODS ITEM'.
TR1005	This data group is applicable to EORI-AEO only.
TR1007	The HEADER data group is not needed for IE917 related to IE30, IE31, IE32, IE912, IE913, IE914, IE916, IE931, IE932, IE70, IE71, IE971. It must be present in IE917 related to all other messages.
TR9002	IF "MESSAGE.COUNTRY.ACTION.Operation" = "C", "MESSAGE.COUNTRY.SYSTEM UNAVAILABILITY.System unavailability type" = "N" AND "MESSAGE.COUNTRY.SYSTEM UNAVAILABILITY.Business functionality" = "O", "P", "V" or "S" THEN the date in "MESSAGE.COUNTRY.SYSTEM UNAVAILABILITY.Downtime from" shall be at least 6 weeks after "MESSAGE.Date of preparation".
TR9075	The field is required for response and rejection messages. It does not apply for requests and one way messages.
TR9085	In Normal Mode of Operation if this field is used it must have a value of 0.
TR9175	The last digit, which is used to identify the type of risk, shall be validated against codelist "Risk analysis result code".

Message Specifications for IMPORT	ALIGNED TO DDNA KEL Draft Version
REF:ICISNET-IMPORT-MSG-SPECS_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Rules/Conditions index	

- TR9181      The field is Required for response and rejection messages. It does not apply for requests and one way messages.
- TR9205      The "ENTRY KEY" data group shall be used only when the rejected messages are the IE302 and the IE303, and the Entry Key is present in these messages. Otherwise, the "Document/reference number" shall be used at the "HEADER" data group. For IE302 and IE303, the first MRN will be used (if the "ENTRY KEY" is not used). The "Document/reference number" data item and the "ENTRY KEY" data group cannot be used at the same time.