

Owner: DG TAXUD	Issue Date: 28/02/2011	Version: 5.00
<p>TAXATION AND CUSTOMS UNION DG</p> <p>CUST-DEV2 - FC TAXUD/2010/CC/100 - SC 04</p> <p>SUBJECT:</p> <p>DDNXA for ECS P2</p> <p>Appendix C: Codelists</p> <p>(CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_C)</p>		
<p>FRAMEWORK CONTRACT TAXUD/2010/CC/100</p> <p>SPECIFIC CONTRACT 04</p>		

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_C	
Appendix C: Codelists	
1. Introduction	

1. Introduction

This appendix lists the available code lists in order of code list number:

- The Technical Codes for which the values given here in the DDNXA for ECS P2 are definitive
- The Business Codes (those identified in the FTSS-AES Addendum [A4] for which the definitive values are those loaded into the Common Services Reference Data and available for download to NAs. Therefore, those values are not presented or only presented for information.

Each code list is structured as follows :

Number	Number used in DDNXA for ECS P2 Appendix J Correlation tables.
Name	Name, in most cases resembling the name of the relevant attribute(s).
Format	Type of code and thus of the attributes to which the code list applies.
Technical	A flag to indicate if the codelist as a whole is a Technical Codelist.
Details	Exceptions, relevant attributes.
Code	Values.
Description	Meaning of each value.
Remarks	Exceptions or remarks concerning a particular value.
TC	Flag to denote if this code is a Technical Code.

Note that the technical codes included in Business Code Lists will be maintained by the CS/RD, since the Business Code Lists as whole are maintained by CS/RD.

Please also note that due to a technical limitation of the Adobe Acrobat Writer, some characters may not be displayed properly.

Additional codes can be defined at national level in a separate National Code List. These codes will only be used within the National and External Domains and NOT the Common Domain. Therefore they will be under the control of the National Helpdesk and will be communicated within that NA.

DDNA KEL Alignment

The specific Appendix is aligned to DDNA KEL V0.23

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_C	
Appendix C: Codelists	
2. List of available Technical Code Lists	

2. List of available Technical Code Lists

Number	Title	Format
1	NCTS UN/EDIFACT Message Types	an..6
2	Message types for CUSDEC	an..6
3	Message types for CUSRES	an..6
4	Message types for GESMES	an..6
5	Message types for PARTTC	an..6
6	Message types for FUNACK	an..6
7	Message types for CONTRL	an..6
21	Syntax identifier	a4
22	Syntax version number	n1
23	Error Codes for EDI NCK	n..2
24	Modification Type	a1
26	Month of Year	an2
27	Flag	n1
28	First/Last	a1
32	Action Codes	an..3
33	Interchange Service Segment Tags	a3
34	Message Service Segment Tags	a3
35	Version Numbers	an..3
36	Release Numbers	an..3
37	Controlling Agencies	an..2
49	Functional Error Codes	n2
53	Prefix-Suffix level	an1
60	Message Types	an6
61	ISO 6346	an..2
65	UNOD Languages	a2
66	UNOF Languages	a2
68	Business Functionality Code	a1
70	Country Codes (Customs Office Lists)	a2
79	System Unavailability Type	a1
80	UNOH Languages	a2
85	UNOE languages	a2
105	Day in the week	n1
136	Custom System	n..2

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_C	
Appendix C: Codelists	
3. List of available Business Code Lists	

3. List of available Business Code Lists

Number	Title	Format
8	Country Codes (full list)	a2
10	country codes (community)	a2
11	Country regime	an3
12	Language Codes	a2
13	Document Type (Common)	an..4
14	Previous document type (Common)	an..6
15	Geo Info Codes	an..6
16	Geo-Nomenclature Code	n3
17	Kind of Packages	an2
18	Transport Mode	n..2
20	Traffic type	an..3
31	Type of Declaration Transit/Export Procedures	an..5
39	Additional Information ID (Common)	an..5
40	Additional Information Response	n2
41	Control Indicator RoC/ GI-RoC	an2
43	AAR/AER rejection reason	n..2
45	Amendment rejection motivation code	n1
46	Diversion rejection	an..2
47	Control result	an2
48	Currency codes	an3
56	Role	an3
57	Statistics Type	an4
58	Customs Operation State Types	an..3
59	Unit of Measure	a3
67	Specific notes code	an..6
86	Complementary Code	n1
87	Type of declaration (box 1.2)	a1
89	Export_query reason code	an..3
90	Incoterm code	a3
91	Nature of transaction code	n..2
92	Procedure requested	an2
93	Previous procedure	an2
94	Representative status code	n1
95	Risk analysis result code	an1
96	Specific circumstance indicator	a1
97	Summary declaration rejection reason code	n..2
98	Type of tax	an3
99	Warehouse type	a1
101	UN dangerous goods code	an4
102	Community / national procedure	an3
103	Previous document category	an1
104	Method of payment	a1
116	Transport charges - Method of payment	a1

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_C	
Appendix C: Codelists	
1. NCTS UN/EDIFACT Message Types	

1. NCTS UN/EDIFACT Message Types

Details:

Used for attribute MESSAGE ERRORS.Message Type.

Format:

an..6

Type:

TECHNICAL

Code	Description	Remarks
BANSTA	Banking Status Message	
CUSDEC	Customs declaration	
CUSRES	Customs response	
FINSTA	Financial statement of an account message	
GENRAL	General purpose Message	
GESMES	General Statistics Message	
PARTTC	Party Information Message	
SANCRT	International movement of goods governmental regulatory message	

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_C	
Appendix C: Codelists	
2. Message types for CUSDEC	

2. Message types for CUSDEC

Details:

Used for attribute MESSAGE ERRORS.Association assigned code and MESSAGE.Message Type.

The codelist that is used in the TMS is codelist 60.

Format:

an..6

Type:

TECHNICAL

Code	Description	Remarks
CD501B	Anticipated arrival record	Values for CUSDEC
CD502A	AER Request	Values for CUSDEC
CD503B	AER Response	Values for CUSDEC
CD510A	Export Cancellation Notification	Values for CUSDEC
CD518B	Exit Results	Values for CUSDEC
CD527A	Export Query	Values for CUSDEC
CD538A	Response to export query	Values for CUSDEC
CD584A	Export follow up request	Values for CUSDEC
CD601A	EXS	Values for CUSDEC
CD603A	Exit Summary Declaration Response	Values for CUSDEC
CD904A	Status request	Values for CUSDEC

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_C	
Appendix C: Codelists	
3. Message types for CUSRES	

3. Message types for CUSRES

Details:

Used for attribute MESSAGE ERRORS.Association assigned code and MESSAGE.Message Type.

The codelist that is used in the TMS is codelist 60.

Format:

an..6

Type:

TECHNICAL

Code	Description	Remarks
CD524B	Forwarded Arrival Advice	Values for CUSRES
CD586A	Follow-Up negative response	Values for CUSRES
CD901B	Cancellation acknowledgement	Values for CUSRES
CD905A	Status response	Values for CUSRES
CD913A	Upload parsing response	Values for CUSRES

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_C	
Appendix C: Codelists	
4. Message types for GESMES	

4. Message types for GESMES

Details:

Used for attribute MESSAGE ERRORS.Association assigned code and MESSAGE.Message Type.

The codelist that is used in the TMS is codelist 60.

Format:

an..6

Type:

TECHNICAL

Code	Description	Remarks
CD032B	Notification of Common Reference Data Modification to ND	Values for GESMES
CD411B	Sending of statistics data	Values for GESMES
CD916A	Common RD Request	Values for GESMES
CD932B	Common RD Data	Values for GESMES

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_C	
Appendix C: Codelists	
5. Message types for PARTTC	

5. Message types for PARTTC

Details:

Used for attribute MESSAGE ERRORS.Association assigned code and MESSAGE.Message Type.

The codelist that is used in the TMS is codelist 60.

Format:

an..6

Type:

TECHNICAL

Code	Description	Remarks
CD030B	Notification of customs offices modification to common domain	Values for PARTTC
CD031B	Notification of customs offices modification to national domain	Values for PARTTC
CD914A	COL request	Values for PARTTC
CD931B	COL DATA	Values for PARTTC

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_C	
Appendix C: Codelists	
6. Message types for FUNACK	

6. Message types for FUNACK

Details:

Used for attribute MESSAGE ERRORS.Association assigned code and MESSAGE.Message Type.

The codelist that is used in the TMS is codelist 60.

Format:

an..6

Type:

TECHNICAL

Code	Description	Remarks
CD906A	Functional NACK	Values for FUNACK

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_C	
Appendix C: Codelists	
7. Message types for CONTRL	

7. Message types for CONTRL

Details:

Used for attribute MESSAGE ERRORS.Association assigned code and MESSAGE.Message Type.

The codelist that is used in the TMS is codelist 60.

Format:

an..6

Type:

TECHNICAL

Code	Description	Remarks
CD907A	EDIFACT NACK	Values for CONTRL

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_C	
Appendix C: Codelists	
8. Country Codes (full list)	

8. Country Codes (full list)

Details:

Code to specify countries (ISO alpha 2 country code as specified in ISO-3166 / 1996).

A Business Codelist is maintained in CS/RD.

For the attribute 'Country of export' (box 15 and 15a) and 'TRADER CONSIGNOR.country code' the countries of the EU shall be used only.

For the attribute 'country of destination' (box17 and 17a), other countries than EU countries shall be used only.

Format:

a2

Type:

BUSINESS

Code	Description	Remarks
AI	Anguilla	
AT	Austria	

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_C	
Appendix C: Codelists	
10. country codes (community)	

10. country codes (community)

Details:

This codelist is a Business Codelist maintained in CS/RD and can be found by selecting the countries with country regime equal to EEC. Values are shown for illustration only.

Format:

a2

Type:

BUSINESS

Code	Description	Remarks
AT	Austria	
BE	Belgium	

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_C	
Appendix C: Codelists	
11. Country regime	

11. Country regime

Details:

Type of regime applicable to the countries involved in the Transit procedure.
The same codelist values are used for both Domains (ECS/NCTS/ICS) in order to support the COL.

Format:

an3

Type:

BUSINESS

Code	Description	Remarks
EEC	Transit-country of the European Community	
OTH	Other country	

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_C	
Appendix C: Codelists	
12. Language Codes	

12. Language Codes

Details:

Used to specify the language used for declaration purposes and for free text information (ISO alpha 2 Codification - ISO 639), see Annex 37/c Implementing Provisions and Annex D2 to Appendix III of the Convention.

A Business Codelist is maintained in CS/RD.

Format:

a2

Type:

BUSINESS

Code	Description	Remarks
DE	German	
ET	Estonian	

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_C	
Appendix C: Codelists	
13. Document Type (Common)	

13. Document Type (Common)

Details:

Used to specify the produced documents/certificates to be sent across the Common Domain.

Additional codes can be defined at national level in a separate National Codelist.

A Business Codelist is maintained in CS/RD.

Format:

an..4

Type:

BUSINESS

Code	Description	Remarks
N235	Container list	
N271	Packing list	

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_C	
Appendix C: Codelists	
14. Previous document type (Common)	

14. Previous document type (Common)

Details:

Previous administrative reference types to be sent across the Common Domain.
Additional codes can be defined at national level in a separate National Codelist.
This codelist is a Business Codelist maintained in CS/RD.
Values are shown for illustration only.

Format:

an..6

Type:

BUSINESS

Code	Description	Remarks
235	Container list	
270	Loading list (delivery note)	

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_C	
Appendix C: Codelists	
15. Geo Info Codes	

15. Geo Info Codes

Details:

A Business Codelist is maintained in CS/RD.

The same codelist values are used for Domains (ECS/NCTS/ICS) in order to support the COL.

Format:

an..6

Type:

BUSINESS

Code	Description	Remarks
CM	Mediterranean Coast	
IM	Mediterranean Island	

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_C	
Appendix C: Codelists	
16. Geo-Nomenclature Code	

16. Geo-Nomenclature Code

Details:

A/An Transit/Export/Import Business Codelist is maintained in CS/RD.

Code to specify the nomenclature of countries and territories for the external trade statistics of the Community and statistics of trade between Member States (ISO alpha 2 country code as specified in ISO-3166 / 1996).

Format:

n3

Type:

BUSINESS

Code	Description	Remarks
043	Andorra	
647	United Arab Emirates	

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_C	
Appendix C: Codelists	
17. Kind of Packages	

17. Kind of Packages

Details:

Used to specify the kind of packaging in which goods are packed (UNECE Recommendation No.21), see Annex 37c Implementing Provisions and Annex D2 of the Convention.

A Business Codelist is maintained in CS/RD.

Format:

an2

Type:

BUSINESS

Code	Description	Remarks
AD	Receptacle, Wooden	
CA	Can, Rectangular	

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_C	
Appendix C: Codelists	
18. Transport Mode	

18. Transport Mode

Details:

Mode of transport corresponding to the active means of transport (see Annex 38 Implementing Provisions and Annex A9 to Appendix III of the Convention).

A Business Codelist is maintained in CS/RD.

Format:

n..2

Type:

BUSINESS

Code	Description	Remarks
1	Sea transport	
2	Rail transport	

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_C	
Appendix C: Codelists	
20. Traffic type	

20. Traffic type

Details:

Type of traffic dealt with in the Transit/Export Customs Office.

A/An Transit/Export/Import Business Codelist is maintained in CS/RD, values are shown for illustration only.

Format:

an..3

Type:

BUSINESS

Code	Description	Remarks
AIR	Airport	
C	River traffic	

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_C	
Appendix C: Codelists	
21. Syntax identifier	

21. Syntax identifier

Details:

Character set taken from the used UN/EDIFACT syntax version.

Format:

a4

Type:

TECHNICAL

Code	Description	Remarks
UNOC	UNOC	

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_C	
Appendix C: Codelists	
22. Syntax version number	

22. Syntax version number

Details:

UN/EDIFACT syntax version used for Information Exchanges.

Format:

n1

Type:

TECHNICAL

Code	Description	Remarks
3	3	

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_C	
Appendix C: Codelists	
23. Error Codes for EDI NCK	

23. Error Codes for EDI NCK

Details:

Subset of the UN/EDIFACT generic error table.

- For remarks on the codes : see the main document of the DDNTA Sec. VIII.3.3.

Format:

n..2

Type:

TECHNICAL

Code	Description	Remarks
12	Incorrect (code) value	Value of an element in a message is outside the predefined domain or not part of the applicable code list. The following situations are covered: - Data type differences: the received data type is different from the expected data type, e.g. numeric expected and alphanumeric received. - Data type constraint difference: the data type is not within the constraints given to it. This covers the following three situations: length differences: the received data is too long; format constraints: the received value is not within the expected format constraints e.g. the received date is outside the possible dates; code value constraints: the received value is not within the expected code value range. This type of error is applicable to all elements with code values, so it is also applicable to those elements that identify a message type.
13	Missing	A mandatory/required element is missing in the received data, e.g. a mandatory segment is missing or a required element like the MRN for the Arrival Advice (C_ARR_ADV) is not present.
14	Value not supported in this position (code value constraint)	Notification that a recipient does not support use of the specific value of an identified element in the position where it is used. This type of error refers to the use of an improper code value for a specific element.
15	Not supported in this position	The element is not allowed to be present according to the UN/EDIFACT message specification.
16	Too many constituents	A segment or composite data element contains too many elements. This type of error can only be detected in field separated messages like UN/EDIFACT
18	Unspecified error	
19	Invalid decimal notation	The decimal notation is not according to the decimal formatting standards UCI, UCM, UCD.
2	Syntax version or level not supported	The syntax version or syntax level is not in accordance with the one specified in the DDNTA
21	Invalid character(s)	One or more character(s) used in the interchange is not a valid character as defined by the syntax level indicated in UNB. This type of error can only occur in elements with alphanumeric data types, e.g. a text with strange characters.
22	Invalid service character(s)	The service character(s) used in the interchange is not a valid service character as according to this DDNTA.
23	Unknown interchange sender	The Interchange sender (S002) is unknown.
26	Duplicate detected	The same interchange is received again. Duplication is detected by reception of an interchange reference that has already been received. Duplicate messages can be received at UN/EDIFACT level, because a message is uniquely identified within an MRN. Therefore, more than one UN/EDIFACT message can have the same reference in the UNH segment
28	Invalid control reference	The control reference in UNB/UNH does not match the one in UNZ/UNT.
29	Invalid control count	The number of messages/ segments does not match the number given in UNZ/UNT.
3	Message version/release not supported	
32	Lower level empty	The interchange did not contain any messages.

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_C	
Appendix C: Codelists	
23. Error Codes for EDI NCK	

33	Invalid occurrence outside message	An invalid segment or data element occurred in the interchange, between messages. Rejection is reported at the level above.
35	Too many repetitions	Too many occurrences of a segment or entity.
36	Too many segment group repetitions	
37	Invalid type of character(s) (data type differences)	Notification that one or more numeric characters were used in an alphabetic element or that one or more alphabetic characters were used in a numeric element.
38	Missing digit in front of decimal sign	Notification that a decimal sign is not preceded by one or more digits.
39	Element too long (length constraint)	Notification that the length of the element received exceeded the maximum length specified.
40	Element too short (length constraint)	Notification that the length of an element received is shorter than the minimum length specified.
6	Data segment missing/invalid	
7	Interchange recipient not actual recipient	The interchange recipient (S003) is different from the actual recipient.

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_C	
Appendix C: Codelists	
24. Modification Type	

24. Modification Type

Details:

Used for (multiple) attribute Operation.

Format:

a1

Type:

TECHNICAL

Code	Description	Remarks
C	Create	
D	Delete	
U	Update	

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_C	
Appendix C: Codelists	
26. Month of Year	

26. Month of Year

Details:

Format:

an2

Type:

TECHNICAL

Code	Description	Remarks
01	January	
02	February	
03	March	
04	April	
05	May	
06	June	
07	July	
08	August	
09	September	
10	October	
11	November	
12	December	

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_C	
Appendix C: Codelists	
27. Flag	

27. Flag

Details:

Used for attributes that can have a positive or a negative value.

Format:

n1

Type:

TECHNICAL

Code	Description	Remarks
0	NO	
1	YES	

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_C	
Appendix C: Codelists	
28. First/Last	

28. First/Last

Details:

Format:

a1

Type:

TECHNICAL

Code	Description	Remarks
F	First	
L	Last	

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_C	
Appendix C: Codelists	
31. Type of Declaration Transit/Export Procedures	

31. Type of Declaration Transit/Export Procedures

Details:

This list applies to attribute Declaration type for CUSDEC-mapped IEs.

A Transit Business Codelist is maintained in CS/RD, values are shown for illustration only.

Format:

an..5

Type:

BUSINESS

Code	Description	Remarks
EU	EU	
EX	EX	

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_C	
Appendix C: Codelists	
32. Action Codes	

32. Action Codes

Details:

Used for attribute MESSAGE ERRORS.Action taken by recipient.

Format:

an..3

Type:

TECHNICAL

Code	Description	Remarks
4	This level and lower levels rejected	
7	This level acknowledged and next lower level acknowledged if not explicitly rejected	

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_C	
Appendix C: Codelists	
33. Interchange Service Segment Tags	

33. Interchange Service Segment Tags

Details:

Used to denote the Interchange Segment in which an error was detected.

Format:

a3

Type:

TECHNICAL

Code	Description	Remarks
UNB	Interchange header segment	
UNZ	Interchange trailer segment	

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_C	
Appendix C: Codelists	
34. Message Service Segment Tags	

34. Message Service Segment Tags

Details:

Used to denote the Message Segment in which an error was detected.

Format:

a3

Type:

TECHNICAL

Code	Description	Remarks
UNH	Message header	
UNT	Message trailer	

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_C	
Appendix C: Codelists	
35. Version Numbers	

35. Version Numbers

Details:

Format:

an..3

Type:

TECHNICAL

Code	Description	Remarks
D	Draft UN/EDIFACT directory	

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_C	
Appendix C: Codelists	
36. Release Numbers	

36. Release Numbers

Details:

Format:

an..3

Type:

TECHNICAL

Code	Description	Remarks
96B	UN/EDIFACT 96B directory	

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_C	
Appendix C: Codelists	
37. Controlling Agencies	

37. Controlling Agencies

Details:

Format:

an..2

Type:

TECHNICAL

Code	Description	Remarks
EC	European Community	
UN	United Nations	

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_C	
Appendix C: Codelists	
39. Additional Information ID (Common)	

39. Additional Information ID (Common)

Details:

Codes for Special Mentions (Box 44), see Regulation 1875/2006, Annex 30A. 'Additional Information/Special Indication Code to be sent across the Common Domain. Additional codes can be defined at national level in a separate National code list. A Transit/Import Business Codelist is maintained in CS/RD, values are shown for illustration only.

Format:

an..5

Type:

BUSINESS

Code	Description	Remarks
10600	Negotiable Bill of lading 'to order blank endorsed'	
30400	RET-EXP – Copy 3 to be returned	

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_C	
Appendix C: Codelists	
40. Additional Information Response	

40. Additional Information Response

Details:

An Export Business Codelist is maintained in CS/RD, values are shown for illustration only.

Format:

n2

Type:

BUSINESS

Code	Description	Remarks
10	Requested Additional information # 1: see following text	
11	Requested Additional information # 1 not available	

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_C	
Appendix C: Codelists	
41. Control Indicator RoC/ GI-RoC	

41. Control Indicator RoC/ GI-RoC

Details:

This list applies to the data group RESULTS OF CONTROL.

A/An Transit/Export Business Codelist is maintained in CS/RD, values are shown for illustration only.

Format:

an2

Type:

BUSINESS

Code	Description	Remarks
DI	Differences (Attribute incorrect)	
NE	New entry	

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_C	
Appendix C: Codelists	
43. AAR/AER rejection reason	

43. AAR/AER rejection reason

Details:

Code to identify the AAR/AER rejection reason (See also codelist 39).

A Transit/Export Business Codelist is maintained in CS/RD, values are shown for illustration only.

Format:

n..2

Type:

BUSINESS

Code	Description	Remarks
2	Cancelled	
3	MRN Unknown	

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_C	
Appendix C: Codelists	
45. Amendment rejection motivation code	

45. Amendment rejection motivation code

Details:

- Used to specify the Amendment Rejection Motivation.
- Other codes have to be defined at National Level.

A Transit/Export/Import Business Codelist is maintained in CS/RD, values are shown for illustration only.

Format:

n1

Type:

BUSINESS

Code	Description	Remarks
4	Other	

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_C	
Appendix C: Codelists	
46. Diversion rejection	

46. Diversion rejection

Details:

Code to identify the diversion rejection reason.

A/An Transi/Export Business Codelist is maintained in CS/RD, values are shown for illustration only.

Format:

an..2

Type:

BUSINESS

Code	Description	Remarks
11	Cancelled	
4	Other reasons	

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_C	
Appendix C: Codelists	
47. Control result	

47. Control result

Details:

Used to record the results of a control of goods either at departure or at destination (see Annex 38/A Implementing Provisions and Annex Ixa of the Convention).

A/An Transit/Export Business Codelist is maintained in CS/RD, values are shown for illustration only.

Format:

an2

Type:

BUSINESS

Code	Description	Remarks
A1	Satisfactory	Dep/Exp & Des/Ext
A2	Considered Satisfactory	Dep/Exp & Des/Ext

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_C	
Appendix C: Codelists	
48. Currency codes	

48. Currency codes

Details:

- Code to identify the currency used in Transit/Export-countries.

A Business Codelist is maintained in CS/RD.

Format:

an3

Type:

BUSINESS

Code	Description	Remarks
ATS	Austrian Schilling	
BEF	Belgian Franc	

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_C	
Appendix C: Codelists	
49. Functional Error Codes	

49. Functional Error Codes

Details:

- Subset of the UN/EDIFACT generic error table.
- For remarks on the codes : see DDNTA Sec. VII.

Format:

n2

Type:

TECHNICAL

Code	Description	Remarks
12	Incorrect (code) value	Value of an element in a message is outside the predefined domain or not part of the applicable code list.
13	Missing	A mandatory/required element is missing in the received data, e.g. a required element like the MRN for the Arrival Advice (C_ARR_ADV) is not present.
14	Value not supported in this position (code value constraint)	Notification that a recipient does not support use of the specific value of an identified element in the position where it is used. This type of error refers to the use of an improper code value for a specific element.
15	Not supported in this position	An element is not allowed to have a value due to the following two reasons: - The element is not allowed to be present according to the FMS message specification. - The element is not allowed to be present according to some additional condition, e.g. if type of packages has the value 'UNPACKED' then number of package can not have a value (condition C60 of FTSS - AES [A4] Appendix B).
19	Invalid decimal notation	The decimal notation is not according to the decimal formatting standards UCI, UCM, UCD.
26	Duplicate detected	The same interchange is received again. Duplication is detected by reception of an interchange reference that has already been received.
35	Too many repetitions	Too many occurrences of a segment or entity.
37	Invalid type characters	Notification that one or more numeric characters were used in an alphabetic element or that one or more alphabetic characters were used in a numeric element.
38	Missing digit in front of decimal sign	Notification that a decimal sign is not preceded by one or more digits.
39	Element too long (length constraint)	Notification that the length of the element received exceeded the maximum length specified.
40	Element too short (length constraint)	Notification that the length of an element received is shorter than the minimum length specified.
90	Unknown MRN	The MRN of the received FMS is not known, whereas it is expected to be known. This type of error can not be detected in an AAR (C_AAR_SND)
91	Duplicate MRN	The MRN of the received FMS is already known and is therefore not unique according to the specified rules.
92	Message out of sequence	The message can not be processed, because the receiver is not in a proper state.
93	Invalid MRN	The structure of the MRN is not conform specifications given in FTSS - AIS/AES [A4].

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_C	
Appendix C: Codelists	
53. Prefix-Suffix level	

53. Prefix-Suffix level

Details:

Used for CUSTOMS OFFICE LSD.

Format:

an1

Type:

TECHNICAL

Code	Description	Remarks
A	Simple office (see box A in Customs Office List)	
E	Higher authority (see box E in Customs Office List)	

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_C	
Appendix C: Codelists	
56. Role	

56. Role

Details:

Customs Office performing one or more precise role(s) in Transit/Export/Import.

A/An Transit/Export/Import Business Codelist is maintained in CS/RD, values are shown for illustration only.

The same codelist values are used for all Domains (ECS/NCTS/ICS) in order to support the COL.

Format:

an3

Type:

BUSINESS

Code	Description	Remarks
AUT	Higher Authority	
CAU	Competent Authority of Country of Departure	

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_C	
Appendix C: Codelists	
57. Statistics Type	

57. Statistics Type

Details:

The list with possible values as well as their applicability can be found in FTSS 4.00 Sec. V Heading 1.2 'Archive procedures'.

A/An Transit/Export/Import Business Codelist is maintained in CS/RD, values are shown for illustration only.

Format:

an4

Type:

BUSINESS

Code	Description	Remarks
E11A	Number of Movements initiated	
E11B	Number of Movements of type EU	

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_C	
Appendix C: Codelists	
58. Customs Operation State Types	

58. Customs Operation State Types

Details:

- Values at Common Domain level
- Other values can be defined at national Level
- The values of this Codelist are maintained in the CS\RD

Format:

an..3

Type:

BUSINESS

Code	Description	Remarks
F02	Goods Released for Export	
G03	AER Requested	

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_C	
Appendix C: Codelists	
59. Unit of Measure	

59. Unit of Measure

Details:

A Transit Business Codelist is maintained in CS/RD, values are shown for illustration only.

Format:

a3

Type:

BUSINESS

Code	Description	Remarks
HTL	hectolitre	
KGM	kilogram	

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_C	
Appendix C: Codelists	
60. Message Types	

60. Message Types

Details:

Used for attribute MESSAGE.ERRORS.Association assigned code and MESSAGE.Message Type. The usage of each code in one of the UNSM templates is defined in the Remarks column. CC should in all cases be instantiated to the value of the particular domain in which the message is created. [Format: an6]

Format:

an6

Type:

TECHNICAL

Code	Description	Remarks
CC504A	Export Declaration Amendment Acceptance	Values for XML
CC505A	Export Declaration Amendment Rejection	Values for XML
CC507A	Arrival At Exit	Values for XML
CC508A	Arrival At Exit Rejection	Values for XML
CC509A	Export Cancellation Decision	Values for XML
CC513A	Export Declaration Amendment	Values for XML
CC514A	Export Cancellation Request	Values for XML
CC515A	Export Declaration	Values for XML
CC516A	Export Declaration Rejected	Values for XML
CC517A	Export Control Results	Values for XML
CC519A	Export Control Results Rejected	Values for XML
CC521A	Diversions Rejection Notification	Values for XML
CC522A	Exit Release Rejection	Values for XML
CC525A	Exit Release Notification	Values for XML
CC528A	Export MRN Allocated	Values for XML
CC529A	Release For Export	Values for XML
CC547A	Manifest Presentation	Values for XML
CC548A	Manifest Validation	Values for XML
CC551A	Export No Release	Values for XML
CC554A	Export Release Request	Values for XML
CC560A	Export Control Decision	Values for XML
CC561A	Exit Control Decision Notification	Values for XML
CC562A	Export Release Request Rejection	Values for XML
CC582A	Request On Non-Exited Export	Values for XML
CC583A	Information About Non-Exited Export	Values for XML
CC590A	Exit Notification	Values for XML
CC599A	Export Notification	Values for XML
CD030B	Notification of customs offices modification to common domain	Values for PARTTC
CD031B	Notification of customs offices modification to national domain	Values for PARTTC
CD032B	Notification of common reference data modification to ND	Values for GESMES
CD070A	NOTIFICATION OF SYSTEM UNAVAILABILITY TO CD	Values for XML
CD071A	NOTIFICATION OF SYSTEM UNAVAILABILITY TO ND	Values for XML
CD411B	Sending of statistics data	Values for GESMES
CD412B	Statistics generated sent to national domain	Values for XML
CD501B	Anticipated arrival record	Values for CUSDEC
CD502A	AER Request	Values for CUSDEC
CD503B	AER Response	Values for CUSDEC
CD510A	Export Cancellation Notification	Values for CUSDEC
CD518B	Exit Results	Values for CUSDEC
CD524B	Forwarded arrival advice	Values for CUSRES
CD527A	Export Query	Values for CUSDEC
CD538A	Response to export query	Values for CUSDEC
CD584A	Export follow up request	Values for CUSDEC
CD586A	Follow-Up negative response	Values for CUSRES

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_C	
Appendix C: Codelists	
60. Message Types	

CD601A	EXS	Values for CUSDEC
CD603A	Exit Summary Declaration Response	Values for CUSDEC
CD901B	Cancellation acknowledgement	Values for CUSRES
CD904A	Status request	Values for CUSDEC
CD905A	Status response	Values for CUSRES
CD906A	Functional NACK	Values for FUNACK
CD907A	EDIFACT NACK	Values for CONTRL
CD912A	Availability Matrix	Values for FUNACK
CD913A	Upload parsing response	Values for CUSRES
CD914A	COL request	Values for PARTTC
CD916A	Common RD Request	Values for GESMES
CD931B	COL DATA	Values for PARTTC
CD932B	Common RD Data	Values for GESMES
CD971A	FULL UNAVAILABILITY SCHEDULE	Values for XML

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_C	
Appendix C: Codelists	
61. ISO 6346	

61. ISO 6346

Details:

Algorithm for calculation of Check Character for MRN & GRN: each character (left-hand column) of the reference number is given a numeric value as determined by right-hand value.

Format:

an..2

Type:

TECHNICAL

Code	Description	Remarks
MRN-GRN	Replace "ASCII" character with "Value".	ASCII - Value 0 - 0 1 - 1 2 - 2 3 - 3 4 - 4 5 - 5 6 - 6 7 - 7 8 - 8 9 - 9 A - 10 B - 12 C - 13 D - 14 E - 15 F - 16 G - 17 H - 18 I - 19 J - 20 K - 21 L - 23 M - 24 N - 25 O - 26 P - 27 Q - 28 R - 29 S - 30 T - 31 U - 32 V - 34 W - 35 X - 36 Y - 37 Z - 38

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_C	
Appendix C: Codelists	
65. UNOD Languages	

65. UNOD Languages

Details:

Codes for those languages that utilise the UNOD (Latin-2) character set.

Format:

a2

Type:

TECHNICAL

Code	Description	Remarks
CS	Czech	
HU	Hungarian	
PL	Polish	
RO	Romania	
SK	Slovak	
SL	Slovenian	

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_C	
Appendix C: Codelists	
66. UNOF Languages	

66. UNOF Languages

Details:

Codes for those languages that utilise the UNOF 5 (Greek) character set.

The technical codes included in Business Codelists will be maintained by the CS/RD, since the Business Codelists as whole are maintained by CS/RD.

Format:

a2

Type:

TECHNICAL

Code	Description	Remarks
EL	Greek (Ellinika)	

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_C	
Appendix C: Codelists	
67. Specific notes code	

67. Specific notes code

Details:

Specific notes to be entered in the Customs Office List.

The same codelist values are used for both Domains (ECS/NCTS/ICS) in order to support the COL.

Format:

an..6

Type:

BUSINESS

Code	Description	Remarks
SN0001	This customs office is open on public holidays	
SN0002	This customs office deals with transit operations under simplified procedure (authorised consignee / consignor) only.	

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_C	
Appendix C: Codelists	
68. Business Functionality Code	

68. Business Functionality Code

Details:

Format:

a1

Type:

TECHNICAL

Code	Description	Remarks
F	Follow Up	
H	Reference Data	
I	Export Processing	
K	Exit Processing	
L	ALL Functionality	
N	ECS Phase 2 Functionality	
Q	Export Query	
S	Summary Declaration Processing	

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_C	
Appendix C: Codelists	
70. Country Codes (Customs Office Lists)	

70. Country Codes (Customs Office Lists)

Details:

The country code of SM as well as the codes of all the countries included in code list 9 will be included .
The same codelist values are used for both Domains (ECS/NCTS) in order to support the COL.

Format:

a2

Type:

TECHNICAL

Code	Description	Remarks
AD	Andorra	
AT	Austria	
BE	Belgium	
BG	Bulgaria	
CH	Switzerland	Including the German territory of Büsingen and the Italian municipality of Campione d'Italia
CY	Cyprus	
CZ	Czech Republic	
DE	Germany	Including the island of Helgoland; excluding the territory of Büsingen
DK	Denmark	
EE	Estonia	
ES	Spain	Including Balearic Islands and Canary Islands; excluding Ceuta and Melilla
FI	Finland	Including Åland Islands
FR	France	Including Monaco and the French overseas departments (Réunion, Guadeloupe, Martinique and French Guiana)
GB	United Kingdom	Great Britain, Northern Ireland, Channel Islands and Isle of Man
GR	Greece	
HU	Hungary	
IE	Ireland	
IS	Iceland	
IT	Italy	Including Livigno
LT	Lithuania	
LU	Luxembourg	
LV	Latvia	
MT	Malta	
NL	Netherlands	
NO	Norway	Including Svalbard Archipelago and Jan Mayen Island
PL	Poland	
PT	Portugal	Including Azores and Madeira
RO	Romania	
SE	Sweden	
SI	Slovenia	
SK	Slovakia	
SM	San Marino	

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_C	
Appendix C: Codelists	
79. System Unavailability Type	

79. System Unavailability Type

Details:

Used for the attribute SYSTEM UNAVAILABILITY.System Unavailability Type.

Format:

a1

Type:

TECHNICAL

Code	Description	Remarks
N	Business service not implemented	
S	Scheduled Unavailability	
U	Unscheduled Unavailability	

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_C	
Appendix C: Codelists	
80. UNOH Languages	

80. UNOH Languages

Details:

Codes for those languages that utilise the UNOH (Latin-4) character set.

Format:

a2

Type:

TECHNICAL

Code	Description	Remarks
ET	Estonian	
LT	Lithuanian	
LV	Latvian	

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_C	
Appendix C: Codelists	
85. UNOE languages	

85. UNOE languages

Details:

Codes for those languages that utilise the UNOE (Latin-5) character set.

Format:

a2

Type:

TECHNICAL

Code	Description	Remarks
BG	Bulgarian	

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_C	
Appendix C: Codelists	
86. Complementary Code	

86. Complementary Code

Details:

Format:

n1

Type:

BUSINESS

Code	Description	Remarks
1	Place situated in the territory of the Member State concerned	
2	Place situated in the territory of another Member State	

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_C	
Appendix C: Codelists	
87. Type of declaration (box 1.2)	

87. Type of declaration (box 1.2)

Details:

Declaration type codes as defined in Annex 38 Implementing Provisions (Box 1.2).

Codes D, E and F can only be used in the framework of the procedure provided for in Article 201(2) where customs authorities authorise the lodgement of a declaration before the declarant is in a position to present the goods.

Format:

a1

Type:

BUSINESS

Code	Description	Remarks
A	Normal declaration (normal procedure under Article 62 of the Code)	
B	Incomplete declaration (simplified procedure under Article 76(1)(a) of the Code)	

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_C	
Appendix C: Codelists	
89. Export_query reason code	

89. Export_query reason code

Details:

Format:

an..3

Type:

BUSINESS

Code	Description	Remarks
10	Enquiry on Export data	
20	Request for Export Operation State	

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_C	
Appendix C: Codelists	
90. Incoterm code	

90. Incoterm code

Details:

Format:

a3

Type:

BUSINESS

Code	Description	Remarks
EXW	Ex works	
FCA	Free carrier	

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_C	
Appendix C: Codelists	
91. Nature of transaction code	

91. Nature of transaction code

Details:

Format:

n..2

Type:

BUSINESS

Code	Description	Remarks
1	1	
2	2	

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_C	
Appendix C: Codelists	
92. Procedure requested	

92. Procedure requested

Details:

Format:

an2

Type:

BUSINESS

Code	Description	Remarks
10	10	
11	11	

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_C	
Appendix C: Codelists	
93. Previous procedure	

93. Previous procedure

Details:

Format:

an2

Type:

BUSINESS

Code	Description	Remarks
00	00	
01	01	

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_C	
Appendix C: Codelists	
94. Representative status code	

94. Representative status code

Details:

Format:

n1

Type:

BUSINESS

Code	Description	Remarks
2	Representative – direct representation	
3	Representative – indirect representation	

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_C	
Appendix C: Codelists	
95. Risk analysis result code	

95. Risk analysis result code

Details:

"Values for the 1-4 digits: Some code values will be defined at Common Domain level, other values can be defined at National Domain level.

Values at common domain level (codes to be used for C-Messages) will be defined by the Risk Management Framework project. Values for the last digit:"

Format:

an1

Type:

BUSINESS

Code	Description	Remarks
N	National risk analysis results. ('N' shall also be used in case of national profile random risk analysis)	
Z	No risk analysis results available	

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_C	
Appendix C: Codelists	
96. Specific circumstance indicator	

96. Specific circumstance indicator

Details:

Regulation 1875/2006

Format:

a1

Type:

BUSINESS

Code	Description	Remarks
A	Postal and express consignments	
B	Ship and aircraft supplies	
E	Authorised economic operators	

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_C	
Appendix C: Codelists	
97. Summary declaration rejection reason code	

97. Summary declaration rejection reason code

Details:

Format:

n..2

Type:

BUSINESS

Code	Description	Remarks
7	Movement already arrived at Entry	
8	Movement already released for Entry	

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_C	
Appendix C: Codelists	
98. Type of tax	

98. Type of tax

Details:

Format:

an3

Type:

BUSINESS

Code	Description	Remarks
A00	Customs duties on industrial products	
A10	Customs duties on agricultural products	

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_C	
Appendix C: Codelists	
99. Warehouse type	

99. Warehouse type

Details:

Format:

a1

Type:

BUSINESS

Code	Description	Remarks
A	Public Customs warehouse under responsibility of the warehousekeeper	
B	Public Customs warehouse under responsibility of the depositor	

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_C	
Appendix C: Codelists	
102. Community / national procedure	

102. Community / national procedure

Details:

For the list of possible codes see Annex 38 Implementing Provisions (Box 37.2).

Format:

an3

Type:

BUSINESS

Code	Description	Remarks
A51	A51	
A52	A52	

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_C	
Appendix C: Codelists	
103. Previous document category	

103. Previous document category

Details:

The attribute correspond to the first element of Box 40. It shall not be merged any longer with the previous document type.

Format:

an1

Type:

BUSINESS

Code	Description	Remarks
X	Summary declaration	
Y	Initial declaration	

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_C	
Appendix C: Codelists	
104. Method of payment	

104. Method of payment

Details:

Format:

a1

Type:

BUSINESS

Code	Description	Remarks
A	Payment in cash	
B	Payment by credit card	

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_C	
Appendix C: Codelists	
105. Day in the week	

105. Day in the week

Details:

Format:

n1

Type:

TECHNICAL

Code	Description	Remarks
1	Monday	
2	Tuesday	
3	Wednesday	
4	Thursday	
5	Friday	
6	Saturday	
7	Sunday	

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_C	
Appendix C: Codelists	
116. Transport charges - Method of payment	

116. Transport charges - Method of payment

Details:

A Transit(/Export) Business Codelist is maintained in CS/RD, values are shown for illustration only.
Commission Regulation (EC) 1875/2006

Format:

a1

Type:

BUSINESS

Code	Description	Remarks
A	Payment in cash	
B	Payment by credit card	

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_C	
Appendix C: Codelists	
136. Custom System	

136. Custom System

Details:

Custom System applicable domain

Format:

n..2

Type:

TECHNICAL

Code	Description	Remarks
1	NCTS	
2	ECS	
3	ICS	
4	EOS	